SUBJECT INDEX.

[References to the papers read before the Institute are indicated by the word *Paper* following the page number. The letter *P.* denotes a reference in Section I. of the Journal which contains the reports of the proceedings of meetings, the papers read, and the discussions thereon. The latter *A.* denotes a reference to the section dealing with abstracts.]

Indexing of Alloy Steels and Other Alloys. In the indexing of alloy steels, carbon and iron are ignored and the alloying elements contained in the steel are arranged in alphabetical order; for example, all references to nickel-chromium-molybdenum steel will be found under the heading chromium-molybdenum-nickel steel. In the indexing of other alloys, carbon and iron, when present, are included in the title; iron, when present, is always mentioned first and the other elements follow in alphabetical order, carbon being in all cases mentioned last. Examples "iron-silicon-carbon alloys" and "iron-chromium-nickel-carbon alloys."

ABRASION TESTS, coke, 402*P*.
ACME SYSTEM of core drying, 257*A*.
ACOUSTIC INVESTIGATION of formation of acicular martensite, 44*A*.
AGE-HARDENING :
  effect on steel, 71*A*.
  metals, 141*A*.
AGEING :
  double, beryllium-chromium-copper alloys, 237*A*.
  double, definition of term, 237*A*.
  double, high-speed steel, 237*A*.
  effect on steel, carbon condition, 296*A*.
  hard-drawn wire, 51*A*.
  quench-, steel, effect of titanium, 34*A*.
  strain-, chromium-copper-phosphorus steel, 161*P*.
  strain-, chromium-copper steel, 161*P*.
  strain-, copper-manganese steel, 161*P*.
  strain-, Cor-Ten., 161*P*.
  wire, effect of drawing speed, 266*A*.
AIR-CLEANING SYSTEM for foundries, 7*A*.
AIRCRAFT CONSTRUCTION :
  use of aluminium alloys, 242*A*.
  use of stainless steel, 40*A*., 242*A*.
AIRCRAFT ENGINE VALVES :
  steels for, 142*A*.
  stellite coating, crack formation, 179*A*.
AIRCRAFT MATERIAL :
  corrosion-fatigue, effect of mean stress of applied cycle, 293 *Paper*.
  corrosion-fatigue, effect of protective coatings, 315*P*.
AIRCRAFT PARTS, heat treatment, 224*A*.
AIR-SAND COAL-CLEANING PROCESS, 254*A*.
AJAX-HULTGREN SALT-BATH FURNACE, 22*A*.
ALASKA, mineral resources, 154*A*.
ALITISING PROCESS, 135*A*.
"ALKINS EFFECT" in cold-drawn steel, 266*A*.
ALLOTROPY, iron, 421*P*., 298*A*.
ALLOY STEELS RESEARCH COMMITTEE, first report, 37*A*.
ALLOYS :
  aluminium, properties, 86*A*.
  aluminium, use in aircraft construction, 242*A*.
  atomic arrangement, 37*A*.
  beryllium-chromium-copper alloys, double ageing, 237*A*.
  beryllium-cobalt-copper, precipitation hardening, 237*A*.
  chromium-nickel, properties at high temperatures, 239*A*.
  chromium-nickel, use in dentistry, 84*A*.
  cobalt-silicon, heats of formation, 148*A*.

ALLOYS (*contd.*)—
Contracid, use in dentistry, 84*A*.
copper, properties, 85*A*.
copper-nickel, properties, 182*A*.
copper-tin, heats of formation, 148*A*.
electrical conductivity, 287*A*.
iron-aluminium, heats of formation, 148*A*.
iron-aluminium-carbon, carburisation, 69*A*.
iron-aluminium-cobalt, heats of formation, 148*A*.
iron-aluminium-nickel, heats of formation, 148*A*.
iron-beryllium, properties, 180*A*.
iron-carbon, annealing in hydrogen, formation of decarburised zone, 71*A*.
iron-carbon, determination of silicon, use of Leifo photometer, 306*A*.
iron-carbon, fluidity, 8*A*.
iron-chromium, corrosion resistance, 85*A*.
iron-chromium, heat resistance, 85*A*.
iron-chromium, passivity, effect of elements, 301*A*.
iron-chromium-nickel, corrosion resistance, 85*A*.
iron-chromium-nickel, heat resistance, 85*A*.
iron-cobalt-copper, constitution, 149*A*.
iron-cobalt-nickel, corrosion in acids at high temperatures, 36*A*.
iron-cobalt-nickel, electrical resistivity, 36*A*.
iron-nickel, austenite formation, 299*A*.
iron-nickel, cold-rolled, recrystallisation, preferred orientations, 90*A*.
iron-nickel, cubic crystal structure, 48*A*.
iron-nickel, electrodeposition, 134*A*.
iron-nickel, transformations, 246*A*.
iron-silicon, constitution, 93*A*.
iron-silicon, heat of formation, 147*A*., 148*A*.
iron-silicon, slip, twinning and cleavage, 89*A*.
iron-sulphur, 37*A*.
magnesium, corrosion-fatigue, effect of mean stress of applied cycle, 293*P*.
magnesium, properties, 86*A*.
nickel, properties, 85*A*.
nickel, use for generators, 242*A*.
ALLOYS (*contd.*)—
nickel, use in power plants, 242*A*.
nickel, use for valves, 182*A*.
nickel-silicon, heats of formation, 148*A*.
nickel-tin, heats of formation, 148*A*.
non-ferrous, effect of titanium, 82*A*.
non-ferrous, use in engineering industry, 142*A*.
thermal conductivity, 287*A*.
titanium, inclusions, identification and composition, 223*P*.
vanadium, inclusions, identification and composition, 232*P*.
X-ray analysis, effect of composition of specimen, 44*A*.
zirconium, inclusions, identification and composition, 228*P*.
ALLOYS OF IRON RESEARCH, 269*P*.
ALPLATAER PROCESS, 30*A*.
ALUMETISING PROCESS, 135*A*.
ALUMINA. *See* Refractory Materials.
ALUMINIUM :
coefficient of expansion, 79*A*.
corrosion in combustion products of town gas, 95*A*.
effect in chromium-copper steel, impact strength at low temperatures, 239*A*.
effect in quenched steel, structure, 91*A*.
effect in stainless steel, 84*A*.
effect in steel, corrosion, 250*A*.
effect in steel, nitrogen absorption during welding, 226*A*.
effect in steel, slag inclusions, 162*A*.
latent heat, 79*A*.
melting point, 79*A*.
specific heat, 79*A*.
thermal conductivity, 79*A*.
ALUMINIUM ALLOYS :
properties, 86*A*.
use in aircraft construction, 242*A*.
ALUMINIUM-CHROMIUM-MOLYBDENUM-NICKEL STEEL, bending fatigue strength, 175*A*.
ALUMINIUM COATINGS, 135*A*.
effect on steel, corrosion-fatigue, 315*P*.
ALUMINOUS CEMENT, use as bond for refractory concrete, 201*A*.
AMCO SOAKING PIT, 123*A*.
AMERICAN COAL :
classification, 58*A*.
coking properties, 205*A*., 206*A*.
composition and properties, 205*A*.
AMERICAN ROLLING MILL CO., wide strip mill, 165*A*., 166*A*.
AMMONIA, synthesis, 207*A*.

AMMONIUM BICARBONATE, production, 207*A*.
ANALYSIS, 96*A*., 190*A*., 305*A*.
spectrum, 191*A*., 306*A*., 307*A*.
thermal, recording apparatus, 44*A*.
ANALYTICAL WORK, calculation of error, 96*A*.
ANISOTROPY, magnetic, iron, 287*A*.
ANNEALING :
austenitic welds, 74*A*.
bright, automobile sheets, 23*A*.
bright, wire, 129*A*.
effect on steel, 71*A*.
iron-carbon alloys in hydrogen, formation of decarburised zone, 71*A*.
isothermal, 23*A*.
low-temperature, manganese-nickel cast iron, 47*A*.
malleable cast iron, 118*A*., 160*A*., 257*A*.
sheets, gas evolution, 169*A*.
ANNEALING FURNACES :
bright, 71*A*.
sheets, Wilson type, 273*A*.
temperature measurement, 271*A*.
tube type, 23*A*.
ANNUAL DINNER, report, 22*P*.
ANTHRACITE SILT, pulverised, use, 254*A*.
APPLEBY-FRODINGHAM STEEL CO., LTD. :
finishing bank, 269*A*.
plant, 260*A*.
ARMCO IRON, corrosion, effect of phosphorus, 149*P*.
ASSOCIATES, election, 4*P*.
ATMOSPHERES :
controlled, annealing furnaces, 71*A*.
controlled, heat-treatment furnaces, 129*A*., 273*A*.
furnace, effect on high-speed steel, grain size, 130*A*.
furnace, production, 204*A*., 205*A*.
ATOMIC ARRANGEMENT, alloys, 37*A*.
ATRAMENTISATION METHOD of phosphate coating, 29*A*.
AUSTENITE :
formation in iron-nickel alloys, 299*A*.
grain size, 45*A*.
grain size, determination, 88*A*., 89*A*., 245*A*.
transformation in chromium-silicon steel, 299*A*.
transformation, temperature-time diagram, 245*A*.
AUSTENITIC IRON, transformation to martensitic iron by low-temperature annealing, 47*A*.
AUSTRALIAN IRON & STEEL, LTD., coking plant, 59*A*.
AUSTRIA, magnesite deposits, 153*A*.
AUSTRIAN COAL, properties, 253*A*.
AUTOFRETTAGE, hollow cylinders, 66*A*.
AUTOMOBILE AXLES, heat treatment, 130*A*.
AUTOMOBILE BRAKE DRUMS, moulding, 161*A*.
AUTOMOBILE CONSTRUCTION, use of nickel steel, 40*A*.
AUTOMOBILE FENDERS, pressing, 124*A*., 219*A*.
AUTOMOBILE PARTS, routine inspection, 142*A*.
AUTOMOBILE SHEETS :
bright annealing, 23*A*.
normalising, 23*A*.
production, 219*A*.
AUTOMOBILE VALVES, extrusion, 125*A*.
AXLE SHAFTS, properties of, 86*A*.
AXLES :
automobile, heat treatment, 130*A*.
fatigue, effect of press-fitted members, 138*A*., 283*A*.
forging, 218*A*.
surface rolling, 138*A*.

BALL-BEARING STEEL, slag inclusions, 86*A*.
BAR MILLS, temperature control by photo-electric pyrometer, 127*A*.
BARIUM ALUMINIUM SILICATES. *See* Refractory Materials.
BARS :
cold-drawing, 66*A*., 219*A*.
hand rolling, 68*A*.
heat treatment, 129*A*.
BASALTIC ORE, smelting in producers, 117*A*.
BASIC ELECTRIC STEEL :
inclusions, 262*A*.
sulphides, 262*A*.
BASIC OPEN-HEARTH PRACTICE, Swedish, 62*A*.
BASIC OPEN-HEARTH PROCESS, reactions, 62*A*., 260*A*.
BASIC OPEN-HEARTH STEEL, oxygen content, 62*A*., 260*A*.
BASIC SLAG :
magnetic properties, 15*A*.
oxidising power, 162*A*.
BASIC STEEL, effect of phosphorus, 180*A*.
BAUM COAL WASHERY, 253*A*., 254*A*.

BEARINGS :
design, 68*A*.
lubrication, effect of grooving, 127*A*.
roller, 126*A*.
synthetic resin, 19*A*.
BECKER COKE OVEN, 58*A*.
BEERINGEN COLLIERIES, coal cleaning plant, 58*A*.
BEET SUGAR FACTORIES, corrosion problems, 152*A*.
BEND STRENGTH :
alternating, effect of size of test-bar and notch shape, 236*A*.
alternating, effect of stress condition, 235*A*.
BEND TESTS :
alternating, pinion shafts, 234*A*.
impact, wire, 281*A*.
tinplate, 75*A*.
welded joints, specification, British, 73*A*.
BENDING FATIGUE STRENGTH, nitrided steel, 175*A*.
BENDING INDEX, cast iron, 36*A*.
BENDING STRESSES, wire ropes, 175*A*.
BENZOYL, determination in coke-oven gas, 191*A*.
BERYLLIUM :
cementation of cast iron, 128*A*.
physical constants, 79*A*.
properties, 180*A*.
BERYLLIUM - CHROMIUM - COPPER ALLOYS, double ageing, 237*A*.
BERYLLIUM-COBALT-COPPER ALLOYS, precipitation hardening, 237*A*.
BESSEMER CONVERTERS :
basic, blast supply, 121*A*.
basic, dolomite bottoms for, 202*A*.
BESSEMER GOLD MEDAL :
award to N. T. Belaiew, 13*P*.
award to A. Meyer, 17*P*.
BETHANIZING PROCESS, 232*A*.
BETHLEHEM STEEL CO. :
pickling plant, 229*A*.
power house, 4*A*.
rolling-mill plant, 127*A*.
strip mills, 19*A*.
BIBLIOGRAPHY, 106*A*., 195*A*., 318*A*.
corrosion tests, potentiometric methods, 150*A*.
ingot moulds, 258*A*.
rapid refining of steel, 14*A*.
vanadium ore deposits, 56*A*.
BI-METALLIC STRIP, use in radiation measurement, 167*A*.
BIRTLEY COAL-CLEANING PLANT, 205*A*.
BITUMINOUS COATINGS, 28*A*.
BLAST, supply to basic converters, 121*A*.
BLAST FURNACE :
calculation of coke charge, 116*A*.
damping down and restarting, 209*A*.
refractory materials, 2*A*.
tap-hole plugging machines, 6*A*., 116*A*.
use of coal, 208*A*.
BLAST-FURNACE FLUE-DUST :
recovery from scrubber water, 5*A*.
sintering, 199*A*.
BLAST-FURNACE GAS :
cleaning, flue-dust recovery, 5*A*.
cleaning, Lodge-Cottrell plant, 157*A*.
BLAST-FURNACE GAS BALANCE, iron and steel works, 59*A*.
BLAST-FURNACE LININGS, 2*A*.
disintegration, 201*A*.
BLAST-FURNACE PLANT :
Appleby Frodingham Works, 260*A*.
Burbach Hütte, 158*A*.
electric power consumption, 204*A*.
Guest Keen Baldwins Iron & Steel Co., 6*A*., 116*A*., 208*A*.
Shotts Iron Works, 208*A*.
Wellingborough Iron Co., Ltd., 158*A*.
BLAST-FURNACE PRACTICE, Russian, 116*A*.
BLAST-FURNACE SLAG :
behaviour of sulphur, 116*A*.
use in glass industry, 117*A*.
BLAST-FURNACE STOVES, thermal studies, 287*A*.
BLISTERING, enamels, 233*A*.
BLOW-HOLES, formation in welding and casting, 171*A*.
BLOWPIPE :
use for quenching steel, 129*A*.
use for surface hardening, 223*A*.
BOEING AIRCRAFT CO., heat-treatment plant, 224*A*.
BOILER PLATE, welded, tests, 132*A*.
BOILER STEEL :
corrosion, effect of organic substances, 187*A*.
embrittlement, 33*A*., 189*A*., 285*A*.
embrittlement, effect of sodium hydroxide, 286*A*.
endurance under repeated torsion, effect of solutions, 286*A*.
BOILER TUBES, cracking, 282*A*.
BOILERS :
combustion control, 113*A*.
use of sillimanite refractories, 155*A*.
welded, for locomotives, 132*A*.
welding, 132*A*.

BOLLARDS, moulding, 211*A*.
BOLT STEEL, properties at high temperatures, 79*A*.
BOLTS, cold-heading, 65*A*.
BOOK NOTICES :
"Achema-Jahrbuch," 98*A*.
American Inst. of Mining and Metallurgical Engineers, "Transactions," 98*A*.
"Betriebstechnische Sammelmappe," 309*A*.
Bolton, J. W., "Gray Cast Iron," 309*A*.
Bone, W. A., and G. W. Himus, "Coal, Its Constitution and Uses," 98*A*.
Brennecke, E., K. Fajans, N. H. Furman, R. Lang and H. Stamm., "Neuere massanalytische methoden," 192*A*.
Brunck, O., "Quantitative Analyse," 100*A*.
Daugherty, C. R., M. G. de Chazeau and S. S. Stratton, "The Economics of the Iron and Steel Industry," 310*A*.
Durrer, R., "Erzeugung von Eisen und Stahl," 100*A*.
Evans, U. R., "Metallic Corrosion, Passivity and Protection," 311*A*.
Grenet, L., "Thermodynamique et Métallurgie," 313*A*.
Hanemann, H., and Angelica Schrader, "Atlas Metallographicus," 193*A*.
Honda, K., "Anniversary Volume Dedicated to Professor Kôtarô Honda on the Completion of Twenty-Five Years of His Professorship," 193*A*.
Import Duties Act, 314*A*.
Korrosionstagung, 1935, 100*A*.
Lea, F. C., "Hardness of Metals," 193*A*.
"Mitteilungen der deutschen Materialprüfungsanstalten," Sonderheft, XXVIII, 101*A*.
"Mitteilungen aus dem Kaiser-Wilhelm-Institut für Eisenforschung zu Düsseldorf," Band XVIII, 314*A*.
Oberhoffer, P., "Das technische Eisen — Konstitution und Eigenschaften," 102*A*.
Saliger, R. and E. Bittner, "Versuche an Eisenbetonbalken unter ruhenden und herabfallenden Lasten," 103*A*.
BOOK NOTICES (*contd.*)—
Schwartz, H. A. "Shrinkage," 194*A*.
Sisco, F. F., "The Alloys of Iron and Carbon, Vol. II., Properties," 315*A*.
Smithells, C. J., "Tungsten : a Treatise on its Metallurgy, Properties and Applications," 103*A*.
Society of Chemical Industry. "Reports of the Progress of Applied Chemistry," Vol. XXI., 1936, 316*A*.
Thum, A., and H. Ochs, "Korrosion und Dauerfestigkeit," 317*A*.
"V. D. I. Jahrbuch, 1937. Die Chronik der Technik," 317*A*.
Verein deutscher Ingenieure. Sonderheft, "Schweisstechnik. II.," 104*A*.
World Power Conference. "A Survey of the Present Organisation of Standardisation, National and International," 105*A*.
BOSSHARDT OPEN-HEARTH FURNACE, 14*A*.
BOULDER DAM DISTRICT, mineral resources, 154*A*.
BRAKE DRUMS, automobile, moulding, 161*A*.
BRASS :
corrosion in combustion products of town gas, 95*A*.
oxidation at high temperatures, 129*A*.
BRAZE-WELDED JOINTS, strength, 228*A*.
BRAZING, liquid, 171*A*.
BRIDGE CABLES, failure, 282*A*.
BRINE, corrosion of steel, 95*A*.
BRITISH COLUMBIA, nickel ore deposits, 56*A*.
BRITTLE FRACTURES, occurrence, 285*A*.
BRITTLENESS, temper-, chromium-nickel steel, 139*A*.
BROKEN HILL PROPRIETORY CO., iron ore mines, 153*A*.
BROWN, DAVID, & SONS (HUDD.), LTD., foundry plant, 211*A*.
BUCKLING, cast iron, 83*A*.
BUICK MOTOR CO. :
foundry plant, 160*A*.
production of automobile fenders, 124*A*., 219*A*.
BURBACH HÜTTE, plant, 158*A*.
BURNER, gas, Gako, 157*A*.
BURNING, alloy steel, 39*A*.

BURNING LOSSES, reheating furnaces, 123*A*.

CABLES, bridge, failure, 282*A*.
CADMIUM :
coefficient of expansion, 79*A*.
electrodeposition, 134*A*.
latent heat, 79*A*.
melting point, 79*A*.
physical constants, 79*A*.
specific heat, 79*A*.
thermal conductivity, 79*A*.
CADMIUM COATINGS :
effect on steel, corrosion-fatigue, 315*P*.
CALAMINE COATING, effect on steel, corrosion, 249*A*.
CALORISING PROCESS, 135*A*.
CAMERAS, use in drawing office, 244*A*.
CAMSHAFTS, cast, production, 161*A*.
CANADA :
mineral deposits, 56*A*.
nickel ore deposits, 56*A*.
CARBIDES, formation in iron melts, effect on equilibria with oxides, 147*A*.
CARBON :
determination in iron and steel, 191*A*.
determination in iron and steel, spectrum analysis, 307*A*.
effect in cast iron, 36*A*.
effect in iron, hysteresis loss, 431*P*.
effect in iron-chromium alloys, passivity, 301*A*.
effect in liquid iron on composition of equilibrium gas, 213*A*.
effect in steel, nitrogen absorption during welding, 226*A*.
effect in steel, wear, 178*A*.
formation in carbonisation of organic materials, 296*A*.
in steel, effect of heat treatment, ageing, and deformation, 296*A*.
temper, determination of nodule number, 146*A*.
CARBON DIOXIDE, corrosion of steel, 53*A*.
CARBON OXIDES, interaction with liquid iron, 213*A*.
CARBON STEEL :
corrosion, effect of phosphorus, 118*P*.
corrosion-fatigue, effect of mean stress of applied cycle, 293*P*.
corrosion-resistance, 84*A*.
creep, 289*A*.
effect of elements, 242*A*.
CARBON STEEL (*contd.*)—
effect of rolling degree, rolling temperature and thickness ratio, 220*A*.
effect of titanium, 82*A*.
fatigue at high temperatures, 80*A*.
fatigue at low temperatures, effect of overload, 78*A*.
fracture at high temperatures, 79*A*.
impact tests at low temperatures, 290*A*.
quenched, structure, effect of aluminum, 91*A*.
single-blow drop tests, 77*A*.
slag inclusions, effect of aluminum, 162*A*.
tensile tests, short-time, 290*A*.
welding, 170*A*., 225*A*.
CARBONISATION :
low-temperature, 59*A*., 157*A*., 206*A*., 255*A*.
low-temperature, utilisation of liquor, 114*A*.
organic compounds, carbon formation, 296*A*.
CARBONYL IRON, production of steel, 243*A*.
CARBURETTOR for tar or oil-fuel, 115*A*.
CARBURISATION :
gaseous, 69*A*.
iron-aluminium-carbon alloys, 69*A*.
CARBURISING FURNACES, 128*A*.
CARNEGIE-ILLINOIS STEEL CORP. :
heat-treatment plant, 129*A*.
plate mills, 166*A*., 221*A*., 267*A*.
strip mills, 68*A*.
CARNEGIE RESEARCH GRANTS, award, 37*P*.
CARNEGIE SILVER MEDAL, award to H. Esser, 38*P*.
CASE-HARDENED STEEL, toughness, effect of impurities, 22*A*.
CASE-HARDENING :
effect on steel, corrosion-fatigue in sea-water, 188*A*.
use of cyanides, 128*A*.
CASE-HARDENING FURNACES, 128*A*.
CAST IRON :
alloy, structure, 91*A*.
bending index, 36*A*.
buckling, 83*A*.
cementation by beryllium, 128*A*.
chromium, properties, 141*A*.
chromium-copper-nickel, properties, 141*A*.
chromium - nickel, properties, 141*A*.
classed as brittle material, 240*A*.

CAST IRON (*contd.*)—
copper-nickel, use for valves, 182*A*.
corrosion, graphitic, 187*A*.
determination of molybdenum, 306*A*.
determination of silicon, spectrum analysis, 191*A*.
effect of carbon, 36*A*.
effect of elements, 240*A*.
effect of moulding sand, 119*A*.
effect of silicon, 36*A*.
effect of wall thickness, 36*A*., 240*A*.
elastic modulus, 137*A*.
elastic properties, 83*A*.
enamelling, 136*A*.
graphite in, 82*A*., 245*A*., 296*A*.
graphitisation, 259*A*.
graphitisation, effect of elements, 7*A*.
hardening, 224*A*.
hardness, variation with wall thickness, 82*A*.
heat treatment, 272*A*.
high-duty, properties, 240*A*.
impact strength and notch sensitiveness, 174*A*.
inclusions, non-metallic, 45*A*.
liquid, electrical conductivity, measurement, 35*A*.
malleable. *See* Malleable Cast-Iron.
manganese - nickel, low-temperature annealing, 47*A*.
manufacture, costs, 210*A*.
manufacture for enamelling, 160*A*.
manufacture in oil-fired rotary furnace, 257*A*.
manufacture, use of ferro-alloys, 210*A*.
Meehanite, properties, 293*A*.
nickel, properties, 182*A*.
Ni-Tensyl, properties, 141*A*.
nitriding, 70*A*.
nitriding, effect of silicon, phosphorus and manganese, 255 *Paper*.
properties, 36*A*.
quenching, 130*A*.
shock-resistant, manufacture in electric furnace, 210*A*.
silicon, properties, 141*A*.
structure, 90*A*., 184*A*.
tempering, 224*A*.
tensile strength, variation with wall thickness, 82*A*.
use in chemical industry, 180*A*.
use in engineering industry, 142*A*.
use for moulds for glass industry, 143*A*.

CAST METALS :
effect of titanium, 82*A*.
use in machine construction, 37*A*.
CAST STEEL :
notch toughness, 77*A*.
see also Castings, steel.
CASTING :
centrifugal, cylinder liners, James method, 61*A*.
centrifugal, pipes, De Lavaud method, 259*A*.
centrifugal, pipes, De Lavaud method, chill prevention, 11*A*.
CASTING STRESSES, chilled rolls, 11*A*.
CASTINGS :
cleaning, 257*A*.
cleaning, Pangborn Rotoblast machine, 160*A*.
design, 7*A*., 61*A*.
formation of blow-holes, 171*A*.
iron, dense, production, 120*A*.
iron, moulding, 161*A*.
nickel steel, properties, 242*A*.
pressure, production, 61*A*.
roll, feeding, 161*A*.
shrinkage, 12*A*.
sound, production, 120*A*.
steel, classification of steel for, 10*A*.
steel, cooling, dimensional changes, 8*A*.
steel, fluidity, 8*A*.
steel, heat treatment, 257*A*., 273*A*.
steel, inclusions, 211*A*.
steel, moulding, 257*A*.
steel, production by duplex process, 160*A*.
steel, production in green sand, 10*A*.
steel, properties of steel which affect quality, 8*A*.
steel, radiographic examination, 10*A*.
steel, runners and risers, 60*A*.
steel, scaling, 23*A*.
steel, strength and ductility during cooling, 9*A*.
steel, strength and ductility near melting point, 8*A*.
steel, tensile tests during cooling, 9*A*.
steel, use for machine construction, 143*A*.
steel, use for railway construction, 259*A*.
stresses, 12*A*.
CAVITATION, metals, 189*A*., 303*A*.
CELLAN-JONES, COKE OVEN, 157*A*., 206*A*.

CEMENT :
aluminous, use as bond for refractory concrete, 210*A*.
use in moulding sand, 118*A*., 211*A*.
CEMENT JOINTS :
behaviour under tension and compression, 57*A*.
permeability, 57*A*.
CEMENTATION :
cast iron by beryllium, 128*A*.
steel, use of oxy-acetylene flame, 223*A*.
CHAINS, hardening, 275*A*.
CHECKER BRICKS :
for open-hearth furnaces, 2*A*.
properties, 252*A*.
for regenerators, 13*A*.
CHEMICAL INDUSTRY :
metals for, 180*A*.
use of cast iron, 180*A*.
use of chromium steel, 181*A*.
use of zinc-coated steel, 180*A*.
CHEVROLET MOTOR CO., forging plant, 218*A*.
CHILLED ROLLS :
casting stresses, 11*A*.
chromium-nickel cast iron, properties, 242*A*.
properties, 242*A*.
CHILLS, use in moulds, 210*A*.
CHINA, ancient iron industry, 209*A*.
CHROMATE SALT, effect on razor blades, 250*A*.
CHROME BRICK. *See* Refractory Materials.
CHROMIC-SULPHURIC ACID, etching of coal, 58*A*.
CHROMIUM :
determination, 96*A*.
determination in iron and steel, spectrum analysis, 307*A*.
effect in alloy steel, 143*A*.
effect in cast iron, graphitisation, 7*A*.
effect of nitrogen, 240*A*.
effect in phosphorus steel, 128*P*.
effect in sheet steel, 161*P*.
effect in steel, corrosion, 50*A*., 250*A*.
effect in steel, nitrogen absorption during welding, 226*A*.
effect in steel, wear, 178*A*.
effect in tungsten steel, flakes, 168*A*.
electrodeposition, 134*A*.
electrodeposition, Fescol process, 231*A*.
physical constants, 79*A*.
CHROMIUM CAST-IRON, properties, 141*A*.
CHROMIUM - COPPER - NICKEL CAST IRON, properties, 141*A*.
CHROMIUM - COPPER - PHOSPHORUS STEEL :
corrosion, 161*P*.
properties, 161*P*.
CHROMIUM-COPPER-SILICON STEEL :
corrosion, effect of phosphorus, 149*P*.
corrosion tests, 136*P*.
effect of phosphorus, 133*P*.
CHROMIUM-COPPER STEEL :
corrosion, 136*P*., 161*P*., 50*A*.
effect of phosphorus, 133*P*.
impact strength at low temperatures, effect of deoxidisers, 239*A*.
properties, 161*P*.
CHROMIUM-MANGANESE STEEL :
properties, 184*A*., 293*A*., 295*A*.
properties at high temperatures, 240*A*.
CHROMIUM-MOLYBDENUM-NICKEL STEEL :
for locomotive rods, composition, 218*A*.
overheating and burning, 39*A*.
properties for locomotive coupling rods, 189*P*.
CHROMIUM-MOLYBDENUM STEEL :
heat treatment, 22*A*.
properties, 242*A*.
properties at high temperatures, 80*A*.
CHROMIUM-NICKEL ALLOYS :
properties at high temperatures, 239*A*.
use in dentistry, 84*A*.
CHROMIUM-NICKEL CAST IRON, properties, 141*A*.
CHROMIUM-NICKEL CAST IRON ROLLS, properties, 242*A*.
CHROMIUM-NICKEL STEEL :
corrosion, 51*A*.
corrosion-fatigue, effect of mean stress of applied cycle, 293*P*.
corrosion resistance, 84*A*.
creep, 289*A*.
drilling, 172*A*.
effect of titanium, 82*A*.
etching with sodium cyanide, 43*A*.
flakes, 17*A*.
manufacture, 14*A*.
properties, 84*A*., 142*A*.
properties at high temperatures, 287*A*.
properties for locomotive coupling rods, 189*P*.
temper-brittleness, 139*A*.

CHROMIUM-NICKEL STEEL (*contd.*)—
use for moulds for glass industry, 143*A*.
use for valves, 182*A*., 242*A*.
CHROMIUM - NICKEL - TUNGSTEN STEEL, fatigue at high temperatures, 80*A*.
CHROMIUM-SILICON STEEL, transformations of austenite, 299*A*.
CHROMIUM STEEL :
corrosion, 180*P*.
corrosion-fatigue, effect of mean stress of applied cycle, 293*P*.
corrosion resistance, 84*A*., 180*A*.
effect of phosphorus, 123*P*.
effect of titanium, 291*A*.
fatigue at low temperatures, effect of overload, 78*A*.
flakes, effect of oxide slag, 168*A*.
hardness, effect of titanium, 91*A*.
intergranular corrosion, effect of niobium, 240*A*.
structure, effect of titanium, 91*A*.
thermal conductivity, 35*A*.
transformation, hardening and tempering phenomena, 185*A*.
use in chemical industry, 181*A*.
use for pressure vessels, 181*A*.
use for structural purposes, 41*A*.
CHROMIUM STEEL VALVES, extrusion, 17*A*.
CHROMIUM TOOL STEEL, properties, 85*A*.
CHROMIUM-VANADIUM STEEL, properties, 85*A*.
CHRYSLER CORPORATION, foundry plant, 7*A*.
CLAD-STEEL, uses, 231*A*.
CLAD-STEEL ROLLS, production, 171*A*.
CLAYS, bonding properties, 10*A*.
CLEANING :
blast-furnace gas, flue-dust recovery, 5*A*.
blast-furnace gas, Lodge-Cottrell plant, 157*A*.
castings, 257*A*.
castings, Pangborn Rotoblast machine, 160*A*.
coal, accuracy of washing curves, 205*A*.
coal, air-sand process, 254*A*.
coal, Baum washery, 253*A*., 254*A*.
coal, Birtley plant, 205*A*.
coal, evaluation of results, 253*A*.
coal, gravity separation, 156*A*.
coal, Laurent plant, 58*A*.
coal, Rheolaveur plant, 205*A*., 254*A*.
coal, slurry treatment, 4*A*.
CLEANING (*contd.*)—
gas, electrostatic precipitation, 207*A*.
metals, 27*A*., 133*A*., 229*A*.
CLEVELAND DISTRICT, iron industry, 73*P*.
COAL :
agglutinating value, determination, British standard method, 5*A*.
American, coking properties, 205*A*., 206*A*.
American, composition and properties, 205*A*.
analysis, 97*A*.
ash content, 156*A*.
Austrian, properties, 253*A*.
carbonisation, low-temperature, 59*A*., 157*A*., 206*A*., 255*A*.
carbonisation, low-temperature, utilisation of liquor, 114*A*.
classification, 58*A*.
cleaning, accuracy of washing curves, 205*A*.
cleaning, air-sand process, 254*A*.
cleaning, Baum washery, 253*A*., 254*A*.
cleaning, Birtley plant, 205*A*.
cleaning, evaluation of results, 253*A*.
cleaning, gravity separation, 156*A*.
cleaning, Laurent plant, 58*A*.
cleaning, Rheolaveur plant, 205*A*., 254*A*.
cleaning, slurry treatment, 4*A*.
coking properties, 114*A*.
coking properties, effect of oxidation, 206*A*.
determination of phosphorus, 191*A*.
etching with chromic-sulphuric acid, 58*A*.
gasification, Lurgi process, 59*A*.
handling, Emden Harbour, 110*A*.
hydrogenation, 256*A*.
indication of rank by oxygen absorption, 4*A*.
liquid fuel from, 59*A*.
mineral constituents, 113*A*.
plasticity, 114*A*.
pulverised, use, 205*A*., 254*A*.
swelling, 206*A*.
use in blast-furnaces, 208*A*.
COAL ASH :
composition, 113*A*.
fusibility, 253*A*.
COAL-CLEANING PLANTS, Beeringen Collieries, 58*A*.
Dorman, Long & Co., 253*A*.
Guest Keen Baldwins Iron and Steel Co., 6*A*., 116*A*., 157*A*.
Llay Main Collieries, 205*A*.
Parsonage Colliery, 113*A*.

COAL DEPOSITS :
Alaska, 154*A*.
Scotland, 153*A*.
United States, 56*A*., 154*A*., 251*A*.
COAL DUST, effect in moulding sand, 119*A*., 257*A*.
COAL GAS :
analysis, 307*A*.
effect on refractory materials, 57*A*.
COATED STEEL, welding, 170*A*.
COATING, metals, 28*A*., 134*A*., 231*A*.
COATINGS :
aluminium, 135*A*.
bituminous, 28*A*.
calamine, effect on steel, corrosion, 249*A*.
electrodeposited, properties, 134*A*.
lead, 231*A*.
metallic, formation of pits, 28*A*.
metallic, thickness determination, 29*A*.
multiple-layer, 28*A*.
nickel, bright, 134*A*.
nickel, properties, 29*A*., 182*A*.
phosphate, 29*A*.
phosphate, applied to galvanised sheets for paint adherence, 232*A*.
phosphate, atramentisation method, 29*A*.
phosphate, corrosion-resistance, 30*A*.
phosphate, defects, 30*A*.
phosphate, history and development, 30*A*.
phosphate, Russian investigations, 30*A*.
protective, effective on steel, corrosion-fatigue, 315 *Paper*.
rubber, chlorinated, 32*A*.
zinc, corrosion resistance, 180*A*.
zinc, porosity tests, 31*A*.
COBALT, determination in iron and steel, 306*A*.
COBALT-SILICON ALLOYS, heats of formation, 148*A*.
COEFFICIENT OF EXPANSION, pure metals, 79*A*.
COKE :
abrasion tests, 402*P*.
determination of phosphorus, 191*A*.
reactive, production, 255*A*.
requirements of blast-furnace, 116*A*.
COKE-OVEN GAS :
ammonia synthesis, 207*A*.
determination of benzoyl, 191*A*.
use, 207*A*.
COKE-OVENS :
Becker, 58*A*.
Cellan-Jones, 157*A*., 206*A*.
Collin, 5*A*.
Coppée, 113*A*.
design and construction, 205*A*., 255*A*.
dilatation of masonry, 206*A*., 255*A*.
heat distribution, 157*A*.
heating, 255*A*.
Kemp, 206*A*., 255*A*.
Lecocq, 206*A*.
Otto, 59*A*.
Otto-Wilputte, 59*A*., 157*A*.
production of reactive coke, 255*A*.
refractory materials for, 114*A*.
stand-pipe valve, 5*A*.
COKE RESEARCH COMMITTEES, report on work, 255*A*., 393*P*., *discussion*, 394*P*.
COKING PLANTS :
Australian Iron and Steel, Ltd., 59*A*.
Burbach Hütte, 158*A*.
electric power consumption, 204*A*.
Govan Iron Works, 114*A*., 157*A*.
Guest Keen Baldwins Iron and Steel Co., 116*A*., 157*A*.
Hardwick Colliery Co., Ltd., 113*A*.
Lambton Coke Works, 5*A*.
New Brancepath Colliery, 157*A*., 206*A*., 255*A*.
Workington Iron and Steel Co., 58*A*.
COKING PROPERTIES :
coal, 114*A*., 205*A*., 206*A*.
coal, effect of oxidation, 206*A*.
COLD DRAWING, bars and rods, 66*A*., 219*A*.
COLD-DRAWN STEEL :
" Alkins effect," 266*A*.
corrosion-fatigue, effect of mean stress of applied cycle, 293*P*.
corrosion-fatigue, effect of protective coatings, 315*P*.
COLD-DRAWN WIRE, effect of alternating stresses, 285*A*.
COLD-FORMING MACHINES, 218*A*.
COLD-HEADING, composition of wire rod used, 219*A*.
COLD-HEADING PRACTICE, 65*A*.
COLD-ROLLED STEEL, recrystallisation, preferred orientations, 46*A*.
COLD-ROLLED STRIP, effectiveness of rust-preventing oils, 32*A*.
COLD-ROLLING :
sheets and strip, 68*A*.
strip, tension control, 20*A*.

COLD-WORK, effect in deep-drawing, 66*A*.
COLD-WORKED STEEL, fatigue-strength diagrams, 235*A*.
COLLIN COKE OVENS, 5*A*.
COLOURING :
  metals, 231*A*.
  steel, 29*A*.
COMBUSTION :
  control in boilers, 113*A*.
  control, heat-treatment furnaces, 71*A*.
  fuel, 203*A*.
COMBUSTION CHAMBERS, design, 4*A*.
COMBUSTION ENGINEERING CO., welding of pressure vessels, 171*A*.
COMITÉ DE NORMALISATION DE LA SOUDURE, specification for covered electrodes, 131*A*.
COMPOSITE PLATES, use for pressure vessels, 182*A*.
CONCENTRATION :
  iron ore, 110*A*.
  manganese ore, 112*A*.
CONCRETE :
  refractory, aluminous cement as a bond, 201*A*.
  reinforced, fatigue limit of steel, 236*A*.
CONDUCTIVITY :
  electrical, alloys, 287*A*.
  electrical, cast iron, measurement, 35*A*.
  electrical, measurement, 179*A*.
  thermal, alloys, 287*A*.
  thermal, chromium steel, 35*A*.
  thermal, gases, 287*A*.
  thermal, insulating material, 287*A*.
  thermal, measurement, 140*A*., 179*A*.
  thermal, powdered materials, 287*A*.
  thermal, pure metals, 79*A*.
  thermal, refractory materials, 287*A*.
  thermal, structural materials, 287*A*.
CONTRACID ALLOYS, use in dentistry, 84*A*.
CONTROL :
  combustion, boilers, 113*A*.
  combustion, heat-treatment furnaces, 71*A*.
  forge furnaces, 17*A*.
  foundry practice, statistical methods, 160*A*.
  fuel, standardisation, 113*A*.
  furnace atmospheres, 204*A*., 205*A*.
  moulding sand, 11*A*., 60*A*.
CONTROL (*contd.*)—
  open-hearth furnaces, 13*A*., 14*A*., 204*A*.
  temperature, 156*A*.
CONVERTERS :
  basic Bessemer, blast supply, 121*A*.
  basic Bessemer, dolomite bottoms for, 202*A*.
CONVEYOR BELTS, use of strip steel, 182*A*.
CONVEYORS, for iron ore, 110*A*.
COOLEY, iron-ore roasting plant, 111*A*.
COOLING :
  steel, mathematical considerations, 38*A*.
  steel castings, dimensional changes, 8*A*.
  steel castings, strength and ductility of metal, 9*A*.
  steel castings, tensile tests of metal, 9*A*.
COOLING CURVES, dilatometric, steel, 185*A*.
COPPÉE COKE OVEN, 113*A*.
COPPER :
  coefficient of expansion, 79*A*.
  corrosion in combustion products of town gas, 95*A*.
  determination in iron, 306*A*.
  effect in iron-chromium alloys, passivity, 301*A*.
  effect in phosphorus steel, 128*P*.
  effect in sheet steel, 161*P*.
  effect in stainless steel, 84*A*.
  latent heat, 79*A*.
  melting point, 79*A*.
  oxidation of high temperatures, 129*A*.
  oxide films, measurement, 249*A*.
  specific heat, 79*A*.
  thermal conductivity, 79*A*.
COPPER ALLOYS, properties, 85*A*.
COPPER MALLEABLE CAST IRON, overstressing, 176*A*.
COPPER-MANGANESE STEEL :
  corrosion, 161*P*.
  corrosion tests, 136*P*.
  effect of phosphorus, 133*P*.
  properties, 161*P*.
COPPER-MOLYBDENUM STEEL, corrosion, 84*P*., 92*P*.
COPPER-NICKEL ALLOYS, properties, 182*A*.
COPPER-NICKEL CAST IRON, use for valves, 182*A*.
COPPER-NICKEL STEEL, properties, 243*A*.
COPPER STEEL :
  corrosion, 92*P*., 93*P*., 180*P*., 49*A*., 51*A*., 52*A*., 54*A*.

COPPER STEEL (*contd.*)—
corrosion, effect of phosphorus, 149*P*.
effect of phosphorus, 120*P*.
effect of titanium, 82*A*.
overstressing, 176*A*.
COPPER-STEEL SHEETS, corrosion, 81 *Paper*.
COPPER-TIN ALLOYS, heats of formation, 148*A*.
COR-TEN :
composition and properties, 161*P*.
corrosion, 161*P*.
single-blow drop tests, 77*A*.
CORE SANDS :
testing, 211*A*.
use for facing moulds, 211*A*.
CORES :
drying, 211*A*., 258*A*.
drying, Acme system, 257*A*.
green sand, for pipes, 11*A*.
making, 258*A*.
properties of binders, 161*A*.
CORROSION :
ancient iron, 54*A*.
Armco iron, effect of phosphorus, 149*P*.
atmospheric, 53*A*.
carbon steel, effect of phosphorus, 118*P*.
chromium-copper-phosphorus steel, 161*P*.
chromium-copper-silicon steel, corrosion, effect of phosphorus, 149*P*.
chromium-copper steel, 161*P*., 50*A*.
chromium-nickel steel, 51*A*.
chromium steel, 180*P*.
copper-manganese steel, 161*P*.
copper-molybdenum steel, 84*P*., 92*P*.
copper steel, 92*P*., 93*P*., 180*P*., 49*A*., 51*A*., 52*A*., 54*A*.
copper steel, effect of phosphorus, 149*P*.
copper steel and ingot iron roofing sheets, 81 *Paper*.
Cor-Ten, 161*P*.
graphitic, cast iron, 187*A*.
ingot iron, 49*A*.
inhibitors, aromatic amines, 53*A*.
insulating panels, 187*A*.
intergranular, chromium steel, effect of niobium, 240*A*.
iron, effect of galvanic couples, 150*A*.
iron-cobalt-nickel alloys in acids at high temperatures, 36*A*.
iron and steel, 49*A*., 95*A*., 150*A*., 187*A*., 248*A*., 301*A*.
CORROSION (*contd.*)—
metals, effect of organic substances, 187*A*.
metals in beet sugar factories, 152*A*.
metals in combustion products of town gas, 95*A*.
painted steel, 49*A*., 51*A*.
phosphorus steel, 144*P*., 149*P*., 180*P*.
pipes in soil, 151*A*., 188*A*.
prevention, Synhibit process, 233*A*.
rail steel, 51*A*.
rôle of oxygen, 249*A*.
ships, 49*A*.
stainless steel in sea water, 188*A*.
stainless steel welds, 248*A*.
steel, effect of aluminium, 250*A*.
steel, effect of calamine coating, 249*A*.
steel, effect of chromium, 50*A*., 250*A*.
steel, effect of composition, 249*A*.
steel, effect of nickel, 250*A*.
steel, effect of phosphorus, 250*A*.
steel, effect of rolling-mill practice, 50*A*.
steel, effect of scale, 50*A*.
steel, effect of silicon, 250*A*.
steel, effect of temperature, 249*A*.
steel painted while hot, 49*A*.
steel in brine, 95*A*.
steel in concrete, effect of sulphur in concrete aggregate, 116*A*.
steel in oil-well waters, 303*A*.
steel by water and carbon dioxide under pressure, 53*A*.
structural steel, low-alloy, 49*A*., 50*A*.
tinplate by canned cream, 187*A*.
tinplate by food products, 152*A*.
turbine blades, 54*A*.
water-heating systems, 95*A*.
wrought iron, 49*A*., 51*A*.
CORROSION COMMITTEE, Fourth Report, 49*A*.
CORROSION-FATIGUE :
metals, effect of mean stress of applied cycle, 293 *Paper*.
steel, effect of protective coatings. 315 *Paper*.
steel in sea-water, surface treatment of metal, 188*A*.
wire rope, 54*A*.
CORROSION LOSS, steel in Germany, 150*A*., 248*A*.
CORROSION-RESISTANCE :
carbon steel, 84*A*.
chromium-nickel steel, 84*A*.
chromium steel, 84*A*., 180*A*.

CORROSION-RESISTANCE (*contd.*)—
iron-chromium alloys, 85*A*.
iron-chromium-nickel alloys, 85*A*.
lacquers and varnishes, 28*A*.
multiple-layer coatings, 28*A*.
phosphate coatings, 30*A*.
zinc coatings, 180*A*.
CORROSION-RESISTANT METALS, properties, 180*A*.
CORROSION-RESISTANT STEEL, properties, 181*A*.
CORROSION TESTS :
atmospheric, 49*A*.
chromium-copper-silicon steel, 136*P*.
chromium-copper steel, 136*P*.
copper-manganese steel, 136*P*.
laboratory, 52*A*.
phosphorus steel, 131*P*.
potentiometric methods, 150*A*.
potentiometric methods, bibliography, 150*A*.
stainless steel, "break-through" potential method, 101 *Paper*.
standardisation, 53*A*.
use of meteorological data, 87*P*.
COSTS :
foundry, estimation, 210*A*.
manufacture of cast iron, 210*A*.
COTTRELL PRECIPITATOR, effect discharge potential, 59*A*.
COUNCIL REPORT, 40*P*.
COUPLING RODS, locomotive, alloy and fine-grained steels for, 187 *Paper*.
CRACKS :
in boiler tubes, 282*A*.
fatigue, detection, 139*A*.
fatigue, effect of surface condition, 138*A*.
hardening, in tungsten steel, 168*A*.
quenching, 33*A*.
CRANKSHAFTS :
cast, 83*A*., 143*A*.
forging, 124*A*.
shrinking-on of parts, use of low temperatures, 219*A*.
CREAM, canned, discoloration and corrosion, 187*A*.
CREEP :
carbon steel, 289*A*.
chromium-nickel steel, 289*A*.
metals, 80*A*.
steel, 180*A*., 288*A*.
steel under alternating stress, 80*A*.
CREEP DATA, method of analysis, 289*A*.
CREEP TESTS :
effect of salt baths, 238*A*.
CREEP TESTS (*contd.*)—
effect of time of preheating and prior loading, 238*A*.
interpretation of results, 81*A*., 140*A*.
long-time, 140*A*.
CROMANSIL STEEL, properties, 85*A*.
CRUCIBLES :
for laboratory work, 155*A*.
manufacture from refractory oxides, 1*A*.
use and care, 57*A*.
CRUSHING MACHINERY, ore, 110*A*.
CRYSTALS :
grain boundaries, 45*A*.
iron and nickel, ferromagnetic behaviour, 237*A*.
single, properties, 89*A*.
CUPOLA MIXTURES, selection, 118*A*.
CUPOLA PRACTICE, 257*A*.
CUPOLAS :
height of molten metal, 7*A*.
refractory materials, 2*A*.
CUPPING TESTS :
sheets, Erichsen method, 137*A*.
sheets, Persoz method, 137*A*.
sheets, Siebel and Pomp method, 137*A*.
CURIE POINT, reflecting power of iron, 186*A*.
CUTTING :
flame, use of propane, 207*A*.
oxy-acetylene, 228*A*.
underwater, Picard appliance, 228*A*.
CUTTING FLUIDS, effect on high-speed steel, life, 278*A*.
CUTTING FORCE, tools, measurement by dynamometer, 278*A*.
CUTTING SPEED :
tool steel, effect of quenching, 24*A*.
tool steel, relation to tool life, 172*A*.
CUTTING TEMPERATURE, as index of machinability, 279*A*.
CYANIDES, use for case-hardening, 128*A*.
CYLINDER LINERS, centrifugal casting, James method, 61*A*.
CYLINDERS :
engine, wear, 35*A*.
hollow, auto-frettage, 66*A*.
locomotive, welding, 225*A*.

DAMPING CAPACITY :
metals, 451*P*.
steel, 175*A*.
DEEP-DRAWING :
lubricants used, 219*A*.

DEEP-DRAWING (*contd.*)—
metal for, 124*A*.
metallurgical aspects, 18*A*., 124*A*.
production of sheet and strip for, 165*A*.
sheets and strip, effect of cold work, 66*A*.
DEEP-DRAWING STEEL, alloy contamination, 13*A*.
DEFECTS, metals, 137*A*.
DEFORMATION :
effect on steel, carbon condition, 296*A*.
in forging process, 65*A*.
hot, recrystallisation of steel, 46*A*.
plastic, laws and fundamentals, 174*A*.
plastic, metals, 65*A*., 89*A*.
in wire drawing, 67*A*.
DEGREASING, metals, 229*A*.
DE LAVAUD METHOD :
for casting pipes, 259*A*.
of casting pipes, chill prevention, 11*A*.
DENTISTRY, use of stainless steel, 84*A*.
DEOXIDATION :
action of manganese, 359*P*.
action of titanium, 247*P*.
action of vanadium, 246*P*.
action of zirconium, 250*P*.
effect on steel, susceptibility to heat treatment, 273*A*.
DEOXIDISERS, effect on chromium-copper steel, impact strength at low temperatures, 239*A*.
DESULPHURISATION :
action of manganese, 357*P*.
iron, 14*A*.
iron by hydrogen, 122*A*.
DIAMOND CHAIN AND MANUFACTURING CO., heat-treatment practice, 275*A*.
DIE BLOCKS, manufacture, 124*A*.
DIES :
forging, for shears and scissors, 17*A*.
tungsten carbide, handling, 167*A*.
DIFFUSION :
elements in iron, 22*A*.
hydrogen through nickel and iron, 81*A*.
phosphorus in steel, 22*A*.
DILATOMETER, recording, 179*A*.
DILATOMETRIC COOLING CURVES, steel, 185*A*.
DISTORTION, iron and molybdenum, 77*A*.
DOLOMITE. *See* Refractory Materials.
DOMINION FOUNDRIES AND STEEL, LTD., rolling-mill plant, 127*A*.
DORMAN LONG & CO. LTD., coal-cleaning plant, 253*A*.
DRAWING :
cold-, bars and rods, 66*A*., 219*A*.
wire, deformation phenomena, 67*A*.
wire, distortion of wire on passing through draw plate, 67*A*.
See also Deep-Drawing.
DRAWING PRESS, double-crank, 18*A*.
DRILLING, chromium-nickel steel, 172*A*.
DRILLS, torque and end thrust, 278*A*.
DROP-FORGING PRACTICE, 124*A*., 266*A*.
DROP TESTS :
single-blow, effect of shape of test-piece on energy needed, 76*A*.
single-blow, low-alloy steel, 77*A*.
DRYING :
cores, 211*A*., 258*A*.
cores, Acme system, 257*A*.
DUCOL STEEL, weldability, 171*A*.
DUCTILITY, steel castings, during cooling, 9*A*.
DUPLEX PROCESS for production of steel castings, 160*A*.
DURALUMIN, corrosion-fatigue, effect of mean stress of applied cycle, 293*A*.
DUREHETE STEEL, properties at high temperatures, 80*A*.
DUST PARTICLES, rate of fall, calculation, 115*A*.
DWIGHT-LLOYD SINTERING PLANT, 199*A*.
DYNAMOMETER for measuring cutting force of tools, 278*A*.

ECONOMIC EFFICIENCY, calculation, 159*A*.
ELASTIC MODULUS, cast iron, 137*A*.
ELASTIC PROPERTIES :
cast iron, 83*A*.
relation to strength and strain hardening, 173*A*.
ELECTRIC DRIVING :
rolling mills, 68*A*., 127*A*., 222*A*.
strip mills, 20*A*.
ELECTRIC FURNACES :
action of phosphate slag on refractories, 3*A*.
high-frequency, 261*A*.
hollow-electrode, manufacture of stainless steel, 213*A*., 214*A*.
induction, inductor regenerators, 15*A*.
manufacture of shock-resistant cast iron, 210*A*.

ELECTRIC STEEL :
basic, inclusions, 262*A*.
basic, sulphides, 262*A*.
ELECTRICAL CONDUCTIVITY :
alloys, 287*A*.
cast iron, measurement, 35*A*.
measurement, 179*A*.
ELECTRICAL ENGINEERING, glossary of terms, 134*A*.
ELECTRICAL PROPERTIES, oxide systems, 178*A*.
ELECTRICAL RESISTIVITY, iron-cobalt-nickel alloys, 36*A*.
ELECTRICITY in iron and steel works, 4*A*., 204*A*.
ELECTRODEPOSITED COATINGS, properties, 134*A*.
ELECTRODEPOSITED METALS, formation of pits, 28*A*.
ELECTRODEPOSITION :
cadmium, 134*A*.
chromium, 134*A*.
chromium, Fescol process, 231*A*.
control methods, 134*A*.
glossary of terms used, 134*A*.
iron-nickel alloys, 134*A*.
nickel, 134*A*.
nickel, Fescol process, 231*A*.
rhodium, 135*A*.
rubber, 28*A*.
zinc, 135*A*.
ELECTRODES :
welding, cored or covered ? 225*A*.
welding, covered, specification, French, 131*A*.
welding, Pan type, 132*A*.
welding, selection, 170*A*.
welding, steel for, 73*A*.
welding, tape-covered, 170*A*.
ELECTROGALVANISING :
Bethanizing process, 232*A*.
Meaker process, 136*A*.
ELECTROMAGNETIC HARDNESS TEST, 139*A*.
ELECTROMAGNETIC TESTS, wire rope, 245*A*.
" ELECTROMETAL " FURNACE, 6*A*.
ELECTROSTATIC PRECIPITATOR, 207*A*.
ELONGATION, distribution, mathematical law, 34*A*.
EMBRITTLEMENT :
boiler steel, 33*A*., 189*A*., 285*A*.
boiler steel, effect of sodium hydroxide, 286*A*.
EMDEN HARBOUR, handling equipment, 110*A*.
ENAMEL COATINGS, effect on steel, corrosion-fatigue, 315*P*.
ENAMELLING :
cast iron, 136*A*.
ENAMELLING (*contd.*)—
cast iron for, 160*A*.
design of parts for, 136*A*.
German practice, 233*A*.
iron and steel, 31*A*.
sheets, 136*A*.
ENAMELLING FURNACES, electric, 232*A*.
ENAMELS :
adherence, 233*A*.
blistering, 233*A*.
opacifiers, 31*A*.
reboiling phenomena, 233*A*.
thickness determination, 31*A*.
ENDURANCE, boiler steel under repeated torsion, effect of solutions, 286*A*.
ENDURANCE PROPERTIES, cold-drawn wire, 285*A*.
ENGINE CYLINDERS, wear, 35*A*.
ENGINE VALVES, aircraft, steels for, 142*A*.
ENGINEERING, relation to foundry, 7*A*.
ENGINEERING INDUSTRY, metals for, 142*A*.
ENGINES :
internal combustion, valve steels, 241*A*.
oil, steel for, 143*A*.
ENTROPY VALUES, inorganic materials, 179*A*.
ERICHSEN CUPPING TEST., 137*A*.
EROSION, metals by cavitation, 189*A*., 303*A*.
ETCHING :
coal with chromic-sulphuric acid, 58*A*.
sodium cyanide, chromium-nickel steel, 43*A*.
steel, boundary attack, 88*A*.
ETCHING REAGENTS :
Honda's, 244*A*.
Kalling's 244*A*.
stainless steel, 244*A*.
United States Bureau of Standards, 244*A*.
EUTECTOID STEEL, effect of vanadium, 92*A*.
EXPANSION :
thermal, measurement, 140*A*.
thermal, silica brick, 2*A*.
EXPANSION COEFFICIENT, pure metals, 79*A*.
EXTENSOMETER :
differential, for stress measurement, 138*A*.
wedge, applications, 280*A*.
EXTRUSION :
automobile valves, 125*A*.

EXTRUSION (*contd.*)—
chromium steel valves, 17*A*.
composition of wire rod used, 219*A*.

FACING MATERIAL :
for moulds, 119*A*.
for moulds, use of core sand, 211*A*.
FAILURE :
bridge cables, 282*A*.
parts in service, 173*A*.
FAIRFIELD MANUFACTURING CO., heat-treatment plant, 129*A*.
FATIGUE :
axles, effect of press-fitted members, 138*A*., 283*A*.
carbon steel at high temperatures, 80*A*.
chromium-nickel-tungsten steel at high temperatures, 80*A*.
corrosion-, metals, effect of mean stress of applied cycle, 293 *Paper*.
corrosion-, steel, effect of protective coatings, 315*P*.
corrosion-, steel in sea-water, surface treatment of metal, 188*A*.
corrosion-, wire rope, 54*A*.
effect of self-stresses, 283*A*.
gear steel, 78*A*.
metals, X-ray diffraction study, 78*A*.
molybdenum at high temperatures, 80*A*.
overstressing of materials, 283*A*.
patented wire, 284*A*., 285*A*.
pinion shafts, 234*A*.
steel in concrete, 236*A*.
steel at low temperatures, effect of overload, 78*A*.
FATIGUE CRACKS :
detection, 139*A*.
effect of surface condition, 138*A*.
FATIGUE FAILURE, forgings, 175*A*.
FATIGUE FRACTURES, occurrence, 285*A*.
FATIGUE STRENGTH :
bending, nitrided steel, 175*A*.
welded joints, 228*A*.
FATIGUE-STRENGTH DIAGRAMS :
cold-worked steel, 235*A*.
screws, 235*A*.
FATIGUE STRESSING, plastic flow of materials, 237*A*.
FATIGUE-TESTING MACHINES, 138*A*.
Haigh-Robertson, 138*A*.
FATIGUE TESTS, wire, 138*A*.
FEED-WATER HEATERS, arrangement of tubes, 58*A*.
FERRITE, nitrogen penetration, 141*A*.
FERRO ALLOYS, use in manufacture of cast iron, 210*A*.
FERRO-CHROMIUM, determination of nitrogen, 97*A*.
FERRO MACHINE AND FOUNDRY CO., foundry plant, 161*A*.
FERROMAGNETIC BEHAVIOUR, iron and nickel crystals, 237*A*.
FERROMAGNETIC LAMINÆ, magnetic properties, 139*A*.
FESCOL PROCESS, 231*A*.
FINLAND, ore deposits, 154*A*.
FIRECLAY BRICK. *See* Refractory Materials.
FISSURES, in rails, 86*A*., 137*A*.
FLAKES :
in chromium steel, effect of oxide slag, 168*A*.
in steel, 17*A*.
in tool steel, 168*A*.
in tungsten steel, effect of chromium, 168*A*.
FLOTATION :
hematite, 199*A*.
ore, 113*A*.
FLOW :
plastic, during fatigue stressing, 237*A*.
measurement, 204*A*.
FLUE-DUST :
recovery from scrubber water, 5*A*.
sintering, 199*A*.
FLUIDITY :
iron-carbon alloys, 8*A*.
malleable iron and steel, 259*A*.
steel castings, 8*A*.
FLUXES, petrography, 162*A*.
FOLDING TESTS, 75*A*.
FOLLSAIN PENETRAL PROCESS, 128*A*.
FOLLSAIN PROCESS of ore agglomeration, 128*A*.
FOOD PRODUCTS, corrosion of tinplate, 152*A*.
FORD MOTOR CO. :
production of cast camshafts, 161*A*.
reheating furnaces, 64*A*.
FORGE FURNACES, automatic control, 17*A*.
FORGE HAMMERS :
construction, 124*A*.
design, 266*A*.
steam consumption, 65*A*.
FORGING :
axles, 218*A*.
crankshafts, 124*A*.
hollow bodies, 124*A*.
locomotive rods, 218*A*.

FORGING DIES for shears and scissors, 17*A*.
FORGING PRACTICE, 17*A*., 65*A*., 124*A*., 218*A*., 266*A*.
developments, 218*A*.
drop, 266*A*.
FORGING PRESSES, design, 124*A*., 266*A*.
FORGING PROCESS, deformation phenomena, 65*A*., 218*A*.
FORGING TEMPERATURES, metals, 65*A*.
FORGINGS :
chromium-molybdenum-nickel steel, overheating and burning, 39*A*.
drop, production, 124*A*.
fatigue failure, 175*A*.
heat-treatment furnace, 169*A*.
press and upset, 65*A*.
FORSTERITE. *See* Refractory Materials.
FOUNDRIES :
air-cleaning system, 7*A*.
mechanisation, 118*A*., 259*A*.
use of propane, 207*A*.
FOUNDRY COSTS, estimation, 210*A*.
FOUNDRY EXHIBITION, German, 60*A*.
FOUNDRY FURNACES, 118*A*.
FOUNDRY IRON :
production, 116*A*.
selection, 60*A*.
FOUNDRY PLANT :
Buick Motor Co., 160*A*.
David Brown & Sons (Hudd.), Ltd., 211*A*.
Chrysler Corporation, 7*A*.
Ferro Machine and Foundry Co., 161*A*.
General Motors Corporation, 160*A*., 257*A*.
Philip Gies Foundry, Ltd., 257*A*.
Keen Foundry Co., 161*A*.
Olympic Foundry Co., 118*A*.
Packard Motor Co., 211*A*.
Stanton Ironworks Co., Ltd., 259*A*.
G. & J. Weir, Ltd., 61*A*., 119*A*.
FOUNDRY PRACTICE, 7*A*., 60*A*., 118*A*., 160*A*., 210*A*., 257*A*.
relation to engineering, 7*A*.
statistical methods of control, 160*A*.
FRACTURES, fatigue and brittle, occurrence, 285*A*.
FRANCE :
iron-ore deposits, 153*A*.
specification for covered welding electrodes, 131*A*.
FREE-CUTTING STEEL, properties, 143*A*.
FRICTION COEFFICIENT, in rolling, 267*A*.
FUEL :
combustion, 203*A*.
control, standardisation, 113*A*.
energy-producing power, 203*A*.
properties and treatment, 4*A*., 58*A*., 113*A*., 156*A*., 203*A*., 253*A*.
pulverised. *See* Coal, pulverised.
FULLWOOD FOUNDRY CO., LTD., manufacture of ingot moulds, 211*A*.
FURNACE ATMOSPHERES. *See* Atmospheres.
FURNACE LININGS, rammed, 202*A*.
FURNACES :
blast. *See* Blast-Furnaces.
combustion-chamber design, 4*A*.
electric. *See* Electric Furnaces.
enamelling. *See* Enamelling Furnaces.
forge. *See* Forge Furnaces.
foundry, 118*A*.
heat-treatment. *See* Heat-Treatment Furnaces, Annealing Furnaces, &c.
muffle-kiln gas-fired, heat balance, 57*A*.
oil-fired, measurement of oil flow, 5*A*.
open-hearth. *See* Open-Hearth Furnaces.
for preparation of pure iron, 247*A*.
recuperative, 58*A*.
reheating. *See* Reheating Furnaces.
rotary, oil-fired, 257*A*.
rotary, for production of iron, 158*A*.
salt-bath, Ajax-Hultgren, 22*A*.
vacuum, 94*A*.

GAKO GAS BURNER, 157*A*.
GALVANISED COATINGS, effect on steel, corrosion-fatigue, 315*P*.
GALVANISED IRON, corrosion in combustion products of town gas, 95*A*.
GALVANISED-IRON SHEETS, superiority over steel sheets, 91*P*.
GALVANISED SHEETS :
corrosion, 81*P*.
phosphate coatings for paint adherence, 232*A*.
production of spangle, 135*A*.
weight of coating, 91*P*.
GALVANISED STEEL, welding, 170*A*., 227*A*.

GALVANISING :
Aplataer process, 30*A*.
effect on steel, corrosion-fatigue in sea-water, 188*A*.
electro-, wire, Bethanizing process, 232*A*.
sheet-ware, 135*A*.
steel, 30*A*.
wire, 31*A*., 135*A*.
wire, Meaker process, 136*A*.
GALVANISING BATHS, life, 30*A*.
GAS :
cleaning, electrostatic precipitation, 207*A*.
town, use in industrial furnaces, 5*A*.
use in Welsh tinplate industry, 115*A*.
GAS BALANCE, iron and steel works, 59*A*.
GAS BURNER, Gako, 157*A*.
GAS HOLDER, Klonne, 157*A*.
GAS MAINS, water separator and water seal, 115*A*.
GAS PRODUCERS. *See* Producers.
GASES :
determination in iron and steel, vacuum fusion method, 96*A*.
in ingots, effect on solidification, 263*A*.
sampling, 97*A*.
" specific flame efficiency," 4*A*.
in steel, 141*A*.
thermal conductivity, 287*A*.
GASIFICATION, coal, Lurgi process, 59*A*.
GEAR STEEL, fatigue, 78*A*.
GEARS, heat-treatment, 129*A*.
GENERAL ELECTRIC CO., heat-treatment plant, 129*A*.
GENERAL MOTORS CORPORATION, plant, 160*A*., 257*A*.
GENERATORS, use of nickel alloys, 242*A*.
GERMANY :
corrosion losses of steel, 150*A*., 248*A*.
enamelling practice, 233*A*.
foundry exhibition, 60*A*.
iron ore deposits, 56*A*., 153*A*.
iron ore mining, 251*A*.
resources of alloy metals, 153*A*.
welded locomotive construction, 132*A*.
GIBBONS-WILD-BARFIELD REHEATING FURNACE, 123*A*.
GILLETTE METHOD of hardening razor blades, 130*A*., 224*A*.
GLASS, production from basaltic ore in producer, 117*A*.
GLASS INDUSTRY :
heat-resistant steel for, 241*A*.
moulds, iron and steel for, 143*A*.
use of blast furnace slag, 117*A*.
GLOSSARY, terms used in electrical engineering, 134*A*.
GOVAN IRON WORKS, coking plant, 114*A*., 157*A*.
GRAIN BOUNDARIES, 211*P*., 45*A*.
GRAIN-GROWTH, annealed sheets, 45*A*.
GRAIN SIZE :
austenite, 45*A*.
austenite, determination, 88*A*., 89*A*., 245*A*.
effect on steel, 88*A*.
high-speed steel, effect of furnace atmosphere during hardening, 130*A*.
measurement, 184*A*.
in steel, 435*P*., 45*A*.
in steel, determination, 200*P*.
in steel, effect of nitrogen, 212*P*.
in steel, effect on properties, 195*P*.
GRANITE CITY STEEL CO. :
plant, 212*A*.
strip mills, 268*A*.
GRAPHITE :
in cast iron, 82*A*., 245*A*., 296*A*.
formation in pyrolysis of organic compounds, 296*A*.
GRAPHITISATION :
cast iron, 259*A*.
cast iron, effect of elements, 7*A*.
GREAT LAKES STEEL CORPORATION, plant, 13*A*.
GRINDING, steel, formation of grinding skin, 279*A*.
GUEST KEEN BALDWINS IRON AND STEEL CO. :
blast-furnace plant, 6*A*., 116*A*., 208*A*.
coal-cleaning plant, 6*A*., 116*A*., 157*A*.
coking plant, 116*A*., 157*A*.
fuel-distribution plant, 6*A*., 116*A*., 157*A*.
reheating furnaces, 264*A*.
rolling-mill plant., 6*A*., 116*A*., 208*A*.
GUTEHOFFNUNGSHÜTTE :
iron ore mines, 56*A*.
power station, 113*A*.
welding electrode, 132*A*.

HABERSHON, J. J., & SONS, rolling-mill plant, 19*A*.
HAIGH-ROBERTSON FATIGUE TESTING MACHINE, 138*A*.

HANDLING :
iron ore, conveyor plant, 110*A*.
materials, Emden Harbour, 110*A*.
materials in heat-treatment plants, 71*A*.
HARDENING :
age-, effect on steel, 71*A*.
age-, metals, 141*A*.
cast iron, 224*A*.
chains, 275*A*.
chromium steel, 185*A*.
high-speed steel, effect of furnace atmosphere on grain size, 130*A*.
precipitation-, beryllium - cobalt - copper alloys, 237*A*.
precipitation-, definition of term, 237*A*.
rail ends, use of electric arc, 224*A*.
razor blades, Gillette method, 130*A*., 224*A*.
strain-, relation to elastic properties, 173*A*.
surface-, use of blowpipe, 223*A*.
surface-, use of oxy-acetylene flame, 128*A*., 129*A*.
uniform, mass effect, 300*A*.
HARDENING CRACKS, in tungsten steel, 168*A*.
HARDNESS :
cast iron, variation with wall thickness, 82*A*.
chromium steel, effect of titanium, 91*A*.
HARDNESS - TESTING MACHINES, microcharacter, 34*A*.
HARDNESS TESTS, 34*A*.
electromagnetic, 139*A*.
HARDWICK COLLIERY CO., LTD., coking plant, 113*A*.
HEADING, cold. *See* Cold-Heading.
HEAT :
conduction through steel, 38*A*.
consumption in reheating furnaces, 123*A*.
distribution in coke ovens, 157*A*.
effect in welding, 25*A*., 276*A*.
latent, pure metals, 79*A*.
specific, inorganic materials, 179*A*.
specific, pure metals, 79*A*.
HEAT BALANCE, muffle-kiln gas-fired furnace, 57*A*.
HEAT CONDUCTIVITY. *See* Thermal Conductivity.
HEAT OF FORMATION :
cobalt-silicon alloys, 148*A*.
copper-tin alloys, 148*A*.
iron-aluminium alloys, 148*A*.
iron-aluminium-cobalt alloys, 148*A*.
iron-aluminium-nickel, alloys, 148*A*.
iron-silicon alloys, 147*A*., 148*A*.
HEAT OF FORMATION (*contd.*)—
nickel-silicon alloys, 148*A*.
nickel-tin alloys, 148*A*.
HEAT OF FUSION, inorganic materials, 178*A*.
HEAT LOSS, pig iron in transport, 121*A*.
HEAT RESISTANCE :
iron-chromium alloys, 85*A*.
iron-chromium-nickel alloys, 85*A*.
HEAT-RESISTANT METALS, properties, 141*A*.
HEAT-RESISTANT STEEL, use in glass industry, 241*A*.
HEAT-STORAGE CAPACITY, insulating materials, 155*A*.
HEAT TRANSMISSION, reheating furnaces, 264*A*.
HEAT TREATMENT, 22*A*., 69*A*., 128*A*., 168*A*., 223*A*., 272*A*.
aircraft parts, 224*A*.
automobile axles, 130*A*.
bars, plates and shapes, 129*A*.
cast iron, 272*A*.
chromium-molybdenum steel, 22*A*.
effect on manganese steel, 84*A*.
effect on steel, 23*A*.
effect on steel, carbon condition, 296*A*.
gears, 129*A*.
high-speed steel, 130*A*.
low-temperature, effect on decarburised wire, 284*A*.
rails, 144*A*.
razor blades, Gillette method, 130*A*., 224*A*.
spring steel, 41*A*.
steel castings, 257*A*., 273*A*.
susceptibility of steel, effect of deoxidation, 273*A*.
wire, 169*A*.
wire, electric method, 24*A*.
HEAT-TREATMENT FURNACES, 129*A*.
combustion control, 71*A*.
controlled atmospheres, 129*A*., 204*A*., 205*A*., 273*A*.
electric, 23*A*., 169*A*.
forgings, 169*A*.
Liptak, 224*A*.
recirculation of gases, 169*A*.
salt-bath, Ajax-Hultgren, 22*A*.
wire, 64*A*., 129*A*.
HEAT-TREATMENT PLANTS, mechanical handling, 71*A*.
HEATING :
"methodical," theory, 156*A*.
steel, mathematical considerations, 38*A*.
steel, temperature distribution and stress effects, 38*A*.

HEMATITE, flotation, 199*A*.
HETEROGENEITY, chemical, different classes, 146*A*.
HIGH-FREQUENCY FURNACES. *See* Electric Furnaces.
HIGH-SPEED STEEL :
hardening, effect of furnace atmosphere on grain size, 130*A*.
heat treatment, 130*A*.
improved efficiency, 172*A*.
life, effect of cutting fluids, 278*A*.
molybdenum-tungsten, properties, 293*A*.
replacement of tungsten by chromium, 42*A*.
HONDA'S ETCHING REAGENT, 244*A*.
HOOP MILLS, 166*A*.
HUNGARY, ore-dressing plant, 142*A*.
HYDROGEN :
absorption during melting of steel, 212*A*.
annealing of iron-carbon alloys, formation of decarburised zone, 71*A*.
arseniuretted, evolution in pickling, 133*A*.
desulphurisation of iron, 122*A*.
diffusion in nickel and iron, 81*A*.
effect on steel, 141*A*.
reaction with iron sulphide in liquid iron, 14*A*.
solubility in iron, 425*P*.
HYDROGEN ION CONCENTRATION, determination in plating solutions, 134*A*.
HYDROGENATION, coal, 256*A*.
HYDROGENATION TUBES, materials for, 241*A*.
HYSTERESIS LOSS, iron, effect of carbon, 431*P*.

ILGNER SETS for rolling mills, 68*A*.
IMPACT-BEND TESTS, wire, 281*A*.
IMPACT STRENGTH :
cast iron, 174*A*.
chromium-copper steel at low temperatures, effect of deoxidisers, 239*A*.
nickel steel at low temperatures, 141*A*.
IMPACT TENSILE TESTS :
high- velocity, 281*A*.
stress-strain diagrams, similarity to those from torsion tests, 33*A*.
IMPACT TESTS :
carbon steel at low temperatures, 290*A*.
notched-bar, 34*A*.
IMPACT TORSION TESTS, steel at high and low temperatures, 33*A*.
IMPACT VALUES, manganese-molybdenum steel, 189*P*.
INCLUSIONS :
determination in iron and steel, 373*P*.
identification and composition, 223 *Paper*.
morphology, 145*A*., 262*A*.
non-metallic, in cast iron, 45*A*.
non-metallic, finely-divided, 297*A*.
non-metallic, identification, 296*A*.
slag, in ball-bearing steel, 86*A*.
slag, in carbon steel, effect of aluminum, 162*A*.
slag, chart for estimation, 184*A*.
slag, effect on electric resistance welds, 227*A*.
in steel castings, 211*A*.
INCONEL, properties, 182*A*.
INDIA, vanadium-bearing magnetite deposits, 153*A*.
INDUCTION FURNACES. *See* Electric Furnaces.
INGOT COMMITTEE, Seventh Report, discussion, 353*P*.
INGOT IRON, corrosion, 49*A*.
INGOT-IRON SHEETS, corrosion, 81*P*.
INGOT MOULDS :
copper stools, 13*A*.
design, properties and use, bibliography, 258*A*.
failure, effect of composition and structure, 258*A*.
life, 370*P*., 16*A*., 258*A*.
manufacture, Randupson method, 118*A*., 119*A*.
moulding, 211*A*.
solidification, 61*A*.
use of salt for coating, 63*A*.
INGOTS :
heat penetration in gravity-discharge furnace, 64*A*.
heterogeneity, 353*P*., 13*A*., 16*A*.
killed, solidification, 261*A*.
rimming steel, composition variation, 261*A*.
rimming steel, gas evolution, 213*A*.
rimming steel, structure effect of pouring and furnace practice, 214*A*.
solidification, artificial production of metallic nuclei, 47*A*.
solidification, effect of gases, 263*A*.
solidification, sedimentation of iron crystals, 363*P*.
stearine, structure, 63*A*.
teeming, basket-method, 13*A*.

INHIBITORS, for pickling solutions, 27*A*., 133*A*., 229*A*., 230*A*.
INLAND STEEL CO.:
plant, 121*A*.
soaking pits, 217*A*.
strip mills, 19*A*.
INSTITUTION OF GAS ENGINEERS' METHOD for production of ammonium bicarbonate, 207*A*.
INSULATING MATERIALS:
developments, 155*A*.
heat storing capacity, 155*A*.
selection, 202*A*.
thermal conductivity, 287*A*.
INSULATING PANELS, corrosion, 187*A*.
INSULATION:
open-hearth furnaces, 13*A*., 252*A*.
in refrigerating industry, 287*A*.
INTERSTATE DROP FORGE CO., forge furnaces, 17*A*.
INVAR, magnetisation, volume changes, 35*A*.
IRON:
allotropy, 421*P*.
ancient, corrosion, 54*A*.
black, corrosion in combustion products of town gas, 95*A*.
corrosion, effect of galvanic couples, 150*A*.
desulphurisation, 14*A*.
desulphurisation by hydrogen, 122*A*.
diffusion of elements, 22*A*.
diffusion of hydrogen, 81*A*.
distortion, 77*A*.
hysteresis loss, effect of carbon, 431*P*.
liquid, effect of iron oxide and carbon on composition of equilibrium gas, 213*A*.
liquid, interaction with carbon oxides, 213*A*.
liquid, interaction with steam, 212*A*.
liquid, reaction of hydrogen with iron sulphide, 14*A*.
magnetic anisotropy, 287*A*.
melting rate in contact with carbon, 69*A*.
oxidation at high temperatures, 129*A*.
oxide films, 248*A*.
oxide films, measurement, 249*A*.
oxide films, thickness, 407*P*., 301*A*.
physical constants, 79*A*.
production, 6*A*., 116*A*., 158*A*., 208*A*.
production in rotary furnace, 158*A*.
pure, preparation, 247*A*.
reflecting power in neighbourhood of Curie Point, 186*A*.
IRON (*contd.*)—
solubility of hydrogen, 425*P*.
transformations, 298*A*.
transformations, thermodynamic values, 147*A*.
IRON-ALUMINIUM ALLOYS, heats of formation, 148*A*.
IRON-ALUMINIUM-CARBON ALLOYS, carburisation, 69*A*.
IRON-ALUMINIUM-COBALT ALLOYS, heats of formation, 148*A*.
IRON-ALUMINIUM-NICKEL ALLOYS, heats of formation, 148*A*.
IRON-BERYLLIUM ALLOYS, properties, 180*A*.
IRON-CARBON ALLOYS:
annealing in hydrogen, formation of decarburised zone, 71*A*.
determination of silicon, use of Leifo photometer, 306*A*.
fluidity, 8*A*.
IRON-CARBON DIAGRAM, 281 *Paper*.
IRON-CHROMIUM ALLOYS:
corrosion resistance, 85*A*.
heat resistance, 85*A*.
passivity, effect of elements, 301*A*.
IRON-CHROMIUM-CARBON SYSTEM, 37*A*.
IRON/CHROMIUM/CHROMIUM-CARBIDE/CEMENTITE SYSTEM, 93*A*.
IRON-CHROMIUM DIAGRAM, 427*P*.
IRON-CHROMIUM-NICKEL ALLOYS:
corrosion resistance, 85*A*.
heat resistance, 85*A*.
IRON-CHROMIUM SYSTEM, brittle non-magnetic phase, 48*A*.
IRON-COBALT-COPPER ALLOYS, constitution, 149*A*.
IRON-COBALT-NICKEL ALLOYS:
corrosion in acid solutions at high temperatures, 36*A*.
electrical resistivity, 36*A*.
IRON-COBALT SYSTEM, 37*A*.
IRON-COPPER-CARBON SYSTEM, 38*A*.
IRON-COPPER SYSTEM, 38*A*.
IRON CRYSTALS, ferromagnetic behaviour, 237*A*.
IRON HYDROXIDES, magnetic properties, 111*A*.
IRON INDUSTRIES:
China, ancient, 209*A*.
Cleveland District, 73*P*.
Luxemburg, 209*A*.
Norway, 6*A*.
Russia, 159*A*.
Siegerland, 209*A*.
IRON/IRON-CARBIDE/IRON - PHOSPHIDE DIAGRAM, 22*A*.
IRON-MANGANESE ALLOYS, transformations, 269 *Paper*.

IRON-MANGANESE-OXYGEN-SILICON SYSTEM, metal-slag equilibria, 147*A*.
IRON MELTS, effect of silicide, phosphide and carbide formation on equilibria with oxides, 147*A*.
IRON MELTS/OXIDES EQUILIBRIA, 245*P*.
IRON-NICKEL ALLOYS :
austenite formation, 299*A*.
cold-rolled, recrystallisation, preferred orientations, 90*A*.
cubic crystal structure, 48*A*.
electrodeposition, 134*A*.
transformations, 246*A*.
IRON-NICKEL SHEETS, stresses, 90*A*.
IRON-NICKEL SYSTEM, 37*A*.
IRON-NITROGEN SYSTEM, 226*A*.
IRON ORE :
agglomeration, Follsain process, 128*A*.
American, structure and concentration, 110*A*.
basaltic, smelting in producers, 117*A*.
determination of silica, 97*A*.
electric smelting, 6*A*.
handling, conveyor plant, 110*A*.
handling, Emden Harbour, 110*A*.
hematite, flotation, 199*A*.
magnetic roasting, 111*A*., 112*A*.
mining, Ruhr District, 251*A*.
reduction under high pressures, 117*A*.
screening and conveying, Jeffrey-Traylor system, 6*A*.
sintering, 110*A*.
Swedish, distribution of elements, 199*A*.
titaniferous, reduction, 117*A*.
IRON ORE DEPOSITS :
France, 153*A*.
Germany, 56*A*., 153*A*.
Poland, 154*A*.
South Australia, 153*A*.
United States, 251*A*.
IRON OXIDE :
effect in liquid iron on composition of equilibrium gas, 213*A*.
equilibria in slags, 16*A*.
IRON-OXIDE/ALUMINA SYSTEM, 298*A*.
IRON PYRITES, as a source of iron, 158*A*.
IRON-SILICON ALLOYS :
constitution, 93*A*.
heat of formation, 147*A*., 148*A*.
slip, twinning and cleavage, 89*A*.
IRON SULPHIDE :
formation in steel, 368*P*., 374*P*.
reaction with hydrogen in liquid iron, 14*A*.
IRON-SULPHUR ALLOYS, 37*A*.
IRON-VANADIUM-CARBON SYSTEM, 247*A*.
IRON-ZINC DIAGRAM, 247*A*.
IRON-ZINC SYSTEM, 93*A*., 186*A*.

JAL-TEN STEEL, welding, 277*A*.
JAMES' METHOD for production of spun cylinder liners, 61*A*.
JAMES' RING-TESTING MACHINE, 61*A*.
JAPAN, strip mills, 126*A*.

KAISER-WILHELM-INSTITUT FÜR EISENFORSCHUNG, research laboratories, 149*A*., 247*A*.
KALLING'S ETCHING REAGENT, 244*A*.
KAWASAKI HAKKINKO STEEL, properties, 84*A*.
KEEN FOUNDRY CO., plant, 161*A*.
KEMP COKE OVEN, 206*A*., 255*A*.
KLONNE GAS HOLDER, 157*A*.
KRUPPSCHE GUSSSTAHLFABRIK, history, 62*A*.

LABORATORIES :
Kaiser-Wilhelm-Institut für Eisenforschung, 149*A*., 247*A*.
Mond Nickel Co., 94*A*., 149*A*.
LACQUERS, corrosion-resistance, 28*A*.
LAMBTON COKE WORKS, coking plant, 5*A*.
LANDIS TOOL CO., normalising furnace, 23*A*.
LATENT HEAT, pure metals, 79*A*.
LATHROP-PAULSON CO., metal-spraying practice, 232*A*.
LAURENT COAL-CLEANING PLANT, 58*A*.
LEAD :
coefficient of expansion, 79*A*.
corrosion in combustion products of town gas, 95*A*.
latent heat, 79*A*.
melting point, 79*A*.
specific heat, 79*A*.
thermal conductivity, 79*A*.
LEAD-COATED SHEETS, welding, 227*A*.
LEAD COATING, steel, 231*A*.
LECOCQ COKE OVEN, 206*A*.
LEIFO PHOTOMETER, use for determination of silicon, 306*A*.
LIGHT :
polarised, use in microscopical examination, 87*A*., 183*A*.
ultra-violet, use in microscopical examination, 244*A*.
LIME, absorption in open-hearth slag, 13*A*.

LINING :
blast-furnace, 2*A*.
blast-furnace, disintegration, 201*A*.
furnace, rammed, 202*A*.
LIPTAK HEAT-TREATMENT FURNACE, 224*A*.
LLAY MAIN COLLIERIES, coal-cleaning plant, 205*A*.
LOAD-EXTENSION CURVES, effect of springiness of testing machine, 280*A*.
LOCOMOTIVE CONSTRUCTION, use of welding, 132*A*.
LOCOMOTIVE COUPLING RODS, alloy and fine-grained steels for, 187 *Paper*.
LOCOMOTIVE CYLINDERS, welding, 225*A*.
LOCOMOTIVE PARTS, welding, 276*A*.
LOCOMOTIVE RODS :
composition of chromium-molybdenum-nickel steel for, 218*A*.
forging, 218*A*.
LOCOMOTIVES, welded boilers, 132*A*.
LODGE-COTTRELL GAS-CLEANING PLANT, 157*A*.
LUBRICANTS :
structure and oiliness, 220*A*.
used in deep-drawing, 219*A*.
X-ray diffraction studies, 127*A*.
LUBRICATION :
bearings, effect of grooving, 127*A*.
rolling mills, 126*A*., 220*A*., 267*A*.
LUDLUM STEEL CO., manufacture of stainless steel in hollow-electrode furnace, 213*A*., 214*A*.
LURGI GASIFICATION PROCESS, 59*A*.
LUXEMBURG, iron industry, 209*A*.

MACHINABILITY :
cutting temperature as index, 279*A*.
tool steel, 172*A*.
MACHINE CONSTRUCTION :
use of cast metals, 37*A*.
use of steel castings, 143*A*.
MACHINE FRAMES, welding, 227*A*.
MACHINE PARTS :
cast or welded, 277*A*.
welding, 277*A*.
MACHINING :
metals, 172*A*., 278*A*.
stresses set up, 172*A*.
MCQUAID-EHN TEST, for grain size, 245*A*.
MAGNAFLUX METHOD, for detecting flaws, 245*A*.
MAGNESITE BRICKS. *See* Refractory Materials.
MAGNESITE DEPOSITS, Austria, 153*A*.
MAGNESIUM, physical constants, 79*A*.
MAGNESIUM ALLOYS :
corrosion-fatigue, effect of mean stress of applied cycle, 293*P*.
properties, 86*A*.
MAGNETIC ANISOTROPY, iron, 287*A*.
MAGNETIC PROPERTIES :
basic slag, 15*A*.
ferromagnetic laminæ, 139*A*.
iron-hydroxides, 111*A*.
oxide systems, 178*A*.
MAGNETIC TESTS, 139*A*.
for detection of flaws, 44*A*., 145*A*.
for detection of flaws, Magnaflux method, 245*A*.
MAGNETISATION, Invar, volume changes, 35*A*.
MAGNETITE DEPOSITS, vanadium-bearing, India, 153*A*.
MAGNETS, permanent, steels for, 79*A*.
MAINSFORTH COLLIERY, coal-cleaning plant, 253*A*.
MALLEABLE CAST IRON :
annealing, short cycle, 118*A*., 160*A*., 257*A*.
copper, overstressing, 176*A*.
manufacture, 118*A*.
pearlitic, properties, 7*A*.
structure, 90*A*.
MANGANESE :
deoxidising action, 359*P*.
desulphurising action, 357*P*.
determination, 96*A*.
determination in iron and steel, spectrum analysis, 307*A*.
effect in alloy steel, 143*A*.
effect in cast iron, graphitisation, 7*A*.
effect in cast iron, nitriding, 255*P*
effect in iron-chromium alloys, passivity, 301*A*.
effect in sheet steel, 161*P*.
effect in steel, nitrogen absorption during welding, 226*A*.
effect in steel, wear, 178*A*.
physical constants, 79*A*.
reducing effect on solid silica, effect of sulphur, 356*P*.
transformations, thermodynamic values, 147*A*.
MANGANESE-MOLYBDENUM STEEL :
impact values, 189*P*.
properties, 85*A*.
properties for locomotive coupling rods, 189*P*.
transformations, 193*P*.
MANGANESE-NICKEL CAST IRON, low-temperature annealing, 47*A*.

MANGANESE ORE, concentration, 112*A*.
MANGANESE STEEL :
effect of heat treatment, 84*A*.
manufacture, 84*A*.
properties, 85*A*.
welding, 277*A*.
MANGANESE SULPHIDE, formation in steel, 368*P*., 374*P*.
MANGANESE-VANADIUM STEEL, properties, 85*A*.
MAN-TEN STEEL, single-blow drop tests, 77*A*.
MARTENSITE :
acicular, formation, acoustic investigation, 44*A*.
nature, 298*A*.
MASS EFFECT, in hardening of steel, 300*A*.
MAURATH INC., production of welding wire, 125*A*.
MEAKER ELECTROGALVANISING PROCESS, 136*A*.
MECHANISATION, foundries, 118*A*., 259*A*.
MEEHANITE, properties, 293*A*.
MELTING POINTS, pure metals, 79*A*.
MEMBERS, election, 1*P*.
METAL-SLAG EQUILIBRIA, iron-manganese-oxygen-silicon system, 147*A*.
METALLISATION PROCESS, 136*A*., 232*A*.
METALLURGY, developments, 37*A*.
METEORITES, rusting, 304*A*.
METEOROLOGICAL DATA, use in corrosion tests, 87*P*.
METHANE, effect on refractory materials, 57*A*.
MICROCHARACTER HARDNESS TESTER, 34*A*.
MICROGRAPHS, preparation, 145*A*.
MICROSCOPES :
for inspection of tubes, 222*A*.
metallurgical, 43*A*., 87*A*.
MICROSCOPICAL EXAMINATION :
metals, 244*A*.
mounting of specimens, use of Pontalite, 244*A*.
mounting of wire specimens, 87*A*.
non-metallic inclusions, 296*A*.
preparation of specimens, 43*A*., 145*A*.
tin and tinplate, 145*A*.
use of polarised light, 87*A*., 183*A*.
use of ultra-violet light, 244*A*.
welded joints, 74*A*., 87*A*.
MILLOM AND ASKAM HEMATITE IRON CO., sintering plant, 110*A*.
MINE ARCHES, reheating furnaces, 264*A*.
MINE CAGES, safety devices, materials for, 144*A*.
MINERAL RESOURCES, 56*A*., 153*A*., 251*A*.
MINING, iron ore, Ruhr District, 251*A*.
MO-MAX STEEL, properties, 293*A*.
MOLYBDENUM :
determination in cast iron, 306*A*.
determination in iron and steel, spectrum analysis, 307*A*.
distortion, 77*A*.
effect in alloy steel, 143*A*.
effect in cast iron, graphitisation, 7*A*.
effect in iron-chromium alloys, passivity, 301*A*.
effect in phosphorus steel, 128*P*.
effect in stainless steel, 84*A*.
effect in steel, nitrogen absorption during welding, 226*A*.
effect in steel, wear, 178*A*.
MOLYBDENUM-NICKEL STEEL :
properties, 293*A*.
use in oil industry, 181*A*.
MOLYBDENUM STEEL :
effect of phosphorus, 125*P*.
fatigue at high temperature, 80*A*.
properties, 85*A*.
MOLYBDENUM-TUNGSTEN STEEL, properties, 293*A*.
MOND NICKEL CO., research laboratories, 94*A*., 149*A*.
MONEL METAL, properties, 182*A*.
MONTANA, coal deposits, 154*A*.
MOULDING :
automobile brake drums, 161*A*.
bollards, 211*A*.
ingot moulds, 211*A*.
iron castings, 161*A*.
pot casting, 11*A*.
steel castings, 257*A*.
steel castings, green sand, 10*A*.
turbo alternator yoke casting, 211*A*.
MOULDING MACHINES :
electro-magnetic, 210*A*.
requirements of sand, 120*A*.
MOULDING MATERIALS SUB-COMMITTEE, work, 10*A*.
MOULDING SAND :
Belgian, properties, 160*A*.
colloid content, 161*A*.
control, 11*A*., 60*A*.
durability, 10*A*.
effect on cast iron, 119*A*., 257*A*.
effect of coal dust, 119*A*.
evaluation of bonding material, 60*A*.

MOULDING SAND (*contd.*)—
preparation, 119*A*.
reclamation, 119*A*.
requirements for machine moulding, 120*A*.
tests, 119*A*.
use of cement, 118*A*., 211*A*.
vibratory test, 60*A*.
MOULDS :
facing materials, 119*A*.
facing with core sand, 211*A*.
for glass industry, iron and steel for, 143*A*.
use of chills, 210*A*.
MULLITE. *See* Refractory Materials.

NAILS, cold-heading, 65*A*.
NEW BRANCEPATH COLLIERIES, coking plant, 157*A*., 206*A*., 255*A*.
NEW JERSEY, iron ore deposits, 251*A*.
NEW MEXICO, coal deposits, 56*A*.
NI-TENSYL, properties, 141*A*.
NICKEL :
coefficient of expansion, 79*A*.
corrosion in combustion products of town gas, 95*A*.
determination in iron and steel, spectrum analysis, 307*A*.
diffusion of hydrogen, 81*A*.
effect in alloy steel, 143*A*.
effect in iron-chromium alloys, passivity, 301*A*.
effect in steel, corrosion, 250*A*.
electrodeposition, 134*A*.
electrodeposition, Fescol process, 231*A*.
latent heat, 79*A*.
melting point, 79*A*.
oxidation at high temperatures, 129*A*.
properties, 182*A*.
specific heat, 79*A*.
thermal conductivity, 79*A*.
NICKEL ALLOYS :
properties, 85*A*.
use for generators, 242*A*.
use in power plants, 242*A*.
use for valves, 182*A*.
NICKEL CAST IRON, properties, 182*A*.
NICKEL-CLAD STEEL, properties, 182*A*.
NICKEL COATINGS :
bright, 134*A*.
properties, 29*A*., 182*A*.
NICKEL CRYSTALS, ferromagnetic behaviour, 237*A*.
NICKEL ORE DEPOSITS, Canada, 56*A*.
NICKEL-SILICON ALLOYS, heats of formation, 148*A*.
NICKEL STEEL :
impact strength at low temperatures, 141*A*.
properties, 85*A*.
use for automobile construction, 40*A*.
NICKEL-STEEL CASTINGS, properties, 242*A*.
NICKEL-TIN ALLOYS, heats of formation, 148*A*.
NICKEL WELDING RODS, properties, 182*A*.
NIOBIUM :
effect in chromium-copper steel, impact strength at low temperatures, 239*A*.
effect in chromium steel, intergranular corrosion, 240*A*.
effect in stainless steel, 84*A*.
NITRIC ACID, solubility of steel, contact effects of glass and platinum, 55*A*.
NITRIC OXIDE, effect on steel, scaling, 70*A*.
NITRIDED STEEL :
bending-fatigue strength, 175*A*.
properties, 70*A*.
stresses, 175*A*., 223*A*.
NITRIDING :
cast iron, 70*A*.
cast iron, effect of silicon, phosphorus and manganese, 255 *Paper*.
effect on steel, corrosion-fatigue in sea-water, 188*A*.
nitrogen penetration in ferrite, 141*A*.
steel, 22*A*., 70*A*., 168*A*.
tool steel, 69*A*.
NITROGEN :
absorption during welding, effect of elements, 226*A*.
determination in ferro-chromium, 97*A*.
determination in steel, 226*A*.
effect in chromium steel, 240*A*.
effect on grain size, 212*P*.
effect in stainless steel, 84*A*.
effect in welds, 226*A*.
penetration in ferrite, 141*A*.
NORMALISING :
automobile sheets, 23*A*.
effect on steel, 71*A*.
NORMALISING FURNACES, 23*A*.
NORMALITY, steel, effect of aluminium, 69*A*.
NORWAY, iron industry, 6*A*.
NOTCH EFFECT, 34*A*.

NOTCH SENSITIVENESS, cast iron, 174*A*.
NOTCH SHAPE, effect on alternating bend strength, 236*A*.
NOTCH TOUGHNESS, cast steel, 77*A*.
NOZZLES, magnesite, 13*A*.
NUCLEI, effect on solidification, 297*A*.

OIL, rust-preventing, effectiveness, 32*A*.
OIL-CRACKING CHAMBERS, materials for, 241*A*.
OIL ENGINES, steel for, 143*A*.
OIL FLOW, measurement to furnaces, 5*A*.
OIL FUEL :
  production from coal, 59*A*.
  use in open-hearth furnaces, carburettor for, 115*A*.
  use in rotary furnaces, 257*A*.
OIL INDUSTRY, steels for, 41*A*., 181*A*.
OIL-WELL WATERS, corrosion of steel, 303*A*.
OLYMPIC FOUNDRY CO., foundry plant, 118*A*.
OPEN-HEARTH FURNACES :
  basic, manufacture of steel without manganese additions, 62*A*.
  Bosshardt, 14*A*.
  control, 13*A*., 14*A*., 204*A*.
  design, 13*A*.
  insulation, 13*A*., 252*A*.
  manufacture of stainless steel, 14*A*.
  refractory materials, 13*A*.
  regenerators, checker bricks, 2*A*., 13*A*., 252*A*.
  roofs, thermal expansion of silica brick, 2*A*.
  Simpson, 14*A*.
  tar or oil carburettor, 115*A*.
  temperature measurements, 378*P*., 13*A*.
  temperature measurement, quick-immersion methods, 270*A*.
OPEN-HEARTH PRACTICE, 13*A*., 121*A*.
  basic, reactions, 62*A*., 260*A*.
  basic, Swedish, 62*A*.
OPEN-HEARTH SLAG :
  basic, magnetic properties, 15*A*.
  basic, oxidising power, 162*A*.
  lime absorption, 13*A*.
OPEN-HEARTH STEEL :
  basic, oxygen content, 62*A*., 260*A*.
  residual metals, 13*A*.
ORE :
  crushing, 110*A*.
  flotation, 113*A*.
  mining and treatment, 110*A*., 199*A*.
OTTO COKE OVEN, 59*A*.
OTTO-WILPUTTE COKE OVEN, 59*A*., 157*A*.
OVERHEATING :
  alloy steel, 39*A*.
  tool steel, 168*A*.
OVERLOAD, effect on steel, fatigue at low temperatures, 78*A*.
OVERSTRESSING :
  copper malleable cast iron, 176*A*.
  copper steel, 176*A*.
  materials in fatigue tests, 283*A*.
OXIDATION :
  coal, 4*A*.
  coal, effect on coking properties, 206*A*.
  metals at high temperatures, 129*A*.
OXIDE FILMS :
  on copper and iron, measurement, 249*A*.
  on iron, 248*A*.
  on iron, thickness, 407*P*., 301*A*.
OXIDE SYSTEMS :
  electrical properties, 178*A*.
  magnetic properties, 178*A*.
OXIDES :
  carbon, interaction with liquid iron, 213*A*.
  determination in iron and steel, vacuum-fusion method, 96*A*., 97*A*.
  effect of silicide, phosphide and carbide formation in iron melts on equilibria, 147*A*.
  iron, effect in liquid iron on composition of equilibrium gas, 213*A*.
  iron, equilibria in slags, 16*A*.
OXY-ACETYLENE FLAME :
  use in cementation of steel, 223*A*.
  use for surface hardening, 128*A*., 129*A*.
OXYGEN :
  in basic open-hearth steel, 62*A*., 260*A*.
  determination in iron and steel, 360*P*., 364*P*., 190*A*.
  determination in iron and steel, alcoholic iodine method, 305*A*.
  determination in iron and steel, chlorine method, 305*A*.
  determination in iron and steel, vacuum-fusion method, 96*A*., 305*A*.
  effect in steel, 290*A*.
  rôle in corrosion, 249*A*.

P. F. CHARACTERISTICS, steel, 89*A*.
PACKARD MOTOR CO., foundry plant, 211*A*.

PAINTED STEEL, corrosion, 81*P*., 49*A*., 51*A*.
PAINTGRIP SHEETS, 232*A*.
PAINTS :
adherence to galvanised sheets, use of phosphate coatings, 232*A*.
composition and uses, 32*A*.
protective value, 136*A*.
PAN WELDING ELECTRODE, 132*A*.
PANGBORN ROTOBLAST MACHINE for cleaning castings, 160*A*.
PARK DROP FORGE CO., forging practice, 218*A*.
PARRISH PROCESS for production of ammonium bicarbonate, 207*A*.
PARSONAGE COLLIERY, coal-cleaning plant, 113*A*.
PASSIVITY, iron-chromium alloys, effect of elements, 301*A*.
PATTERN MAKING, 120*A*., 210*A*., 257*A*.
PATTERNS, paint spraying, 210*A*.
PENNSYLVANIA, mineral resources, 251*A*.
PERRIN PROCESS of steel refining, 63*A*.
PERSOZ CUPPING TEST, 137*A*.
PETROLEUM INDUSTRY. *See* Oil Industry.
PHILIP GIES FOUNDRY, LTD., plant, 257*A*.
PHOSPHATE COATINGS, 29*A*.
applied to galvanised sheets for paint adherence, 232*A*.
atramentisation method, 29*A*.
corrosion resistance, 30*A*.
defects, 30*A*.
effect on steel, corrosion-fatigue, 315*P*.
history and development, 30*A*.
Russian investigations, 30*A*.
PHOSPHIDES, formation in iron melts, effect on equilibria with oxides, 147*A*.
PHOSPHORUS :
determination in coal and coke, 191*A*.
diffusion in steel, 22*A*.
effect in alloy steel, 39*A*.
effect in alloy steel, corrosion, 149*P*.
effect in basic steel, 180*A*.
effect in carbon steel, corrosion, 118*P*.
effect in cast iron, nitriding, 255*P*.
effect in chromium-copper-silicon steel, 133*P*.
effect in chromium-copper steel, 133*P*.
effect in chromium steel, 123*P*.
effect in copper-manganese steel, 133*P*.
PHOSPHORUS (*contd.*)—
effect in copper steel, 120*P*.
effect in iron-chromium alloys, passivity, 301*A*.
effect in low-carbon and low-alloy structural steel, 113 *Paper*.
effect in molybdenum steel, 125*P*.
effect in sheet steel, 161*P*.
effect in silicon steel, 125*P*.
effect in steel, 292*A*.
effect in steel, corrosion, 250*A*.
effect in steel, properties at high temperatures, 290*A*.
PHOSPHORUS STEEL :
corrosion, 131*P*., 144*P*., 149*P*., 180*P*.
effect of alloy elements, 128*P*.
welding, 143*P*.
PHOTO-ELASTIC METHOD for determining stress distribution, 281*A*.
PHYSICAL CONSTANTS, pure metals, 79*A*.
PICARD APPLIANCE for under-water cutting, 228*A*.
PICKLING :
evolution of arseniuretted hydrogen, 133*A*.
sheets, 230*A*.
strip, 230*A*.
tubes, 133*A*.
use of inhibitors, 27*A*., 51*A*., 133*A*., 229*A*., 230*A*.
wire, electro-chemical method, 27*A*.
PICKLING PLANT, Bethlehem Steel Co., 229*A*.
PICKLING TANKS, tie-rods for, 27*A*.
PIG IRON :
foundry, production, 116*A*.
foundry, selection, 60*A*.
heat loss in transport, 121*A*.
PINION SHAFTS, alternating bend tests, 234*A*.
PIPES :
centrifugal casting, De Lavaud method, 259*A*.
centrifugal casting, De Lavaud method, chill prevention, 11*A*.
corrosion in soil, 151*A*., 188*A*.
green sand cores, 11*A*.
welding, oxy-acetylene, multi-layer method, 72*A*.
PISTON RINGS, wear, 178*A*.
PITOT TUBE, use for flow measurement, 204*A*.
PLASTICITY, coal, 114*A*.
PLATE MILLS, 166*A*., 221*A*., 267*A*.
PLATES :
boiler, embrittlement, 189*A*.
boiler, welded, tests, 132*A*.

PLATES (*contd.*)—
composite, use for pressure vessels, 182*A*.
heat treatment, 129*A*.
repeated stresses, 177*A*.
PLATING SOLUTIONS :
control, 231*A*.
determination of pH values, 134*A*.
losses, 231*A*.
"PLATINUM STEEL," properties, 84*A*.
POLAND, iron-ore deposits, 154*A*.
POLARISED LIGHT, use in microscopical examinations, 87*A*., 183*A*.
POLISHING, metallographical, 43*A*., 87*A*., 145*A*.
PONTALITE, use for mounting metallographic specimens, 244*A*.
POROSITY TESTS, zinc coatings, 31*A*.
POTASH SILICA GLASS, action of vapour on refractory materials, 57*A*.
POTASSIUM CHLORIDE VAPOUR, effect on refractory materials, 57*A*.
POWDERED MATERIALS, thermal conductivity, 287*A*.
POWER PLANTS, Bethlehem Steel Co., 4*A*.
POWER STATION :
Gutehoffnungshütte, 113*A*.
planning, 203*A*.
use of nickel alloys, 242*A*.
PRANDTL TUBE, use for flow measurement, 204*A*.
PRECIPITATION HARDENING :
beryllium-cobalt-copper alloys, 237*A*.
definition of term, 237*A*.
PRESIDENT, induction, 8*P*.
PRESIDENTIAL ADDRESS, A. Hutchinson, 73*P*.
PRESSES, for tubes and rods, 144*A*.
PRESSING, automobile fenders, 124*A*., 219*A*.
PRESSURE VESSELS :
use of chromium steel, 181*A*.
use of composite plates, 182*A*.
welding, 171*A*., 227*A*.
PRODUCER PRACTICE, 115*A*.
PRODUCERS, smelting of basaltic ore and production of glass, 117*A*.
PROPANE :
use for flame cutting, 207*A*.
use for foundry purposes, 207*A*.
PURE METALS, physical constants, 79*A*.
PYROMETER TUBES, production, 271*A*.
PYROMETERS :
optical, disappearing-filament, 21*A*.
photo-electric, for temperature control in bar mills, 127*A*.
PYROMETRY, 21*A*., 167*A*., 270*A*.

QUENCH-AGEING, steel, effect of titanium, 34*A*.
QUENCHED STEEL, structure, effect of aluminium, 91*A*.
QUENCHING :
cast iron, 130*A*.
effect on steel, 71*A*.
steel, 71*A*.
steel, blowpipe method, 129*A*.
tool steel, effect on cutting speed, 24*A*.
QUENCHING CRACKS, 33*A*.

RADIANT TUBES for heating furnaces, 207*A*.
RADIATION, measurement, use of bimetallic strips, 167*A*.
RADIOGRAPHIC EXAMINATION :
metals, 43*A*., 88*A*.
steel castings, 10*A*.
ternary systems, 47*A*.
RAIL ENDS, hardening, use of electric arc, 224*A*.
RAIL STEEL :
corrosion, 51*A*.
properties, 144*A*.
RAILS :
defects, detection, Sperry method, 245*A*.
fissures, 86*A*., 137*A*.
heat-treatment, 144*A*.
rolling, transformation of structure in base, 267*A*.
welding, 170*A*., 227*A*.
welding, thermit method, 276*A*.
RAILWAY CONSTRUCTION, steel castings for, 259*A*.
RAILWAY TRUCKS, use of alloy steel, 294*A*.
RANDUPSON METHOD of moulding, 118*A*., 119*A*., 211*A*.
RAZOR BLADES :
effect of chromate salt, 250*A*.
heat treatment, Gillette method, 130*A*., 224*A*.
REACTIONS :
basic open-hearth process, 62*A*., 260*A*.
slag-metal, 63*A*.
steel manufacture, 260*A*.
RECORDING APPARATUS, for thermal analysis, 44*A*.

RECORDING INSTRUMENTS, use in steel making, 14*A*.
RECRYSTALLISATION :
cold-rolled steel, preferred orientations, 46*A*.
hot-rolled steel, preferred orientations, 47*A*.
iron-nickel alloys, preferred orientation, 90*A*.
steel, 89*A*.
steel, by hot deformation, 46*A*.
RECRYSTALLISATION NUCLEI, orientation, 184*A*.
RECUPERATORS, for furnaces, 58*A*.
REFINER, centrifugal, for molten metals, 162*A*.
REFRACTORY CONCRETE, aluminous cement as a bond, 201*A*.
REFRACTORY MATERIALS :
action of phosphate slags, 3*A*.
action of slag, 201*A*.
action of vapour from potash silica glass, 57*A*.
American investigations, 57*A*.
for blast furnaces, 2*A*.
for coke ovens, 114*A*.
for cupolas, 2*A*.
effect of methane and coal gas, 57*A*.
effect of potassium chloride vapour, 57*A*.
manufacture from pure oxides, 1*A*.
for open-hearth furnaces, 13*A*.
properties, 1*A*., 57*A*., 155*A*., 201*A*., 252*A*.
refractoriness-under-load test, 57*A*.
softening temperature, effect of heating rate, 155*A*.
thermal conductivity, 287*A*.
REFRACTORY MATERIALS (ALUMINA), tensile strength, 1*A*.
REFRACTORY MATERIALS (BARIUM ALUMINIUM SILICATES), uses, 1*A*.
REFRACTORY MATERIALS (CHECKER BRICK) :
design, 13*A*.
properties, 2*A*., 252*A*.
tensile strength, 1*A*.
REFRACTORY MATERIALS (DOLOMITE), use for converter bottoms, 202*A*.
REFRACTORY MATERIAL (FIREBRICK), production, 201*A*.
REFRACTORY MATERIALS (FIRECLAY BRICK) :
effect of firing on mullite content, 57*A*.
tensile strength, 1*A*.
REFRACTORY MATERIALS (FORSTERITE), tensile strength, 1*A*.
REFRACTORY MATERIALS (MAGNESITE BRICKS), properties, 57*A*.
REFRACTORY MATERIALS (MULLITE) :
properties, 201*A*.
tensile strength, 1*A*.
use for regenerators, 202*A*.
REFRACTORY MATERIALS (SILICA BRICK) :
tensile strength, 1*A*.
thermal expansion, 2*A*.
REFRACTORY MATERIALS (SILICA MIXES), behaviour on pressing, 57*A*.
REFRACTORY MATERIALS (SILLIMANITE), use for boilers, 155*A*.
REFRIGERATING INDUSTRY, heat insulation in, 287*A*.
REGENERATORS :
calculation, 156*A*.
checker bricks, 2*A*., 13*A*., 252*A*.
use of artificial mullite bricks, 202*A*.
REHEATING FURNACES, 64*A*., 123*A*., 217*A*., 264*A*.
burning losses, 123*A*.
construction, importance of heating-up time, 217*A*.
construction, importance of soaking time, 264*A*.
Ford Motor Co., 64*A*.
Gibbons-Wild-Barfield, 123*A*.
gravity-discharge type, heat penetration of ingots, 64*A*.
heat consumption, 123*A*.
heat transmission, 264*A*.
for mine arches, 264*A*.
radiant-tube heating, 207*A*.
REPUBLIC STEEL CORP. :
sintering plant, 199*A*.
strip mills, 268*A*.
RESISTIVITY, electrical, iron-cobalt-nickel alloys, 36*A*.
RHEOLAVEUR COAL-CLEANING PLANT, 205*A*., 254*A*.
RHODIUM, electrodeposition, 135*A*.
RIMMING STEEL :
composition variation, 379*P*., 261*A*.
gas evolution, 213*A*.
manufacture, 14*A*.
manufacture, addition of sodium fluoride, 14*A*.
segregation, 356*P*.
solidification, 375*P*.
structure, effect of pouring and furnace practice, 214*A*.
RISERS, for steel castings, 60*A*.
RIVETS, cold-heading, 65*A*.
ROASTING, magnetic, iron ore, 111*A*., 112*A*.

ROCKS, crushing, 110*A*.
RODS :
cold-drawing, 66*A*., 219*A*.
locomotive, composition of chromium - molybdenum - nickel steel for, 218*A*.
locomotive, forging, 218*A*.
manufacture from refractory oxides, 1*A*.
presses for, 144*A*.
ROECKNER PROCESS for manufacture of seamless tubes, 166*A*.
ROLLING :
bars by hand, 68*A*.
coefficient of friction, 267*A*.
cold-, sheets and strip, 68*A*.
cold-, strip, tension control, 20*A*.
rails, transformation of structure in base, 267*A*.
spread of material, 19*A*., 126*A*.
steel, effect of rolling degree, rolling temperature and thickness ratio, 220*A*.
strip for tinplate, 268*A*.
surface, axles, 138*A*.
OLLING-MILL PLANTS :
American Rolling Mill Co., 165*A*., 166*A*.
Appleby - Frodingham Works, 260*A*., 269*A*.
Bethlehem Steel Co., 19*A*., 127*A*.
Burbach Hütte, 158*A*.
Carnegie-Illinois Steel Corp., 68*A*., 221*A*., 267*A*.
Dominion Foundries and Steel, Ltd., 127*A*.
Granite City Steel Co., 212*A*., 268*A*.
Guest Keen Baldwins Iron and Steel Co., 6*A*., 116*A*., 208*A*.
J. J. Habershon & Sons, 19*A*.
Inland Steel Co., 19*A*.
Republic Steel Corp., 268*A*.
Société des Aciers Fins de l'Est, 268*A*.
Tokuyama Teppan Kaisha, Ltd., 268*A*.
Youngstown Sheet and Tube Co., 221*A*.
ROLLING-MILL PRACTICE, 19*A*., 68*A*., 126*A*., 165*A*., 220*A*., 267*A*.
effect on steel, corrosion, 50*A*.
ROLLING MILLS :
backed-up, roll diameter, 126*A*.
backed-up, roll life, 126 *A*.
bar, temperature control by photoelectric pyrometer, 127*A*.
bearings, design, 68*A*.
bearings, roller, 126*A*.
bearings, synthetic resin, 19*A*.
ROLLING MILLS (*contd.*)—
cluster, 19*A*.
electric power consumption, 204*A*.
hoop, 166*A*.
lubrication, 126*A*., 220*A*., 267*A*.
motor drives, 68*A*., 127*A*., 222*A*.
plate, 166*A*., 221*A*., 267*A*.
reduction gear, 127*A*.
section, roll design, 126*A*., 220*A*.
sheet, 221*A*., 268*A*.
strip, 19*A*., 68*A*., 221*A*., 268*A*.
strip, handling equipment, 19*A*., 127*A*., 221*A*.
strip, Japanese, 126*A*.
strip, motor drives, 20*A*.
strip, wide, 165*A*., 221*A*.
universal, converted to strip mill, 127*A*.
ROLLING TEMPERATURE, effect on carbon steel, 220*A*.
ROLLS :
chilled, casting stresses, 11*A*.
chilled, properties, 242*A*.
chromium-nickel cast iron, properties, 242*A*.
clad-steel, production, 171*A*.
design for section steel, 126*A*., 220*A*.
diameter for backed-up mills, 126*A*.
end thrust, 165*A*.
feeding during casting, 161*A*.
life in backed-up mills, 126*A*.
stresses in, 282*A*.
RONEUSIL STEEL, properties, 294*A*.
ROOFING SHEETS, corrosion, 81 *Paper*.
RUBBER, electrodeposition, 28*A*.
RUBBER COATINGS, chlorinated, 32*A*.
RUHR DISTRICT, iron ore mining, 251*A*.
RUNNERS for steel castings, 60*A*.
RUSSIA :
blast-furnace practice, 116*A*.
investigations on phosphate coatings, 30*A*.
iron industry, 159*A*.

SAINT-JACQUES SINTERING PLANT, 199*A*.
SALT, use for coating ingot moulds, 63*A*.
SALT-BATH FURNACES, Ajax-Hultgren, 22*A*.
SALT BATHS :
effect in creep tests, 238*A*.
heating, use of submerged electrodes, 169*A*.
SAMPLING, gases, 97*A*.
SANQUHAR COALFIELD, geology, 153*A*.

SAUVERITE, 297*A*.
SAWS :
circular, 269*A*.
hot, 166*A*.
SCALE :
effect on corrosion, 50*A*.
effect in temperature measurement, 21*A*., 167*A*.
properties and constitution, 230*A*.
SCALING :
steel, 39*A*., 70*A*., 123*A*., 168*A*.
steel, effect of nitric oxide, 70*A*.
steel castings, 23*A*.
SCISSORS, drop-forging dies, 17*A*.
SCOTLAND, coal deposits, 153*A*.
SCRAP, economic importance, 15*A*.
SCREENING, iron ore, Jeffrey-Traylor system, 6*A*.
SCREWS, fatigue-strength diagrams. 235*A*.
SEA WATER :
corrosion of stainless steel, 188*A*.
corrosion-fatigue of steel, surface-treatment of metal, 188*A*.
SECTION MILLS, roll design, 126*A*., 220*A*.
SEGREGATION, rimming steel, 356*P*.
SHAFTS, pinion, alternating bend tests, 234*A*.
SHEAR BLADES, 166*A*.
SHEARS, drop forging dies, 17*A*.
SHEET MILLS, 221*A*., 268*A*.
SHEET WARE, galvanising, 135*A*.
SHEETS :
annealed, grain growth, 45*A*.
annealing, gas evolution, 169*A*.
annealing furnaces, Wilson type, 273*A*.
automobile, bright annealing, 23*A*.
automobile, normalising, 23*A*.
automobile, production, 219*A*.
cold-rolled, recrystallisation, preferred orientations, 46*A*.
cold-rolling, 68*A*.
cupping tests, Erichsen method, 137*A*.
cupping tests, Persoz method, 137*A*.
cupping tests, Siebel and Pomp method, 137*A*.
deep drawing, effect of cold work, 66*A*.
enamelling, 136*A*.
galvanised, phosphate coatings for paint adherence, 232*A*.
galvanised, production of spangle, 135*A*.
galvanised, weight of coating, 91*P*.
galvanised iron, superiority over steel sheets, 91*P*.
SHEETS (*contd.*)—
lead-coated, welding, 227*A*.
pickling, 230*A*.
production for deep drawing, 165*A*.
properties, effect of copper, manganese, chromium and phosphorus, 161 *Paper*.
roofing, corrosion, 81 *Paper*.
tests, 144*A*.
transformer, stresses, 90*A*.
welding, 25*A*., 170*A*., 227*A*.
SHERARDISED COATINGS, effect on steel, corrosion-fatigue, 315*P*.
SHERARDISING, wire, 31*A*.
SHIP CONSTRUCTION, use of welding, 131*A*.
SHIPS, corrosion, 49*A*.
SHOTTS' IRON WORKS, blast-furnace plant, 208*A*.
SHRINK-FITS, use of low temperatures, 219*A*.
SHRINKAGE, castings, 12*A*.
SIEBEL AND POMP CUPPING TEST, 137*A*.
SIEGERLAND, iron industry, 209*A*.
SIL-TEN STEEL, single-blow drop tests, 77*A*.
SILICA :
determination in iron ore, 97*A*.
reducing effect of manganese, effect of sulphur, 356*P*.
SILICA BRICK. *See* Refractory Materials.
SILICIDES, formation in iron melts, effect on equilibria with oxides, 147*A*.
SILICON :
determination, 96*A*.
determination in cast iron, spectrum analysis, 191*A*.
determination in iron-carbon alloys, use of Leifo photometer, 306*A*.
determination in iron and steel, spectrum analysis, 307*A*.
effect in cast iron, 36*A*.
effect in cast iron, nitriding, 255*P*.
effect in iron-chromium alloys, passivity, 301*A*.
effect in stainless steel, 84*A*.
effect in steel, corrosion, 250*A*.
effect in steel, nitrogen absorption during welding, 226*A*.
SILICON CAST-IRON, properties, 141*A*.
SILICON STEEL :
effect of phosphorus, 125*P*.
properties, 85*A*.
SILLIMANITE. *See* Refractory Materials.

SIMPSON OPEN-HEARTH FURNACE, 14*A*.
SINTERING, flue dust, 199*A*.
SINTERING PLANT :
Millom and Askam Hematite Iron Co., 110*A*.
Republic Steel Corp., 199*A*.
Société des Aciéries de Longwy, 199*A*.
Staveley Coal and Iron Co., Ltd., 199*A*.
SLAG :
action on refractory materials, 201*A*.
basic, magnetic properties, 15*A*.
basic, oxidising power, 162*A*.
blast-furnace, behaviour of sulphur, 116*A*.
blast-furnace, use in glass industry, 117*A*.
equilibrium, relations of iron oxides, 16*A*.
lime absorption, 13*A*.
petrography, 162*A*.
phosphate, action on refractory materials, 3*A*.
SLAG CLOUDS, 297*A*.
SLAG INCLUSIONS :
ball-bearing steel, 86*A*.
carbon steel, effect of aluminium, 162*A*.
chart for estimation, 184*A*.
effect on electric resistance welds, 227*A*.
SLAG-METAL REACTIONS, 63*A*.
SLAG POTS, 13*A*.
SOAKING PITS :
Amco recuperative, 123*A*.
circular, 217*A*.
SOCIÉTÉ DES ACIÉRIES DE LONGWY, sintering plant, 199*A*.
SOCIÉTÉ DES ACIERS FINS DE L'EST, rolling-mill plant, 268*A*.
SOCIÉTÉ L'AIR LIQUIDE, welding laboratory, 277*A*.
SOCIÉTÉ POUR LA FABRICATION DES PROJECTEURS ELECTRIQUES MARCHAL, plating practice, 134*A*.
SODIUM, for filling valves, 242*A*.
SODIUM CYANIDE, use for etching chromium-nickel steel, 43*A*.
SODIUM FLUORIDE, use in manufacture of rimming steel, 14*A*.
SODIUM HYDROXIDE, effect on boiler steel, embrittlement, 286*A*.
SOIL :
corrosion of pipes, 151*A*., 188*A*.
corrosiveness, electrolytic measurement, 54*A*.
SOLDER, corrosion in combustion products of town gas, 95*A*.
SOLID BODIES, mechanics, 173*A*.
SOLIDIFICATION :
effect of nuclei, 297*A*.
ingot moulds, 61*A*.
ingots, artificial production of metallic nuclei, 47*A*.
ingots, effect of gases, 263*A*.
ingots, sedimentation of iron crystals, 363*P*.
killed ingots, 261*A*.
rimming steel, 375*P*.
SOUTH AUSTRALIA, iron ore deposits, 153*A*.
SPECIFIC HEAT :
inorganic materials, 179*A*.
pure metals, 79*A*.
SPECIFICATIONS :
bend tests on welded joints, British, 73*A*.
hot-rolled strip, British, 182*A*.
welding electrodes, covered, French, 131*A*.
SPECTRUM ANALYSIS, 191*A*., 306*A*., 307*A*.
SPERRY METHOD, for detecting defects in rails, 245*A*.
SPRAYING, metals, 136*A*., 232*A*.
SPRING MATERIALS, tests, 144*A*.
SPRING STEEL :
heat treatment, 41*A*.
stainless, 42*A*.
SPRINGS :
instrument, properties, 144*A*.
load-deflection characteristics, 243*A*.
wire, steel for, 41*A*.
"STAFLUX," 162*A*.
STAINLESS-CLAD STEEL, uses, 231*A*.
STAINLESS STEEL :
corrosion-fatigue, effect of mean stress of applied cycle, 293*P*.
corrosion in sea water, 188*A*.
corrosion tests, "break-through" potential method, 101 *Paper*.
effect of elements, 84*A*.
etching reagents, 244*A*.
manufacture, 14*A*.
manufacture in hollow-electrode furnace, 213*A*., 214*A*.
manufacture in open-hearth furnace, 14*A*.
for moulds for glass industry, 143*A*.
properties, 84*A*.
use for aircraft construction, 40*A*., 242*A*.
use in dentistry, 84*A*.
use for light-weight construction, 41*A*.

STAINLESS STEEL (*contd.*)—
use for springs, 42*A*.
welded, corrosion, 248*A*.
welding, 170*A*.
STAINLESS-STEEL WIRE, properties, 243*A*.
STANDARDISATION :
corrosion tests, 53*A*.
fuel control methods, 113*A*.
STANTON IRONWORKS CO., LTD., pipe foundry, 259*A*.
STATISTICAL METHODS for control of foundry operations, 160*A*.
STATISTICS, operating, 159*A*.
STAVELEY COAL AND IRON CO., LTD., sintering plant, 199*A*.
STEAM :
consumption of forge hammers, 65*A*.
interaction with liquid iron, 212*A*.
STEAM GENERATOR, Velox, 204*A*.
STEEL :
action of molten zinc, 247*A*.
alloy, corrosion, effect of phosphorus, 149*P*.
alloy, definition, 37*A*.
alloy, developments, 83*A*.
alloy, effect of elements, 143*A*.
alloy, effect of phosphorus, 39*A*.
alloy, overheating and burning, 39*A*.
alloy, properties, 37*A*.
alloy, properties at high temperature, 239*A*.
alloy, strength/weight ratio, 243*A*.
alloy, use in engineering industry, 142*A*.
alloy, use for locomotive coupling rods, 187*P*.
alloy, use for railway trucks, 294*A*.
alloy, welding, 25*A*., 73*A*., 225*A*., 276*A*.
alloy (high), use for structural purposes, 41*A*.
alloy (low), single-blow drop tests, 77*A*.
alloy (low), use for structural purposes, 40*A*.
ball-bearing, slag inclusions, 86*A*.
basic, effect of phosphorus, 180*A*.
basic, oxygen content, 260*A*.
basic electric, inclusions, 262*A*.
basic electric, sulphides, 262*A*.
boiler. *See* Boiler Steel.
bolt. *See* Bolt Steel.
carbon. *See* Carbon Steel.
carbon condition, effect of heat treatment, ageing and deformation, 296*A*.
case-hardened. *See* Case-Hardened Steel.
cast. *See* Cast Steel.
centrifugal refiner, 162*A*.
classification for castings, 10*A*.
cold-worked. *See* Cold-Worked Steel.
corrosion in brine, 95*A*.
corrosion in concrete, effect of sulphur in concrete aggregate, 116*A*.
corrosion, effect of aluminium, 250*A*.
corrosion, effect of calamine coating, 249*A*.
corrosion, effect of chromium, 50*A*., 250*A*.
corrosion, effect of composition, 249*A*.
corrosion, effect of nickel, 250*A*.
corrosion, effect of phosphorus, 250*A*.
corrosion, effect of rolling-mill practice, 50*A*.
corrosion, effect of scale, 50*A*.
corrosion, effect of silicon, 250*A*.
corrosion, effect of temperature, 249*A*.
corrosion-resistant. *See* Corrosion-Resistant Steel.
creep, 180*A*., 288*A*.
creep, under alternating stress, 80*A*.
damping capacity, 175*A*.
deep-drawing, alloy contamination, 13*A*.
diffusion of phosphorus, 22*A*.
dilatometric cooling curves, 185*A*.
effect of age-hardening, 71*A*.
effect of annealing, 71*A*.
effect of deoxidation, susceptibility to heat treatment, 273*A*.
effect of grain size, 195*P*., 88*A*.
effect of heat treatment, 23*A*.
effect of hydrogen, 141*A*.
effect of normalising, 71*A*.
effect of oxygen, 290*A*.
effect of phosphorus, 292*A*.
effect of quenching, 71*A*.
effect of tempering, 71*A*.
etching, boundary attack, 88*A*.
eutectoid, effect of vanadium, 92*A*
fine-grained, use for locomotive coupling rods, 187*P*.
flakes, 17*A*.
fluidity, 259*A*.
formation of iron sulphide, 368*P*., 374*P*.
formation of manganese sulphide, 368*P*., 374*P*.

STEEL (*contd.*)—
free-cutting, properties, 143*A*.
galvanised. *See* Galvanised Steel.
gases in, 141*A*.
gear. *See* Gear Steel.
grain size, 435*P*., 45*A*.
grinding, formation of grinding skin, 279*A*.
hardening, mass effect, 300*A*.
heat conduction, 38*A*.
heat-resistant. *See* Heat-Resistant Steel.
heating, temperature distribution and stress effects, 38*A*.
heating and cooling, mathematical considerations, 38*A*.
hot-rolled, recrystallisation, preferred orientations, 47*A*.
hydrogen absorption during melting, 212*A*.
impact-torsion tests at high and low temperatures, 33*A*.
internal stresses, 175*A*.
Kawasaki Hakkinko, properties, 84*A*.
lead coating, 231*A*.
liquid, temperature measurement, 270*A*.
nickel-clad, properties, 182*A*.
nitrided. *See* Nitrided Steel.
normality, effect of aluminum, 69*A*.
open-hearth, residual metals, 13*A*.
production, 13*A*., 62*A*., 121*A*., 162*A*., 212*A*., 260*A*.
production from carbonyl iron, 243*A*.
production, physical chemistry, 13*A*.
production, reactions, 260*A*.
production without manganese additions, 62*A*.
properties at high temperatures, 35*A*.
properties at high temperatures, effect of phosphorus, 290*A*.
quench-ageing, effect of titanium, 34*A*.
rail. *See* Rail Steel.
rapid refining, 14*A*.
recrystallisation, 89*A*.
recrystallisation, by hot deformation, 46*A*.
resistance to alternating stresses, effect of shape of test-bar, 176*A*.
rimming. *See* Rimming Steel.
solubility in nitric acid, contact effects of glass and platinum, 55*A*.
spring. *See* Spring Steel.
STEEL (*contd.*)—
strength/weight ratios, 180*A*.
structural. *See* Structural Steel.
structure, dendritic, 146*A*.
transformations, 185*A*.
transformations on cooling, 299*A*.
transformer, properties, 178*A*.
tyre. *See* Tyre Steel.
use for welding electrodes, 73*A*.
valve. *See* Valve Steel.
wear against brick, 178*A*.
wear, effect of elements, 178*A*.
yield point, 173*A*., 234*A*.
zinc-coated, use in chemical industry, 180*A*.
STEEL CASTINGS RESEARCH COMMITTEE, second report, 8*A*.
STEEL PLANTS :
Appleby-Frodingham Works, 260*A*.
Granite City Steel Co., 212*A*.
Great Lakes Steel Corporation, 13*A*.
Guest Keen Baldwins Iron and Steel Co., Ltd., 208*A*.
Inland Steel Co., 121*A*.
Kruppsche Gussstahlfabrik, 62*A*.
STEELWORKS, electric power consumption, 204*A*.
STELLITE COATING, aircraft engine valves, crack formation, 179*A*.
STOOLS, copper, for ingot moulds, 13*A*.
STORMS DROP-FORGING CO., plant, 124*A*.
STRAIN-AGEING :
chromium-copper-phosphorus steel, 161*P*.
chromium-copper steel, 161*P*.
copper-manganese steel, 161*P*.
Cor-Ten, 161*P*.
STRAIN-HARDENING, relation to elastic properties, 173*A*.
STRENGTH/WEIGHT RATIO :
alloy steel, 243*A*.
steel, 180*A*.
STRESS CONDITION, effect on alternating bend strength, 235*A*.
STRESS DISTRIBUTION, determination, photo-elastic method, 281*A*.
STRESS-STRAIN DIAGRAMS, similarity of those from impact-tensile and torsion tests, 33*A*.
STRESSES :
alternating, behaviour of steel at high temperatures, 80*A*.
alternating, creep of steel, 80*A*.
alternating, effect on cold-drawn wire, 285*A*.
alternating, effect of shape of test-bar on resistance of steel, 176*A*.

STRESSES (*contd.*)—
alternating, tensile and compressive, 234*A*., 235*A*.
bending, wire ropes, 175*A*.
casting, chilled rolls, 11*A*.
in castings, 12*A*.
dynamic, measurement, 282*A*.
effects in heating of steel, 38*A*.
internal, in steel, 175*A*.
measurement, use of differential extensometer, 138*A*.
nitrided steel, 223*A*.
repeated, on structural elements, 177*A*.
in rolls under pressure, 282*A*.
self-, effect on fatigue, 283*A*.
self-, nitrided steel, 175*A*.
set up in machining, 172*A*.
in transformer sheets, 90*A*.
welded joints, 228*A*.
welded joints, determination, 25*A*.
STRIP :
cold-rolled, effectiveness of rust-preventing oils, 32*A*.
cold-rolled, recrystallisation, preferred orientations, 46*A*.
cold-rolling, 68*A*.
cold-rolling, tension control, 20*A*.
deep-drawing, effect of cold-work, 66*A*.
hot rolled, specification, British, 182*A*.
pickling, 230*A*.
production for deep drawing, 165*A*.
rolling for tinplate, 268*A*.
use for conveyor belts, 182*A*.
welding, 132*A*.
wide, production, 165*A*.
STRIP MILLS, 19*A*., 68*A*., 221*A*., 268*A*.
handling equipment, 19*A*., 127*A*., 221*A*.
Japanese, 126*A*.
motor drives, 20*A*.
wide, 165*A*., 221*A*.
STRUCTURAL MATERIALS, thermal conductivity, 287*A*.
STRUCTURAL STEEL :
alloy, properties, 40*A*., 41*A*., 242*A*.
effect of deoxidation, susceptibility to heat treatment, 273*A*.
high-alloy, properties, 41*A*.
high-strength, properties, 85*A*.
low-alloy, corrosion, 49*A*., 50*A*.
low-alloy, properties, 40*A*.
low-carbon and low-alloy, effect of phosphorus, 113 *Paper*.
welding, 276*A*.
STRUCTURE :
cast iron, 90*A*., 184*A*.
STRUCTURE (*contd.*)—
cast iron, alloy, 91*A*.
chromium steel, effect of titanium, 91*A*.
dendritic, steel, 146*A*.
malleable cast iron, 90*A*.
quenched steel, effect of aluminium, 91*A*.
rimming steel, effect of pouring and furnace practice, 214*A*.
stearine ingots, 63*A*.
STUD BOLT STEEL, properties at high temperatures, 79*A*.
SULPHIDES, in basic electric steel, 262*A*.
SULPHUR :
behaviour in blast-furnace slag, 116*A*.
in concrete aggregate, effect on corrosion of steel, 116*A*.
effect in iron-chromium alloys, passivity, 301*A*.
effect of reducing action of manganese on solid silica, 356*P*.
SURFACE CONDITION, effect on fatigue cracks, 138*A*.
SWEDEN, basic open-hearth practice, 62*A*.
SWEDISH IRON ORE, distribution of elements, 199*A*.
SYNHIBIT PROCESS, 233*A*.

TAPHOLES, plugging machines, 6*A*., 116*A*.
TAR, use in open-hearth furnaces, carburettor for, 115*A*.
TELLURIUM, determination in iron and steel, 97*A*.
TEMPER-BRITTLENESS, chromium-nickel steel, 139*A*.
TEMPER CARBON, determination of nodule number, 146*A*.
TEMPERATURE-TIME DIAGRAM, austenite transformation, 245*A*.
TEMPERATURES :
control, 156*A*.
cutting, as index of machinability, 279*A*.
distribution in heating of steel, 38*A*.
effect on metals, 140*A*.
effect on steel, corrosion, 249*A*.
forging, metals, 65*A*.
high, corrosion of iron-cobalt-nickel alloys in acids, 36*A*.
high, fatigue of carbon steel, 80*A*.
high, fatigue of chromium-nickel-tungsten steel, 80*A*.
high, fatigue of molybdenum steel, 80*A*.

TEMPERATURES (*contd.*)—
high, fracture of carbon steel, 79*A*.
high, impact-torsion tests of steel, 33*A*.
high, oxidation of metals, 129*A*.
high, properties of alloy steel, 239*A*.
high, properties of bolt steel, 79*A*.
high, properties of chromium-manganese steel, 240*A*.
high, properties of chromium-nickel alloys, 239*A*.
high, properties of chromium-nickel steel, 287*A*.
high, properties of steel, 35*A*.
high, properties of steel, effect of phosphorus, 290*A*.
low, fatigue of steel, effect of overload, 78*A*.
low, impact strength of chromium-copper steel, effect of deoxidisers, 239*A*.
low, impact strength of nickel steel, 141*A*.
low, impact tests of carbon steel, 290*A*.
low, impact-torsion tests of steel, 33*A*.
low, use for shrinking-on of parts, 219*A*.
measurement, 21*A*.
measurement, annealing furnaces, 271*A*.
measurement, effect of scale, 21*A*., 167*A*.
measurement, liquid steel, 270*A*.
measurement, open-hearth furnaces, 378*P*., 13*A*.
measurement, open-hearth furnaces, quick-immersion methods, 270*A*.
measuring systems, 167*A*.
rolling, effect on carbon steel, 220*A*.
TEMPERING :
cast iron, 224*A*.
chromium steel, 185*A*.
effect on steel, 71*A*.
TENSILE STRENGTH :
cast iron, variation with wall thickness, 82*A*.
refractory materials, 1*A*.
welded joints, stress distribution and shape coefficient of test bars, 33*A*.
worn wire ropes, 33*A*.
TENSILE TESTS :
conversion of data from one form of test-piece to another, 76*A*.
elongation at fracture, calculation, 33*A*.
TENSILE TESTS (*contd.*)—
impact, high-velocity, 281*A*.
impact, stress-strain diagrams, similarity to those from torsion tests, 33*A*.
short-time, carbon steel, 290*A*.
steel casting, during cooling, 9*A*.
TERNARY SYSTEMS, X-ray examination, 47*A*.
TERNE PLATE, welding, 170*A*.
TEST BARS :
shape, effect on resistance of steel to alternating stresses, 176*A*.
size, effect on alternating bend strength, 236*A*.
tensile, stress distribution and shape coefficient, 33*A*.
TESTING MACHINES :
alternating pull-and-push, 234*A*.
fatigue, 138*A*.
fatigue, Haigh-Robertson, 138*A*.
hardness, microcharacter, 34*A*.
James, 61*A*.
springiness, effect on load-extension curves, 280*A*.
TESTS :
abrasion, coke, 402*P*.
bend, alternating, pinion shafts, 234*A*.
bend, tinplate, 75*A*.
bend, welded joints, specification, British, 73*A*.
core sands, 211*A*.
corrosion, chromium-copper-silicon steel, 136*P*.
corrosion, chromium-copper steel, 136*P*.
corrosion, copper-manganese steel, 136*P*.
corrosion, laboratory, 52*A*.
corrosion, phosphorus steel, 131*P*.
corrosion, potentiometric methods, 150*A*.
corrosion, potentiometric methods, bibliography, 150*A*.
corrosion, stainless steel, "break-through" potential method, 101 *Paper*.
corrosion, standardisation, 53*A*.
corrosion, use of meteorological data, 87*P*.
creep, effect of salt baths, 238*A*.
creep, effect of time of preheating and prior loading, 238*A*.
creep, interpretation of results, 81*A*., 140*A*.
creep, long-time, 140*A*.
cupping, Erichsen method, 137*A*.
cupping, Persoz method, 137*A*.
cupping, Siebel and Pomp, 137*A*.

TESTS (*contd.*)—
drop, single-blow, effect of shape of test-piece on energy needed, 76*A*.
drop, single-blow, low-alloy steel, 77*A*.
electromagnetic, wire rope, 245*A*.
fatigue, wire, 138*A*.
folding, 75*A*.
hardness, 34*A*.
hardness, electromagnetic, 139*A*.
impact, carbon steel at low temperatures, 290*A*.
impact, notched-bar, 34*A*.
impact-bend, wire, 281*A*.
impact-tensile, high-velocity, 281*A*.
impact-tensile, stress-strain diagrams, similarity to those from torsion tests, 33*A*.
impact-torsion, steel at high and low temperatures, 33*A*.
McQuaid-Ehn, for grain size, 245*A*.
magnetic, 139*A*.
magnetic, for detection of flaws, 44*A*., 145*A*.
magnetic, for detection of flaws, Magnaflux method, 245*A*.
moulding sand, 119*A*.
porosity, zinc coatings, 31*A*.
spring materials, 144*A*.
sheets, 144*A*.
tensile, conversion of data from one form of test-piece to another, 76*A*.
tensile, elongation at fracture, calculation, 33*A*.
tensile, short-time, carbon steel, 290*A*.
tensile, steel castings during cooling, 9*A*.
vibratory, moulding sand, 60*A*.
welded boiler plate, 132*A*.
THERMAL ANALYSIS, recording apparatus, 44*A*.
THERMAL CONDUCTIVITY :
alloys, 287*A*.
chromium steel, 35*A*.
determination, 140*A*., 179*A*.
gases, 287*A*.
insulating material, 287*A*.
powdered materials, 287*A*.
pure metals, 79*A*.
refractory materials, 287*A*.
structural materials, 287*A*.
THERMAL EXPANSION :
measurement, 140*A*.
silica brick, 2*A*.
THERMIT WELDING, 170*A*.
THERMOCOUPLES :
C–SiC, applications, 13*A*.
THERMOCOUPLES (*contd.*)—
electrical characteristics, 167*A*.
types, 21*A*.
TIN :
coefficient of expansion, 79*A*.
corrosion in combustion products of town gas, 95*A*.
latent heat, 79*A*.
melting point, 79*A*.
microscopic examination, 145*A*.
physical constants, 79*A*.
specific heat, 79*A*.
thermal conductivity, 79*A*.
TINFOS FURNACE, 6*A*.
TINPLATE :
bend tests, 75*A*.
corrosion by canned cream, 187*A*.
corrosion by food products, 152*A*.
microscopic examination, 145*A*.
strip production for, 268*A*.
welding, 170*A*.
TINPLATE INDUSTRY :
United States, 136*A*.
Welsh, 31*A*.
Welsh, use of gas, 115*A*.
TITANIFEROUS IRON ORE, reduction, 117*A*.
TITANIFEROUS-MAGNETITE DEPOSITS, vanadium-bearing, India, 153*A*.
TITANIUM :
deoxidising action, 247*P*.
determination in iron and steel, 191*A*.
effect in carbon steel, 82*A*.
effect in chromium-nickel steel, 82*A*.
effect in chromium steel, 291*A*.
effect in chromium steel, hardness and structure, 91*A*.
effect in copper steel, 82*A*.
effect in non-ferrous alloys, 82*A*.
effect in stainless steel, 84*A*.
effect in steel, nitrogen absorption during welding, 226*A*.
effect in steel, quench-ageing, 34*A*.
TITANIUM ALLOYS, inclusions, identification and composition, 223*P*.
TOKUYAMA TEPPAN KAISHA LTD., rolling-mill plant, 268*A*.
TOOL STEEL :
chromium, properties, 85*A*.
effect of deoxidation, susceptibility to heat treatment, 273*A*.
flakes, 168*A*.
nitriding, 69*A*.
overheating, 168*A*.
quenching, effect on cutting speed, 24*A*.
relation between tool life and cutting speed, 172*A*.
selection, 172*A*.

TOOLS, cutting force, measurement by dynamometer, 278*A*.
TORSION TESTS :
impact, steel at high and low temperatures, 33*A*.
stress-strain diagrams, similarity to those from impact-tensile tests, 33*A*.
TRANSFORMATIONS :
austenite in chromium-silicon steel, 299*A*.
austenite, temperature-time diagram, 245*A*.
chromium steel, 185*A*.
iron, 298*A*.
iron and manganese, thermodynamic values, 147*A*.
iron-manganese alloys, 269 *Paper*.
iron-nickel alloys, 246*A*.
manganese-molybdenum steel, 193*P*.
metals, 186*A*.
steel, 185*A*.
steel on cooling, 299*A*.
TRANSFORMER SHEETS, stresses, 90*A*.
TRANSFORMER STEEL, properties., 178*A*.
TREASURER'S REPORT, 7*P*.
TUBES :
boiler, cracking, 282*A*.
inspection, microscope for, 222*A*.
pickling, 133*A*.
presses for, 144*A*.
pyrometer, production, 271*A*.
seamless, manufacture, 166*A*., 222*A*.
seamless, Roeckner process, 166*A*.
TUBING, manufacture from refractory oxides, 1*A*.
TUNGSTEN, effect in stainless steel, 84*A*.
TUNGSTEN-CARBIDE DIES, handling, 67*A*.
TUNGSTEN-CARBON SYSTEM, 149*A*.
TURBINE BLADES, corrosion, 54*A*.
TURBO-ALTERNATOR YOKE CASTING, moulding, 211*A*.
TUNGSTEN STEEL :
flakes, effect of chromium, 168*A*.
hardening cracks, 168*A*.
TYRE STEEL, manufacture, 121*A*.

UNA ARC-WELDING HEAD, 170*A*.
UNITED KINGDOM :
specification for bend tests on welded joints, 73*A*.
specification for hot-rolled strip, 182*A*.
UNITED STATES :
coal deposits, 56*A*., 154*A*., 251*A*.
UNITED STATES (*contd.*)—
iron-ore concentration tests, 110*A*.
iron ore deposits, 251*A*.
rolling-mill drives, 127*A*.
sheet and strip mills, 221*A*.
tinplate industry, 136*A*.
UNITED STATES BUREAU OF STANDARDS' ETCHING REAGENT, 244*A*.
UNIVERSAL MILL, converted to strip mill, 127*A*.
URANIUM, effect in steel, nitrogen absorption during welding, 226*A*.
UTAH, coal deposits, 56*A*.

VALVE STEEL :
composition, 125*A*.
extrusion, 125*A*.
properties, 182*A*., 241*A*.
VALVES :
aircraft engine, steels for, 142*A*.
aircraft engine, stellite coating, crack formation, 179*A*.
automobile, extrusion, 125*A*.
chromium-nickel steel, 242*A*.
chromium-steel, extrusion, 17*A*.
filling with sodium, 242*A*.
nickel alloys for, 182*A*.
VANADIUM :
deoxidising action, 246*P*.
determination in iron and steel, 191*A*.
effect in alloy steel, 143*A*.
effect in cast iron, graphitisation, 7*A*.
effect in chromium-copper steel, impact strength at low temperatures, 239*A*.
effect in eutectoid steel, 92*A*.
effect in stainless steel, 84*A*.
effect in steel, nitrogen absorption during welding, 226*A*.
VANADIUM ALLOYS, inclusions identification and composition, 232*P*.
VANADIUM ORE DEPOSITS :
world, 56*A*.
world, bibliography, 56*A*.
VARNISHES, corrosion-resistance, 28*A*.
VIBRATIONS :
effect on structural materials, 177*A*., 283*A*.
measurement, 138*A*.
VIBRATORY TEST, moulding sand, 60*A*.
VELOX STEAM REGENERATOR, 204*A*.
VEREIN DEUTSCHER EISENHÜTTENLEUTE, papers on works management, 159*A*.

VULCAN MOLD & IRON CO., ingot mould production, 118*A*., 119*A*.

WALES :
tinplate industry, 31*A*.
tinplate industry, use of gas, 115*A*.
WARD-LENNARD SETS for rolling mills, 68*A*.
WARREN AXE AND TOOL CO., forging of axes, 218*A*.
WATER, corrosion of steel, 53*A*.
WATER-HEATING SYSTEMS, corrosion, 95*A*.
WEAR :
engine cylinders, 35*A*.
piston rings, 178*A*.
steel against brick, 178*A*.
WEIR, G. AND J., LTD., foundry plant, 61*A*., 119*A*.
WELDED BOILER PLATE, tests, 132*A*.
WELDED BOILERS, for locomotives, 132*A*.
WELDED JOINTS :
austenitic, annealing, 74*A*.
bend tests, specification, British, 73*A*.
fatigue strength, 228*A*.
microscopical examination, 74*A*.
properties, 74*A*.
properties, effect of flame-cut surfaces, 74*A*.
stress distribution, 228*A*.
stresses, determination, 25*A*.
tensile strength, stress distribution and shape coefficient of test bars, 33*A*.
WELDING :
alloy steel, 25*A*., 73*A*., 225*A*., 276*A*.
boilers, 132*A*.
carbon steel, 170*A*., 225*A*.
coated steel, 170*A*.
Ducol steel, 171*A*.
electric arc, 72*A*., 131*A*.
electric resistance, 225*A*.
formation of blow-holes, 171*A*.
galvanised iron, 170*A*.
galvanised steel, 227*A*.
heat effect, 25*A*., 276*A*.
Jal-Ten steel, 277*A*.
lead-coated sheets, 227*A*.
locomotive cylinders, 225*A*.
locomotive parts, 276*A*.
machine parts, 227*A*., 277*A*.
manganese steel, 277*A*.
metallurgical aspects, 73*A*.
oxy-acetylene, 131*A*.
oxy-acetylene, butt, 72*A*., 225*A*.
WELDING (*contd.*)—
oxy-acetylene, filler metal, 131*A*.
oxy-acetylene, pipes, multi-layer method, 72*A*.
phosphorus steel, 143*P*.
pressure vessels, 171*A*., 227*A*.
rails, 170*A*., 227*A*.
sheets, 25*A*., 170*A*., 227*A*.
stainless steel, 170*A*.
strip, 132*A*.
structural steel, 276*A*.
terneplate, 170*A*.
thermit, 170*A*.
thermit, rails, 276*A*.
tinplate, 170*A*.
use in locomotive construction, 132*A*.
use in ship construction, 131*A*.
zinc, 227*A*.
WELDING ELECTRODES :
cored or covered, ? 225*A*.
covered, specification, French, 131*A*.
Pan type, 132*A*.
selection, 170*A*.
steel for, 73*A*.
tape covered, 170*A*.
WELDING GENERATORS, 131*A*.
WELDING MACHINES, 72*A*.
electric arc, 276*A*.
electric resistance, 170*A*.
WELDING RODS :
effect of elements, 225*A*.
nickel, properties, 182*A*.
WELDING WIRE, production, 125*A*.
WELDS :
design, 277*A*.
electric resistance, effect of slag inclusions, 227*A*.
magnetic tests, 245*A*.
microscopical examination, 87*A*.
nitride formation, 226*A*.
nitrogen absorption, effect of elements, 226*A*.
stainless steel, corrosion, 248*A*.
X-ray examination, 184*A*.
WELLINGBOROUGH IRON CO., LTD., blast-furnace plant, 158*A*.
WESTINGHOUSE ELECTRIC AND MANUFACTURING CO., welding procedure, 225*A*.
WILSON ANNEALING FURNACE, 273*A*.
WIRE :
ageing, effect of drawing speed, 266*A*.
bright annealing, 129*A*.
cold-drawn, effect of alternating stresses, 285*A*.
decarburised, effect of low-temperature heat treatment, 284*A*.

WIRE (*contd.*)—
electrogalvanising, Bethanizing process, 232*A*.
fatigue tests, 138*A*.
galvanising, 31*A*., 135*A*.
galvanising, Meaker process, 136*A*.
hard-drawn, ageing, 51*A*.
heat treatment, 169*A*.
heat treatment, electric method, 24*A*.
heat-treatment furnaces, 64*A*., 129*A*.
impact-bend tests, 281*A*.
microscopic examination, mounting of specimens, 87*A*.
patented, fatigue, 284*A*., 285*A*.
pickling, electro-chemical method, 27*A*.
sherardising, 31*A*.
stainless steel, properties, 243*A*.
welding, production, 125*A*.
WIRE DRAWING :
deformation phenomena, 67*A*.
distortion of wire on passing through draw plate, 67*A*.
WIRE ROD, composition, for cold heading and extrusion, 219*A*.
WIRE ROPES :
bending stresses, 175*A*.
corrosion-fatigue, 54*A*.
deterioration in service, 295*A*.
electromagnetic tests, 245*A*.
worn, tensile strength, 33*A*.
WIRE SPRINGS, steel for, 41*A*.
WORKINGTON IRON & STEEL CO., coking plant, 58*A*.
WROUGHT IRON, corrosion, 49*A*., 51*A*.

X-RAY DIFFRACTION, applied to study of fatigue, 78*A*.
X-RAY EXAMINATION :
alloys, effect of composition of specimen, 44*A*.
X-RAY EXAMINATION (*contd.*)—
metals, 43*A*., 88*A*.
ternary systems, 47*A*.
welds, 184*A*.
X-RAY PHOTOGRAPHY, exposure conditions, 183*A*.

YIELD POINT, steel, 173*A*., 234*A*.
YOUNGSTOWN SHEET AND TUBE CO., strip mills, 221*A*.
YOUNGSTOWN WELDING AND ENGINEERING CO., production of clad-steel rolls, 171*A*.

ZINC :
coefficient of expansion, 79*A*.
corrosion in combustion products of town gas, 95*A*.
electrodeposition, 135*A*.
latent heat, 79*A*.
melting point, 79*A*.
molten, action on iron and steel, 232*A*., 247*A*.
specific heat, 79*A*.
thermal conductivity, 79*A*.
welding, 227*A*.
ZINC-COATED STEEL, use in chemical industry, 180*A*.
ZINC COATINGS :
corrosion resistance, 180*A*.
porosity tests, 31*A*.
ZIRCONIUM :
deoxidising action, 250*P*.
effect in chromium-copper steel, impact strength at low temperatures, 239*A*.
effect in steel, nitrogen absorption during welding, 226*A*.
ZIRCONIUM ALLOYS, inclusions, identification and composition, 228*P*.

NAME INDEX.

ABELL, C. D., Belgian foundry sand, 160*A*.
ABERNETHY, P. A., elected Member, 1*P*.
ABORN, R. H.:
effect of vanadium in eutectoid steel, 92*A*.
welding of steel, 73*A*.
ACHILLES, O., synthetic-resin bearings, 19*A*.
ACKLEY, R. A., dilatometer, 179*A*.
ADAM, W., jun., Ajax-Hultgren salt-bath furnace, 22*A*.
ADCOCK, F.:
Paper: "An Investigation of the Iron-Carbon Constitutional Diagram. Part 1.—Preliminary Survey of the δ Region," 281*P*. *Discussion*, 288*P*. *Author's Reply*, 290*P*.
ADDISON, W. H. D., elected Member, 1*P*.
ALLAN, W. T., coal-fired blast furnaces, 208*A*.
ALLISON, A., chilled-iron rolls, 242*A*.
ALTPETER, H., corrosion-fatigue of wire rope, 54*A*.
AMBERG, K., effect of aluminium on slag inclusions, 162*A*.
ANDERS, W.:
cameras, 244*A*.
welding of zinc, 227*A*.
ANDERSEN, A. G. H., X-ray examination of ternary systems, 47*A*.
ANDERSON, E. A., corrosion-resistance of zinc coatings, 180*A*.
ANDERSON, J., elected Member, 1*P*.
ANDERSON, W., resistance welding, 132*A*.
ANDREW, J. H.:
cobalt-iron system, 37*A*.
corrosion of copper steel, 89*P*.
effect of phosphorus in alloy steel, 39*A*., 292*A*.
fluidity of iron alloys, 8*A*.
iron-carbon diagram, 288*P*.
ANDREWS, F. H., propane for foundry purposes, 207*A*.
ANDREWS, K. W., elected Associate, 4*P*.
ANSEL, G., slip, twinning and cleavage in iron and silicon ferrite, 89*A*.
APPEL, K., properties of cast iron, 36*A*.
ARCHER, T. P., automobile sheets, 219*A*.
AREND, A. G., chromium-steel valves, 17*A*.
ARMS, G. L., coal washing, 254*A*.
ARNESS, W. B., etching of chromium-nickel steel, 43*A*.
ASH, W., elected Member, 1*P*.
ASTON, J., corrosion of structures, 53*A*.
ATKINSON, R. G., plasticity of coal, 114*A*.
AUBERT, A., thermal conductivity of insulating and refractory materials, 287*A*.
AUSTIN, C. R., properties of nickel-cobalt-iron alloys at high temperatures, 36*A*.
AUSTIN, G. WESLEY:
overheating and burning of alloy steel, 39*A*.
remarks on Föppl's paper, 457*P*.
AUSTIN, J. B., thermal expansion of silica brick, 2*A*.
AYSSLINGER, H., welding of boiler steel, 132*A*.

BABINET, A., nitriding of steel, 70*A*.
BABLIK, H., pickling of sheets, 230*A*.
BACON, F., damping capacity of metals, 451*P*.
BADLAM, S., sheet and strip mills, 221*A*.
BAILEY, R. W., creep of steel, 288*A*.
BAIN, E. C.:
effect of vanadium in eutectoid steel, 92*A*.
grain size of steel, 88*A*.
low-alloy structural steel, 40*A*.
BAINBRIDGE, C. G., oxy-acetylene welding, 72*A*., 225*A*.
BAKER, E. M., plating baths, 134*A*.
BALL, J. K., heat-treatment plant of Boeing Aircraft Co., 224*A*.
BALLANTINE, R., production of ingot moulds, 211*A*.
BALLARD, L.:
effect of grooving on bearing lubrication, 127*A*.
lubrication of rolling mills, 267*A*.

BALLARD, W. E., elected Member, 1*P*.
BAMFORD, T. G., physical chemistry of steelmaking, 13*A*.
BAMPFYLDE, J. W., dilatometer, 140*A*.
BANFIELD, T. A.:
corrosion tests on low-alloy steel, 50*A*.
marine corrosion, 49*A*., 50*A*.
BANNON, R. E., effect of titanium on chromium steel, 91*A*.
BANSEN, H., elected Member, 1*P*.
BARCLAY, S. F., corrosion of galvanised sheets, 95*P*.
BARDENHEUER, P., effect of hydrogen in steel melting, 212*A*.
BARNARD, J. E., microscope for use with ultra-violet light, 244*A*.
BARNES, H. C., design of steelworks machinery, 13*A*.
BARR, D., elected Member, 1*P*.
BARR, M.:
Follsain processes, 128*A*.
elected Member, 1*P*.
BARR, W., effect of high temperatures on steel, 35*A*.
BARRATT, T., insulating materials, 155*A*.
BARRETT, C. S.:
distortion of grains by fatigue, 237*A*.
slip, twinning and cleavage in iron and silicon ferrite, 89*A*.
X-ray examination of fatigue phenomena, 78*A*.
BARROWS, D. S., alloy steels for railway cars, 294*A*.
BASSETT, H. N., crucibles, 57*A*.
BAUER, O.:
casting stresses, 12*A*.
shrinkage of metals, 12*A*.
standardisation of corrosion tests, 53*A*.
BAUKLOH, W., decarburisation of steel in hydrogen, 71*A*., 122*A*.
BEARD, A. C., elected Member, 1*P*.
BEARD, V. D., special structural steel, 41*A*.
BEARDSLEE, K. R., tungsten-carbide dies, 67*A*.
BEASLEY, H. V., chromium-nickel cast iron rolls, 242*A*.
BEATTIE, C. L., elected Member, 1*P*.
BEAUDOIN, J., drawing of automobile fenders, 218*A*.
BECHLER, W., passivification of iron-chromium alloys, 301*A*.
BECK, J. E.:
cold-forming processes, 219*A*.
drawing of rods and bars, 66*A*.
BECKER, M. L., impact values and grain size of manganese-molybdenum steel, 215*P*.
BEEBE, A. H., bright nickel plating, 134*A*.
BEECH, A. S., foundry mechanisation, 259*A*.
BELAIEW, N. T.:
allotropy of iron, 430*P*.
awarded Bessemer Gold Medal, 13*P*.
BELL, D. H., elected Member, 1*P*.
BELLIS, A. E., internal heating of salt baths, 169*A*.
BENEDICKS, C.:
allotropy of iron, 422*P*.
fine-grained steels, 211*P*.
sedimentation of iron crystals, 363*P*.
use of meteorological data in corrosion tests, 87*P*.
BENGOUGH, G. D.:
laboratory corrosion tests, 52*A*.
oxide films on iron, 412*P*.
BENNEK, H., hardening and tempering phenomena in chromium steel, 185*A*.
BERG, G., iron ore in Riesengebirge, 153*A*.
BERG, S., dynamic stress measurements, 282*A*.
BERGERON, P., mullite bricks for regenerators, 202*A*.
BERNDT, N., casting of ingot moulds, 61*A*.
BERRY, H., separation of banded constituents of coal, 156*A*.
BERSIE, H. G., corrosion of insulated metal panels, 187*A*.
BERTHELOT C.:
coke ovens, 255*A*.
steels for hydrogenation tubes and cracking chambers, 241*A*.
BERTHOLD, R., magnetic powder test, 44*A*., 145*A*.
BEVAN, I. P., elected Member, 1*P*.
BIBBER, L. C., corrosion tests of welded low-carbon stainless steel, 248*A*.
BIERETT, G., buckling of cast iron, 83*A*.
BIERNACKI, T., properties and heat treatment of chromium-nickel steel, 142*A*.
BIRCH, R. E., mullite in fireclay brick, 57*A*.
BISWAS, K. L., elected Member, 1*P*.
BLACKIE, A., sampling of gases, 97*A*.
BLAYDEN, H. E., coke research, 400*P*.

BLOMBERG, H.:
blow-holes in welds, 171*A*.
slag inclusions in welds, 227*A*.
BLÜMEL, E., washing curves, 205*A*.
BLYTHE, G. E. K., powdered coal, 205*A*.
BOEGEHOLD, A. L., endurance of gear steel, 78*A*.
BOETCHER, H. N., cavitation of metals, 303*A*.
BOLLENRATH, F.:
cast crankshafts, 143 *A*.
cracking of stellited valve seats, 179*A*.
BOLTON, J. W., properties of cast iron, 36*A*.
BOLTON, L. W., high-duty cast iron, 240*A*.
BONE, W. A., elected Hon. Member, 13*P*.
BONGARÇON, damping-down of blast furnaces, 208*A*.
BONILLA, C. F., electrodeposition of nickel and chromium, 231*A*.
BORODULIN, M. B., lacquer and varnish coatings, 28*A*.
BORODULIN, M. W., bituminous coatings, 28*A*.
BOSSARD, J. R., recording apparatus for thermal analysis, 44*A*.
BOSTON, O. W.:
effect of cutting fluids on tool life, 278*A*.
torque and thrust of drills, 278*A*.
turning of steel, 278*A*.
BÖTCHER, H. N., cavitation of metals, 189*A*.
BOTTOMLEY, G. T. C., fluidity of iron alloys, 8*A*.
BOUTET, C., aluminothermic welding of rails, 276*A*.
BOWMAN, J. J., aluminium and magnesium alloys, 86*A*.
BOYLE, SIR EDWARD, Bt., elected Member, 2*P*.
BOYLE, L., elected Associate, 4*P*.
BOYLES, A., dendrites in sheet steel, 45*A*.
BRACE, P. H., heat treatment of automobile steel, 23*A*.
BRADBURY, T. A., embrittlement in boilers, 285*A*.
BRADLEY, H., elected Member, 2*P*.
BRADLEY, W. F., constitution of clays, 10*A*.
BRAGG, W. L., atomic arrangement in alloys, 37*A*.
BRAMLEY, G. E. A., awarded Carnegie Scholarship, 37*P*.
BRANDSMA, W. F., transformations in metals, 186*A*.
BRAUN, thermal conductivity of gases, 287*A*.
BRAY, J. L., lead coating of steel, 231*A*.
BRAY, R. H., constitution of clays, 10*A*.
BREMOND, P., effect of conductivity on internal heating of refractory body, 287*A*.
BRENNAN, J. J., fusibility of coal ash, 253*A*.
BRENNERT, S.:
Paper: "Method for Testing the Resistance of Stainless Steels to Local Corrosive Attack," 101*P*.
BREWER, R. E., plasticity of coal, 114*A*.
BRICOUT, P., magnetic tests, 139*A*.
BRIGHT, H. A. determination of oxygen in steel, 190*A*.
BRISTOW, W. A., coal from liquid fuel, 59*A*.
BRITTAIN, H., pattern-making, 120*A*.
BRITTON, S. C.:
Paper: "Some Properties of Commercial Steel Sheets Containing Additions of Copper, Manganese, Chromium, and Phosphorus," 161*P*. *Discussion*, 174*P*. *Correspondence*, 178*P*. *Author's Reply*, 182*P*.
corrosion of low-alloy steels, 154*P*.
BROGLIO, N., high-frequency furnaces, 261*A*.
BROICH, M., nitriding of tubes, 168*A*.
BRONSON, C. B., building-up of rail ends, 224*A*.
BROOKE, J. B. R., tests of coke, 396*P*.
BROPHY, G. R.:
damping capacity of steel, 175*A*.
effect of aluminium on normality of steel, 69*A*.
BROWN, RT. HON. E., speech at Dinner, 22*P*.
BROWN, E. J., inclusions and gases in cast steel, 211*A*.
BROWN, J. A., elected Member, 2*P*.
BROWN, J. L., casting or welding in machine design, 277*A*.
BROWNLEE, A. F., temperature measurement, 167*A*.
BRÜCKNER, H., combustion of gases, 4*A*.
BRÜHL, F., properties of chromium-manganese steel, 184*A*.

BRYAN, J. M., corrosion of tinplate by food products, 152*A*.
BUCHANAN, E. D., control of open-hearth furnaces, 13*A*.
BUCHHOLTZ, steel from carbonyl iron, 243*A*.
BÜCHLER, F., coal ash, 156*A*.
BUCK, W. E., alloy contamination of deep-drawing steel, 13*A*.
BUCKNALL, E. H.:
allotropy of iron, 427*P*.
ground boundaries, 45*A*.
BUCKWALTER, T. V., fatigue of axles, 138*A*., 283*A*.
BUFF, C. T., control rectifiers for electrical plants, 222*A*.
BUKALSKI, A., effect of vibrations on structural materials, 177*A*.
BUKOWIECKI, L., properties and heat treatment of chromium-nickel steel, 142*A*.
BULMER, R., producer practice, 115*A*.
BUMM, H., austenite formation in iron-nickel, 299*A*.
BURDEWICK, B., Japanese strip mill, 166*A*.
BURFORD, R. O., porosity tests of zinc coatings, 31*A*.
BURGERS, W. G., stresses in nickel-iron sheet, 90*A*.
BURNS, R. S., cold-rolling of sheets and strip, 68*A*.
BURR, W. H.:
developments in American steel industry, 222*A*.
developments in steel mills, 19*A*.
BURTON, H. H.:
corrosion-fatigue, 345*P*.
grain size in steel, 436*P*.
BÜTTINGHAUS, A., iron/chromium/chromium - carbide/cementite system, 93*A*.
BÜTTNER, G., atramentisation process, 29*A*.

CAINE, J. B., elected Associate, 4*P*.
CALLAGHAN, E., mineral resources of Boulder Dam region, 154*A*.
CAMERON, W., elected Member, 2*P*.
CAMPION, A., Meehanite iron, 293*A*.
CARLSSON, C. G., structure of stearine ingots, 63*A*.
CARTER, P. T., awarded Carnegie Scholarship, 37*P*.
CASBERG, C. H., durability of moulding sands, 10*A*.
CASSAN, H., thermal conductivity of refractory materials, 287*A*.
CASTLE, G. C., elected Member, 2*P*.
CASTRO, R.:
Paper: "Morphology of the Inclusions in Siderurgical Products. Parts IV and V." *See* Portevin, A. M.
morphology of inclusions, 145*A*.
oxygen in steel, 290*A*.
CHADWICK, T. G., elected Associate, 4*P*.
CHAN, G., elected Member, 2*P*.
CHARISIUS, K., pattern-making, 257*A*.
CHAUSSAIN, M., thermal conductivity of metals, 140*A*.
CHESTERS, J. H., checker bricks, 2*A*., 252*A*.
CHEVENARD, P., transformations during cooling of steel, 299*A*.
CHIESA, G., elected Member, 2*P*.
CHIPMAN, J.:
effect of temperature on interaction of gases with steel, 212*A*.
reaction of hydrogen with iron sulphide in liquid iron, 14*A*.
temperature measurement in open-hearth furnaces, 13*A*.
CHOMÉ, F., elected Member, 2*P*.
CHRISTIANSEN, H., Norwegian iron industry, 6*A*.
CLAASSEN, H., corrosion in beet sugar factories, 152*A*.
CLAPP, W. H., mechanical testing, 280*A*.
CLARK, C. F., tempering of forgings, 169*A*.
CLARK, C. L.:
creep of metals, 80*A*.
effect of titanium in chromium steel, 291*A*.
fracture of steel at high temperatures, 79*A*.
CLARK, G. L., X-ray examination of lubricants, 127*A*.
CLARK, J. M., jun., corrosion of metals by water and carbon dioxide, 53*A*.
CLARK, M., resistance welding of strip, 132*A*.
CLARK, P. R., fatigue tests of wire, 138*A*.
CLARKE, S. G.:
corrosion of copper steel, 93*P*.
thickness measurement of electro-deposited coatings, 29*A*.
CLAUDE, G., ammonia synthesis, 207*A*.
CLAUSS, J. A., plant of Great Lakes Steel Corporation, 13*A*.
CLAUSSEN, G. E.:
diffusion of elements in iron, 22*A*.
fatigue of welded joints, 228*A*.

CLAUSSEN, G. E. (*contd.*)—
iron-cobalt-copper system, 38*A*.
iron-copper-carbon system, 38*A*.
iron-copper system, 38*A*.
CLERF, F., iron ore in France, 153*A*.
COBB, J. W., scaling of steel, 39*A*., 70*A*.
COHEN, M., elected Associate, 4*P*.
COLAM, L. D., elected Member, 2*P*.
COLBECK, E. W., determination of oxygen in steel, 305*A*.
COMSTOCK, G. F.:
effect of titanium in chromium steel, 291*A*.
inclusions in steel, 248*P*.
CONE, E. F.:
carbon and low-alloy steels, 85*A*.
carburising furnace, 128*A*.
Ford camshafts, 161*A*.
insulation of open-hearth furnaces, 13*A*.
CONLEY, W. E., microcharacter hardness tester, 34*A*.
CONLEY, W. J., microcharacter hardness tester, 34*A*.
CONN, G., elected Member, 2*P*.
CONNELLY, D. S., reboiling phenomenon of enamels, 233*A*.
COOKE, S. R. B., structure and concentratability of iron ore, 110*A*.
COPSON, H. R., graphite corrosion of cast iron, 187*A*.
CORNELIUS, H.:
cast crankshafts, 143*A*.
cracking of stellited valve seats, 179*A*.
COUNSELMAN, T. B., cleaning of blast-furnace gas, 5*A*.
COUPE, J. H., enamelling, 136*A*.
COUTANT, J. G., insulating materials, 155*A*.
COWAN, R. J., gas carburising, 69*A*.
CRAFTS, W., impact strength of fine-grained steels at low temperatures, 239*A*.
CRAIG, J., speech at Dinner, 31*P*.
CRAMER, H.:
rolling of bars, 68*A*.
shear blades, 166*A*.
CRAVEN, S. W., determination of oxygen in steel, 305*A*.
CRITCHETT, J. H., corrosion-resistant steel, 180*A*.
CROOK, W. J., equilibrium of iron oxides in slag, 16*A*.
CROOKS, L. E., elected Member, 2*P*.
CROSS, H. C.:
creep tests of chromium-nickel steel and carbon steel, 289*A*.
effect of phosphorus in steel, 290*A*.
CROSSLEY, H. E., analysis of coal, 97*A*.
CULLEN, G., elected Member, 2*P*.
CYMBOLISTE, M., pits in electrodeposited metals, 28*A*.

DÄBRITZ, W., Krupp Gussstahlfabrik, 62*A*.
DAEVES, K.:
corrosion loss of iron and steel, 248*A*.
effect of phosphorus in basic steel, 292*A*.
DAHL, T.:
friction during rolling, 267*A*.
roll design, 126*A*.
DAHLE, F. B., creep tests of chromium-nickel steel and carbon steel, 289*A*.
DAMOUR, E.:
pulverised coal, 254*A*.
theory of "methodical heating," 156*A*.
DANFORTH, G. L., jun.:
checkerwork design, 13*A*.
manufacture of rimmed steel, 14*A*.
DANIEL, N., cutting of steel, 228*A*.
DANNATT, C., magnetic properties of ferromagnetic laminæ, 139*A*.
DANSE, L. A., elected Member, 2*P*.
DANZE, J., energy-producing power of fuel, 203*A*.
DARRAH, W. A.:
bright-annealing, 71*A*.
furnace atmospheres, 205*A*., 273*A*.
DARRÉ, A., electromagnetic method for determining fissures in wires, 245*A*.
DAVENPORT, E. S., welding of steel, 73*A*.
DAVEY, W. P.:
orientations in cold-rolled iron-nickel alloys, 90*A*.
elected Member, 2*P*.
DAVIS, C. H., copper alloys, 85*A*.
DAVIS, E. A., creep of metals, 289*A*.
DAVIS, E. W., ore-roasting plant, 111*A*.
DAVIS, J. D.:
coking properties of coal, 205*A*., 206*A*.
oxidation of coal, 206*A*.
DAVIS, T., feeding of castings, 161*A*.
DAWSON, J. W., Ignitron welding control, 170*A*.
DAWSON, S. E., foundry furnaces, 118*A*.
DAY, C. R., tool steels, 172*A*.

DEAKIN, J. B., plant of Guest Keen Baldwins Iron & Steel Co., 157*A*.
DEARDEN, W. H., preparation of metallographic specimens, 43*A*.
DE BELIN, G. A., grain size in steel, 439*P*.
DE FOREST, A. V., plastic deformation, 174*A*.
DEHLINGER, V., volume change resulting from magnetisation, 35*A*.
DEISS, E., determination of tellurium in steel, 97*A*.
DELBART, G.:
chemical analysis, 191*A*.
manufacture of forgings, 124*A*.
DELBART, G. R., martensitic transformation of austenitic iron, 47*A*.
DENISON, I. A., soil-corrosion of steel, 54*A*.
DEPPELER, J. H., thermit welding, 170*A*.
DESCH, C. H.:
allotropy of iron, 421*P*.
iron-nickel system, 37*A*.
iron-sulphur alloys, 37*A*.
DESCHAMPS, J., steel castings, 257*A*.
DIEPSCHLAG, E., reduction of iron ore by pressure, 117*A*.
DIERCKS, H., calculation of economic efficiency, 159*A*.
DIERGARTEN, H., ball-bearing steel, 86*A*.
DIETRICH, K., Leifo photometer, 306*A*.
DIÓSZEGHY, D., effect of moulding sand on cast iron, 119*A*.
DIX, E. H., jun., aluminium and magnesium alloys, 86*A*.
DLOUGATCH, L., metallic alloys, 147*A*.
DODD, A. E., slagging of refractories, 201*A*.
DONALDSON, J. W.:
effect of temperature on metals, 140*A*.
elastic properties of cast iron, 83*A*.
fatigue and corrosion-fatigue, 283*A*.
DOREY, S. F.:
corrosion-fatigue, 342*P*.
steels for oil engines, 143*A*.
DOUGHER, P. A., cleaning of castings, 257*A*.
DRINBERG, A. J., metallic coatings, 28*A*.
DUDLEY, DUD, career and work, 6*A*.
DUFTY, N. F., elected Associate, 4*P*.
DUMA, J. A., effect of titanium on metals, 82*A*.
DUMMETT, G. A., coking properties of coal, 206*A*.
DUMONT, C., method of analysing creep data, 289*A*.
DURANT, C. E., cutting of steel, 228*A*.
DWYER, P.:
moulding of pots, 11*A*.
plant of Keen Foundry Co., 161*A*.
plant of Olympic Foundry Co., 118*A*.
DYSON, G. M., awarded Carnegie Scholarship, 37*P*.

EASTHAM, J. A., moulding of bollard, 211*A*.
EBERHARDT, J. E., heat transmission in heating furnaces, 264*A*.
EDWARDS, A. B., iron ore in South Australia, 153*A*.
EGAN, J. J., impact strength of fine-grained steels at low temperatures, 239*A*.
EGE, M., iron ore in Finland, 154*A*.
EGGERS, H., iron-vanadium-carbon system, 247*A*.
EGGLESTON, G. C., flotation of hematite, 199*A*.
EHRET, E. J., lubrication in steel industry, 220*A*.
ELDER, J. L., oxidation of coal, 206*A*.
ELLINGER, G. A., corrosion tests of welded low-carbon stainless steel, 248*A*.
ELLIS, H., gases in steel, 141*A*.
ELLIS, O. W.:
drop tests on alloy steel, 77*A*.
effect of shape of test-piece on energy required in drop test, 76*A*.
ENDÔ, H., contact effects of glass and platinum on dissolution of iron in acid, 55*A*.
ERACHTIN, W. A., flakes in tool steel, 168*A*.
ERDMAN, E. A., mounting of micro-sections, 244*A*.
ERKER, A., effect of thermal self-stresses on fatigue strength, 283*A*.
ERLER, J., casting stresses in chilled rolls, 11*A*.
ERLINGER, E., alternating testing machine, 234*A*.
ESAU, G. W., inhibitors in pickling, 133*A*.

ESSER, H. :
Paper : "The Allotropy of Iron." *Summary*, 421*P*., 298*A*. *Discussion*, 421*P*. *Correspondence*, 428*P*. *Author's Reply*, 433*P*.
awarded Carnegie Silver Medal, 38*P*.
EULENSTEIN, F., production of iron in rotary furnace, 158*A*.
EULER, H., calculation of economic efficiency, 159*A*.
EVANS, E. C., and J. M. RIDGION :
Report : "The Work of the Coke Research Committees of the Iron and Steel Industrial Research Council." *Summary*, 393*P*., 255*A*. *Discussion*, 394*P*. *Correspondence*, 401*P*. *Authors' Reply*, 404*P*.
EVANS, G., seamless tubes, 166*A*., 222*A*.
EVANS, R. G., Rheolaveur plant, 205*A*.
EVANS, U. R. :
corrosion in refrigerating industry, 95*A*.
oxide films on copper and iron, 249*A*.
oxide films on iron, measurement, 408*P*.
rôle of oxygen in corrosion, 249*A*.
rusting and descaling of steel, 50*A*.

FAIRMAN, F. E., jun., switchgear equipment, 20*A*.
FANCUTT, F., corrosion of painted steel, 181*P*.
FARMER, W. J., impact-bend tests of wire, 281*A*.
FARNHAM, G. S., elected Member, 2*P*.
FASH, R. H., effect of chromate salts on life of razor blades, 250*A*.
FASSBINDER, J., cementation of steel by oxy-acetylene flame, 223*A*.
FAULKNER, V. C., foundry of David Brown & Sons (Hudd), Ltd., 211*A*.
FEATHERSTONE, W. M., elected Associate, 4*P*.
FELL, E. W., distortion of iron and molybdenum, 77*A*.
FENNISTON, H. M., elected Associate, 4*P*.
FENWICK, FLORENCE, corrosion-resistant steel, 181*A*.
FESZCZENKO-CZOPIWSKI, I. :
chromium-tungsten tool steels, 42*A*.
grain-size control of austenite, 45*A*.
isothermal annealing, 23*A*.
properties of spring steel, 41*A*.
quenching of tool steel, 24*A*.
FIEGEHEN, E. G., steel castings for railways, 259*A*.
FIELDNER, A. C. :
classification of coal, 58*A*.
coking properties of coal, 205*A*., 206*A*.
FIFE, J. G., determination of copper in iron, 306*A*.
FINK, C. G., Cottrell precipitation, 59*A*.
FINKEY, J. :
dressing of manganese ore, 112*A*.
flotation of ore, 113*A*.
FISHER, D. J., Book Cliffs Coalfield, 56*A*.
FISKE, R. A., soaking pits of Inland Steel Co., 217*A*.
FITTERER, G. R., C-SiC thermocouple, 13*A*.
FLETCHER, J. E., foundry furnaces, 118*A*.
FLINN, G. F., elected Member, 2*P*.
FOOTE, F., iron-chromium system, 48*A*.
FÖPPL, O. :
Paper : "The Practical Importance of the Damping Capacity of Metals." *Discussion*, 451*P*. *Reply to Discussion*, 458*P*.
effect of surface pressing on fatigue, 138*A*.
FÖRSTER, F. :
acoustic investigation of martensite formation, 44*A*.
measurement of thermal and electrical conductivity, 179*A*.
FORSYTH, R. P., direct reduction of titaniferous iron ore, 117*A*.
FORSYTHE, W. E., pyrometers, 21*A*.
FOULKES, T. G., open-hearth practice, 121*A*.
FOURNIER, H., cupping tests of sheets, 137*A*.
FOWLER, R., elected Member, 2*P*.
FRANCE, E. A., jun., cement-sand moulds, 119*A*.
FRANCIS, E. L. :
"Alkins effect" in cold-drawn steel, 266*A*.
effect of drawing speed and ageing on tensile properties of steel wire, 266*A*.

FRANCIS, J. L., production of sound castings, 118*A*.
FRASER, T., coal flotation, 254*A*.
FRAZER, W. R., high-speed steel, 172*A*.
FREDERIC, W. K., classification of coal, 58*A*.
FREED, M. L., mullite refractories, 201*A*.
FREEMAN, B. C., mineral deposits in Canada, 56*A*.
FREUND, H., Leifo photometer, 306*A*.
FRIEDENSBURG, F., mineral reserves, 251*A*.
FRIEDMAN, J. H., forgings, 65*A*.
FRIEND, J. NEWTON, corrosion of galvanised sheets and copper steels, 91*P*.
FRISCH, M., pulverised coal, 254*A*.
FRÖLICH, K., heat losses from pig iron in transit, 121*A*.
FUCHS, K., Roneusil, 294*A*.
FULWEILER, W. H., tensile tests of wire ropes, 33*A*.
FUTERS, T., coking plant at Brancepeth Colliery, 157*A*.
FUZIWARA, M., stresses in welded joints, 228*A*.

GAGNON, J. G., routine inspection of automobile parts, 142*A*.
GALIBOURG, J., special steels, 83*A*.
GARD, J. S. F., insulating materials, 202*A*.
GARNER, J. R., elected Member, 2*P*.
GARSIDE, J. E., elected Associate, 4*P*.
GAYLER, MARIE L. V., and C. WAINWRIGHT :
Paper : "Alloys of Iron Research." Part XII.—Note on the β_M Transformation in Manganese-Rich Iron-Manganese Alloys, 269*P*. *Correspondence*, 274*P*. *Authors' Reply*, 279*P*.
GEIGER, G. F., nickel alloys, 85*A*.
GENSAMER, M. :
furnace for preparation of high-purity iron, 247*A*.
orientations in cold-rolled steel, 46*A*.
orientations in hot-rolled steel, 47*A*.
GENTNER, F. :
creep tests, 140*A*.
elongation at fracture in tensile test, 33*A*.
internal stresses in nitrided layers, 223*A*.
GERBER, F., pickling of tubes, 133*A*.
GIBSON, A. E., nickel-copper steel, 243*A*.
GIBSON, J., elected Member, 2*P*.
GILBERT, W. W. :
effect of cutting fluids on tool life, 278*A*.
torque and thrust of drills, 278*A*.
GILES, G. W., elected Associate, 4*P*.
GILL, E. T., effect of low-temperature heat treatment on fatigue of decarburised wire, 284*A*.
GILL, J. P., high-speed steel, 130*A*.
GILLETT, H. W. :
duplex process for steel castings, 160*A*.
rail steel, 144*A*.
GILLIES, F. M., handling of materials in strip mills, 221*A*.
GLASS, D. K., elected Member, 2*P*.
GLAZUNOV, A., colloids in moulding sand, 161*A*.
GOLDIN, I., transformation of austenite in chromium-nickel steel, 299*A*.
GOLLING, F., welding of rail cross-overs, 170*A*.
GOOD, R. C. :
heterogeneity of steel ingots, 13*A*.
elected Member, 2*P*.
GOODACRE, R. :
effect of low-temperature heat treatment on fatigue of decarburised wire, 284*A*.
endurance properties of cold-drawn wire, 285*A*.
GOODERHAM, W. J., analysis of gas, 307*A*.
GOPALAN, M. S., elected Member, 2*P*.
GORDENNE, U., corrosion of copper steel, 54*A*.
GORDON, I., elected Member, 2*P*.
GOSS, N. P., crystal structure, 89*A*.
GOUGH, H. J. :
Paper : "The Effect of Protective Coatings on the Corrosion-Fatigue Resistance of Steel." *See* SOPWITH, D. G.
effect of specimen form on resistance of metals to combined alternating stresses, 176*A*.
GOUGH, H. J., and D. G. SOPWITH :
Paper : "The Influence of the Mean Stress of the Cycle on the Resistance of Metals to Corrosion-Fatigue," 293*P*. *Discussion*, 340*P*. *Correspondence*, 345*P*. *Authors' Reply*, 348*P*.

GRAF, E., Austrian coal, 253*A*.
GRAFF, J., heat insulation in refrigerating industry, 287*A*.
GRAHAM, A. J. W., elected Member, 2*P*.
GRAHAM, R., identification of inclusions in steel, 296*A*.
GREAVES, R. H., properties of steel for castings, 8*A*.
GREEN, A. W. F., hollow-electrode furnace, 214*A*.
GREENWOOD OF HOLBOURNE, RT. HON. VISCOUNT, speech at Dinner, 30*P*.
GREGORY, E.:
allotropy of iron, 428*P*.
formation of iron sulphide and determination of oxygen, 374*P*.
grain size in steel, 443*P*.
GREINER, E. S., iron-silicon alloys, 93*A*.
GRENET, L., quenching of steel, 71*A*.
GREWE, H., errors in analytical work, 96*A*.
GRIFFEN, J., Rheolaveur process, 254*A*.
GRIFFIS, R. O., deep-drawing steel, 124*A*.
GRIM, R. E., constitution of clays, 10*A*.
GROOTE, P. DE, heat losses in glass furnace walls, 287*A*.
GROT, A. S., elected Associate, 4*P*.
GRUBER, R., Austrian coal, 253*A*.
GRUBITSCH, H., galvanising, 30*A*.
GRÜNING, G., tensile test-bars for welded joints, 33*A*.
GUEDER, R. A., automobile sheets, 219*A*.
GUILLET, L., jun., properties and tests of metals, 137*A*., 240*A*.
GUITTON, L., corrosion of ferrous alloys, 150*A*.

HACKE, A. K. E. F., elected Member, 2*P*.
HACKERT, R., welding electrodes, 225*A*.
HADFIELD, SIR ROBERT, AND S. A. MAIN:
Paper: "A Practical Trial of Roofing Sheets of Copper Steels and Other Materials, with the Results as Regards Their Corrosion After a Period of Exposure of 9¾ Years to Date," 81*P*. *Discussion*, 86*P*. *Correspondence*, 91*P*. *Authors' Reply*, 95*P*.
HAGUE, F. T., heat treatment of automobile steel, 23*A*.
HÄHN, W., water separator and water seal for gas main, 115*A*.
HALE, D. A. S., impact bend tests of wire, 281*A*.
HALKETT, R., jun., use of town gas, 5*A*.
HALL, H. F., strength and ductility of cast steel during cooling, 9*A*.
HALL, W. L., elected Associate, 4*P*.
HALLSWORTH, S., enamelling, 31*A*., 136*A*.
HAM, H. VAN, Luxemburg iron industry, 209*A*.
HAM, W. R., diffusion of hydrogen through nickel and iron, 81*A*.
HAMILTON, G. W., elected Member, 2*P*.
HAMMOND, D. W., grain size in steel, 436*P*.
HARMON, C., height of molten metal in cupolas, 7*A*.
HARRINGTON, R. H., precipitation hardening and double ageing, 237*A*.
HARRIS, J. E., elected Member, 2*P*.
HARRIS, R., arc welding of sheet metal, 227*A*.
HARRISON, G. R., spectroscopic analysis, 191*A*.
HARRISON, R. E. W., drop forging, 124*A*.
HARTMANN, H., melting rate of iron in contact with carbon, 69*A*.
HARVEY, F. A., mullite in fireclay brick, 57*A*.
HATFIELD, W. H.:
alloy steel, 37*A*.
corrosion-fatigue, 340*P*.
corrosion tests of copper steel, 86*P*.
corrosion tests on low-alloy steel, 50*A*.
damping capacity of metals, 456*P*.
grain size of steel, 217*P*., 437*P*.
life of ingot moulds, 369*P*.
steel ingots, 16*A*.
HAWES, C. C., determination of silica in iron ore, 97*A*.
HAY, R.:
ferrous - oxide/alumina system, 298*A*.
identification of inclusions in steel, 296*A*.
HAYES, A., cold-rolling of sheets and strip, 68*A*.
HAYES, A. H., deep-drawing steel, 124*A*.
HEASLETT, R. C., properties of castings, 240*A*.

HEDLEY, S. P., corrosion of stainless steel in sea-water, 188*A*.
HEIDHAUSEN, G., spectroscopic analysis, 191*A*., 307*A*.
HEILIGENSTAEDT, W.:
heat penetration of ingots in gravity-discharge furnace, 64*A*.
scaling of steel, 168*A*.
HEINDL, R. A., elasticity of refractories, 1*A*.
HEINRICH, F., rust-preventing oils, 32*A*.
HELMER, G., basic open-hearth process in Sweden, 62*A*.
HEMPEL, M.:
fatigue of steel at high temperatures, 80*A*.
fatigue - strength diagrams of notched and cold - worked steels, 235*A*.
HENDERSON, J., Hon. Treasurer's Report, 7*P*.
HENDERSON, JOHN, elected Member, 2*P*.
HENRIKSEN, E. K., self-stresses set up by machining, 172*A*.
HENRY, P.:
long-time tensile tests, 140*A*.
thermal conductivity of metals, 140*A*.
HENSHAW, P. B., report of Thermal Treatment Sub-Committee, 38*A*.
HERINGTON, C. F., Amco soaking pit, 123*A*.
HERMANN, F., vanadium deposits, 56*A*.
HERTEL, E., passivification of iron-chromium alloys, 301*A*.
HERZOG, E.:
corrosion of iron and steel, 150*A*., 249*A*.
marine corrosion of steel, 249*A*.
HEURTEY, C., sheet annealing furnaces, 273*A*.
HEWETT, D. F., mineral resources of Boulder Dam region, 154*A*.
HEYN, H. M., heat treatment of wire, 64*A*., 129*A*.
HICKS, L. C., elected Associate, 4*P*.
HILL, K., elected Member, 2*P*.
HILT, E. H. P., elected Member, 2*P*.
HINGLEY, G., elected Member, 2*P*.
HINGLEY, M., elected Member, 2*P*.
HIRD, B., coal dust in moulding sand, 257*A*.
HOAR, T. P.:
corrosion of tinplate by canned cream, 187*A*.
oxide films on iron, 411*P*.
HOESCH, E., awarded Carnegie Scholarship, 37*P*.
HOFF, H., cold-rolling of strip, 68*A*.
HOFFMANN, E., low-temperature carbonisation, 255*A*.
HOFFMANN, W., tensile test-bars for welded joints, 33*A*.
HOGABOOM, G. B.:
electrodeposition of zinc, 135*A*.
losses from plating solutions, 231*A*.
HOGAN, M. A., deterioration of wire ropes, 295*A*.
HOLLAND, A., defects in metals, 137*A*.
HOLSCHER, H. H., thickness measurement of enamels, 31*A*.
HOLZWEILER, C., roll design, 126*A*.
HOMERBERG, V. O., nitriding, 22*A*., 69*A*.
HOMÈS, G. A., internal physics of metals, 145*A*.
HOOD, N. R., degreasing of metals, 229*A*.
HOOK, W., graphite formation, 296*A*.
HOPE, D., sound castings, 120*A*.
HOPKINS, R. K., chromium steel for pressure vessels, 181*A*.
HORGER, O. J., fatigue of axles, 138*A*., 283*A*.
HORTON, S. A., pattern-making, 210*A*.
HORWOOD, H. C., nickel mines in Canada, 56*A*.
HOTHERSALL, A. W.:
adhesion of metallic coatings, 347*P*.
control in electrodeposition, 28*A*., 134*A*.
HOTTEL, H. C., heat transmission in heating furnaces, 264*A*.
HOUBEN, H., forging process, 65*A*., 218*A*.
HOUDREMONT, E.:
determination of oxygen, 364*P*.
grain size of steel, 88*A*.
HOUSTON, E. C., weldability of Ducol steel, 171*A*.
HOWAT, G. R., corrosion of tinplate by canned cream, 187*A*.
HOWELL, F. M., method of analysing creep data, 289*A*.
HOWES, S. R., elected Member, 2*P*.
HOYT, S. L.:
inclusions in steel, 251*P*.
single metallic crystals, 89*A*.
HÜBERT, E., carburetting of gas with tar or oil in open-hearth furnaces, 115*A*.
HUDSON, J. C.:
ageing of hard-drawn wire, 51*A*.
atmospheric corrosion tests, 49*A*.
corrosion of low-alloy steels, 175*P*., 50*A*.

HUDSON, J. C. (*contd.*)—
corrosion of painted and unpainted specimens, 51*A*.
corrosion of sheets, 89*P*.
corrosion-fatigue, 345*P*.
effect of phosphorus on corrosion of steel, 144*P*.
marine corrosion, 49*A*.
HUDSON, R. F., facing materials for moulds, 119*A*.
HULTGREN, A.:
effect of aluminium on slag inclusions, 162*A*.
structure of stearine ingots, 63*A*.
HULTIN, C. T., corrosion of inhibitors, 53*A*.
HUME-ROTHERY, W., Debye-Scherrer method of crystal analysis, 44*A*.
HUNT, C. B., coal in New Mexico, 56*A*.
HUNTER, R.:
heat treatment of steel castings, 273*A*.
internal stresses in steel, 175*A*.
HURST, J. E.:
Paper: "Some Experiments on the Influence of Silicon, Phosphorus and Manganese on Nitrogen-Hardening Cast Iron," 255*P*.
Correspondence, 265*P*.
Author's Reply, 266*P*.
heat treatment of cast iron, 224*A*.
ingot moulds, 372*P*.
HUSSEY, A. V., aluminous cement, 201*A*.
HUTCHINSON, A.:
blast-furnace coke, 394*P*.
Presidential Address, 73*P*.
remarks on Sir R. Hadfield and S. A. Main's paper, 86*P*.
speech at Dinner, 26*P*.
HUTTON, O. P., hydraulic presses, 124*A*.

INGLIS, N. P., deterioration of parts in service, 173*A*.
ITIHARA, M.:
impact torsion tests, 33*A*.
stress-strain diagrams, 33*A*.
IWANOW, P. N., oxidising power of basic slags, 162*A*.

JABOULAY, E., determination of cobalt in steel, 306*A*.
JACKSON, C. J., corrosion of tinplate by canned cream, 187*A*.
JACKSON, W. C.:
use of gas in tinplate industry, 115*A*.
Welsh tinplate industry, 31*A*.
JACOB, L., transport of ore, 110*A*.
JACOBS, F. B., drop-forging dies, 17*A*.
JACOBS, F. M., stresses in nickel-iron sheet, 90*A*.
JACQUÉ, L., effect of hydrogen on steel, 141*A*.
JAEGER, H. E., arc welding of ships, 131*A*.
JAMES, W. A., pickling plant of Bethlehem Steel Co., 229*A*.
JAMISON, E. A., propane for foundry purposes, 207*A*.
JANITZKY, E. J.:
conversion of tensile-test data, 76*A*.
heat treatment of bars, plates, and shapes, 129*A*.
JASZCZUROWSKI, J., oxidation of metals, 129*A*.
JELLINGHAUS, W., iron-cobalt-copper alloys, 149*A*.
JENKINS, C. H. M., allotropy of iron, 428*P*.
JENKINS, I., elected Associate, 4*P*.
JENKINS, S. M., insulation of open-hearth furnaces, 252*A*.
JENKNER, A., low-temperature carbonisation, 255*A*.
JENNINGS, C. H.:
design of welds, 277*A*.
welding of Jal-Ten steel, 277*A*.
welding of metals, 225*A*.
JESSEN, P., welding of boiler steel, 132*A*.
JETTE, E. R.:
iron-chromium system, 48*A*.
iron-silicon alloys, 93*A*.
X-ray examination of ternary systems, 47*A*.
JEVONS, J. D.:
deep-drawing, 18*A*., 124*A*.
lubricants for deep-drawing, 219*A*.
microscopic examination of welds, 87*A*.
JOHNSON, H. H., graphitisation of cast iron, 7*A*.
JOHNSON, L. W., alloys for engineering industry, 142*A*.
JOHNSTON, J.:
chemistry of steel, 185*A*.
corrosion-resistant steel, 181*A*.
JOHNSTON, W., jun., steel cinder pots, 13*A*.
JONES, B.:
nitriding process, 265*P*.
rimming steel, 379*P*.
JONES, F. W., elected Member, 2*P*.
JONES, GEOFFREY L., elected Member, 2*P*.

JONES, GEORGE L., elected Associate, 4*P*.
JONES, J. A.:
Paper: "The Effect of Phosphorus on the Mechanical and Corrosion-Resisting Properties of Low-Carbon and of Low-Alloy Structural Steels," 113*P*. *Discussion*, 139*P*. *Correspondence*, 147*P*. *Author's Reply*, 157*P*.
alloy structural steel, 143*A*., 242*A*.
properties of low-alloy steels, 174*P*.
quench-ageing of steel, 34*A*.
JONES, J. H., separation of banded constituents of coal, 156*A*.
JONES, W. D., iron-zinc alloys, 247*A*.
JORDAN, L. A., preservation of iron by paint, 136*A*.
JOSEPH, C. F., annealing of malleable iron, 257*A*.
JOUSSET, B., electro-magnetic hardness test, 139*A*.
JUDSON, H. H., pressure castings, 61*A*.
JUNG, F. W., coking properties of coal, 205*A*., 206*A*.
JUNGBLUTH, H., effect of wall thickness on properties of cast iron, 82*A*., 240*A*.
JUNGE, C. H., graphitisation of cast iron, 7*A*.
JUNGER, A., corrosion-fatigue of steel in sea-water, 188*A*.
JURASCHEK, F., conveying system for strip mills, 127*A*.
JUSTH, R., phosphate coatings, 29*A*.

KAISER, H., spectrum analysis, 307*A*.
KALIŃSKI, A., grain-size control of austenite, 45*A*.
KALISCH, E.:
welded locomotive boiler, 132*A*.
welded locomotive parts, 132*A*.
KANTER, J. J., creep of metals, 81*A*.
KARMAUS, H. J., German enamelling industry, 233*A*.
KATSURA, B., stainless steel, 84*A*.
KAUFFELD, T. J., elected Member, 2*P*.
KAWAKAMI, Y., stainless steel, 84*A*.
KAWASE, H., contact effects of glass and platinum on dissolution of iron in acid, 55*A*.
KECK, W. E., flotation of hematite, 199*A*.
KEELOR, W. B., stainless-clad steel, 231*A*.
KELLER, E. H., effect of hydrogen in steel melting, 212*A*.
KELLEY, K. K.:
entropies of inorganic substances, 179*A*.
heats of fusion of inorganic substances, 178*A*.
KERL, W., notch toughness of cast steel, 77*A*.
KERNAHAN, W. C.:
forge furnaces of Interstate Drop Forging Co., 17*A*.
forge shop of Chevrolet Motor Co., 218*A*.
hardening of chain parts, 275*A*.
plant of Storms Drop Forging Co., 124*A*.
KERSTEN, H., electrodeposition of iron-nickel alloys, 134*A*.
KESSLER, F., calculation of regenerators, 156*A*.
KIKKAWA, H., manufacture of stainless steel, 14*A*.
KING, H. J., microcharacter hardness tester, 34*A*.
KING, J. G.:
analysis of coal, 97*A*.
hydrogenation of coal, 256*A*.
KING, R. M., adherence of enamels, 233*A*.
KINNEAR, H. B.:
copper stools for ingot moulds, 13*A*.
duplex process for steel castings, 160*A*.
KINZEL, A. B.:
alloy welding rods, 225*A*.
impact strength of fine-grained steels at low temperatures, 239*A*.
welding of alloy steel, 73*A*., 276*A*.
KITSON, HON. R., elected Hon. Vice-President, 13*P*.
KITTO, W. C., magnesite nozzles, 13*A*.
KJERRMAN, B., determination of inclusions, 184*A*.
KJERRMAN, H., determination of inclusions, 184*A*.
KJOLSETH, K. E., enamelling furnaces, 232*A*.
KLEIN, C. J., lubrication in steel plants, 126*A*.
KLUMB, H., bi-metallic strip for measurement of radiation, 167*A*.
KNEHANS, K., casting of ingot moulds, 61*A*.
KNERR, H. C., heat-treated alloy steel, 242*A*.
KNIGHT, L. B., jun., moulding sand, 119*A*.

KNIPP, E.:
notch toughness of cast steel, 77*A*.
wear of steel on brick, 177*A*.
KNOWLTON, H. B., axle shafts, 86*A*.
KOCH, H. W., measurement of vibration, 138*A*.
KOCHHAR, H. L., elected Member, 2*P*.
KOEHLER, W. A., porosity tests of zinc coatings, 31*A*.
KOHLMEYER, E. J., arseniuretted hydrogen in pickling, 133*A*.
KÖRBER, F.:
deoxidising action of elements, 245*P*.
desulphurising and deoxidising action of manganese, 356*P*.
determination of oxygen, 360*P*.
gases in steel, 362*P*.
heats of formation of iron-silicon alloys, 147*A*.
heats of formation, structure and properties of alloys, 148*A*.
laboratories of K.-W.-I. für Eisenforschung, 247*A*.
properties of alloys at high temperatures, 239*A*.
elected Member, 2*P*.
KORITNIG, O. T., painting of foundry patterns, 210*A*.
KORNFELD, H., recrystallisation by hot deformation, 46*A*.
KORNFELD, M., orientation of recrystallisation nucleus, 184*A*.
KÖSTER, W.:
microscopic examination of metals, 244*A*.
elected Member, 2*P*.
KOTEL, E., coke requirements of blast-furnace, 116*A*.
KRAEBER, L., magnetic properties of iron hydroxides, 111*A*.
KRAINER, H.:
thermal conductivity of metals, 179*A*.
uniform hardening of steel, 300*A*.
KRÄMER, W., tinplate, 268*A*.
KRAUS, C. E.:
effect of cutting fluids on tool life, 278*A*.
turning of steel, 278*A*.
KRAUSE, D. E., effect of phosphorus in steel, 290*A*.
KRAUSE, H., colouring of metals, 231*A*.
KRAUSZ, plastic distortion of metals, 77*A*.
KRAWCZYNSKI, URSULA, tungsten-carbon system, 149*A*.
KRIVOBOK, V. N., austenitic stainless alloys, 84*A*.
KRUPKOWSKI, A., oxidation of metals, 129*A*.
KRUS, A., production of iron in rotary furnace, 158*A*.
KRUSCH, P., ore deposits in Germany, 153*A*.
KÜCH, F., rhodium plating, 135*A*.
KUCZEWSKI, W., iron ore in Poland, 154*A*.
KUGLER, A. N., multi-layer welding, 72*A*.
KÜHLWEIN, F. L., low-temperature carbonisation, 255*A*.
KULKARNI, S. D., elected Member, 2*P*.
KUNKLER, L. E., metal spraying, 136*A*.
KUNTZE, W.:
distribution of elongation and notch shape, 34*A*.
effect of specimen and notch dimensions on alternating bend fatigue strength, 236*A*.
effect of stress conditions on alternating bend strength, 235*A*.
elongation at fracture in tensile test, 33*A*.
hardness tests, 34*A*.
KURBATOW, W. J., protective coatings, 28*A*.
KÜTTNER, C., iron/chromium/chromium-carbide/cementite system, 93*A*.

LAHOUSSAY, L., safety devices for mine cages, 144*A*.
LAISSUS, J., cementation of cast iron by beryllium, 128*A*.
LAIT, J. R., refractory materials, 1*A*.
LAMBERT, J. L., elected Member, 2*P*.
LAMORT, J., production of iron and glass in producer, 117*A*.
LANDERGREN, S., distribution of elements in iron ore, 199*A*.
LANGE, H., transformations in iron-nickel alloys, 246*A*.
LANGE, S. G. P. DE:
arc welding machines, 276*A*.
arc welding of sheets, 25*A*.
LANGLEY, H. T., runners and risers on steel castings, 60*A*.
LANGUEPIN, J. E.:
resistance welding, 225*A*.
welded machine frames, 227*A*.
LAQUE, F. L., graphitic corrosion of cast iron, 187*A*.
LARKE, SIR W., work of Ingot Committee, 355*P*.

LARSEN, E. I., resistance welding of sheets, 170*A*.
LARSON, L. J., arc welding, 72*A*.
LAUER, B. E., inhibitors of corrosion, 53*A*.
LEA, F. C.:
repeated stress tests, 177*A*.
elected Member, 2*P*.
LEGAT, H., chromium-manganese steel, 240*A*.
LEHR, E., fatigue of pinion shafts, 234*A*.
LEIBER, G., reactions in basic open-hearth furnace, 62*A*., 260*A*.
LEIHENER, O., grain size in steel, 45*A*.
LEIRIS, H. DE, differential extensometer, 138*A*.
LEITER, R. W. E., deep-drawing properties of sheets, 66*A*.
LEMOINE, R., graphitisation of cast iron, 259*A*.
LEON, A., stresses in rolls and balls, 282*A*.
LÉPINGLE, M., mullite refractories for boilers, 155*A*.
LESSING, R., liquid fuel from coal, 59*A*.
LE THOMAS, A., high-duty cast iron, 141*A*.
LEWIS, G., elected Member, 2*P*.
LEWIS, J., elected Member, 2*P*.
LEWIS, K. G.:
corrosion of steel, 94*P*.
effect of phosphorus in steel, 155*P*.
temperature measurement in open-hearth furnaces, 378*P*.
thickness of sheets used in corrosion tests, 182*P*.
use of zirconium as deoxidiser, 250*P*.
LEYENSETTER, W., effect of heat treatment on steel, 23*A*.
LEYSAHT, H., determination of tellurium in steel, 97*A*.
LI, T., reaction of hydrogen with iron sulphide in liquid iron, 14*A*.
LIEUTAUD, J., chemical analysis, 191*A*.
LINCOLN, B. H., X-ray examination of lubricants, 127*A*.
LINCOLN, R. A., austenitic stainless alloys, 84*A*.
LINDE, R., isothermal annealing, 23*A*.
LINDEMUTH, F. L., welding of heavy machinery, 277*A*.
LINDEN, K., effect of salt baths in creep tests, 238*A*.
LINDGREN, R. A.:
disintegration of blast-furnace linings, 201*A*.
refractories for blast-furnaces, 2*A*.
LIPPERT, T. W.:
hollow-electrode furnace, 213*A*.
manufacture of stainless steel in open-hearth furnaces, 14*A*.
LIPS, E. M. H., transformations in metals, 186*A*.
LITINSKY, L., magnesia refractories, 57*A*.
LIVOIS, G. DE, combustion control, 113*A*.
LLEWELLYN, F. T., low-alloy structural steel, 40*A*.
LODEESEN, H. J., phosphate coatings, 30*A*.
LÖFQUIST, H., freezing of rimming steel, 375*P*.
LOGAN, K. H., soil corrosion of metals, 188*A*.
LÖHR, H., combustion of gases, 4*A*.
LOHSE, U.:
German foundry machines, 160*A*.
moulding machines, 120*A*.
LOMAS, MISS F., elected Member, 2*P*.
LONGDEN, E., mechanisation of foundries, 118*A*.
LONGENECKER, C.:
open-hearth furnaces of Inland Steel Co., 121*A*.
plant of Granite City Steel Co., 212*A*.
rolling mills of American Rolling Mill Co., 165*A*.
LORD, J. O., reboiling phenomenon of enamels, 233*A*.
LOSSIER, H., fatigue of steel in reinforced-concrete structures, 236*A*.
LOWE, J., cupola refractories, 2*A*.
LOWRY, H. W., flotation of hematite, 199*A*.
LUBIMOFF, W., effect of specimen and notch dimensions on alternating bend fatigue strength, 236*A*.
LÜCKERATH, W., rolling of rails, 267*A*.
LUDWIG, J. N., jun., ferro-alloys in foundries, 210*A*.
LUEG, W., rolling of carbon steel, 220*A*.
LUSTMAN, B., orientations in cold-rolled steel, 46*A*.
LUTHER, K., operating statistics, 159*A*.
LUYKEN, W., magnetic properties of iron hydroxides, 111*A*.

LYON, S. W., fatigue of steel at low temperatures, 78*A*.
LYONS, E. H. jun.:
adhesion of galvanised coatings on wire, 136*A*.
electrogalvanising of wire, 232*A*.

MABB, P.:
handling in heat-treatment plants, 71*A*.
pickling inhibitors, 27*A*.
MCCABE, W. S., etching of coal, 58*A*.
MCCANDLESS, E. L., oxide films on iron, 248*A*.
MCCARTHY, B. L.:
etching of steel, 88*A*.
plastic deformation in wire drawing, 67*A*.
MACCHIA, O., phosphate coatings, 30*A*.
MCCRACKEN, J., elected Member, 2*P*.
MACDONALD, J., billet-heating furnace, 123*A*.
MCDONALD, J. H., basket-pouring of steel, 13*A*.
MACFARLANE, A., hydrogenation of coal, 256*A*.
MACGREGOR, R. A., fatigue of forgings, 175*A*.
MACHU, W., pickling inhibitors, 27*A*., 229*A*., 230*A*.
M'INTOSH, A. B., ferrous-oxide/alumina system, 298*A*.
MACK, H. E., cold-drawing of steel bars, 219*A*.
MACKAY, J., elected Member, 3*P*.
MCKAY, R. J.:
nickel alloys, 182*A*.
properties of nickel coatings, 29*A*.
MCKIMM, P. J., elected Member, 3*P*.
MCLACHLAN, D., jun., orientations in cold-rolled iron-nickel alloys, 90*A*.
MCLAUGHLAN, J., roll design, 220*A*.
MCLEAN, C. F., corrosion of stainless steel in sea water, 188*A*.
MCQUAID, H. W., effect of aluminium on quenched carbon steel, 91*A*.
MADDOCKS, W. R.:
grain size in steel, 436*P*.
iron-cobalt-copper system, 38*A*.
iron-copper-carbon system, 38*A*.
iron-copper system, 38*A*.
MAILÄNDER, R.:
effect of preheating and loading in creep tests, 238*A*.
folding tests of steel, 75*A*.
self-stress and bend fatigue strength of nitrided steel, 175*A*.
MAIN, S. A.:
Paper: "A Practical Trial of Roofing Sheets of Copper Steels and Other Materials." *See* HADFIELD, SIR ROBERT.
MALBORN, J., elected Member, 3*P*.
MALCOLM, V. N., elected Member, 3*P*.
MALCOR, M., refining of steel, 260*A*.
MANN, C. A., inhibitors of corrosion, 53*A*.
MANN, H. C., tensile-impact tests, 281*A*.
MARIES, M. B., analysis of coal, 97*A*.
MARKHAM, G. H., elected Member, 3*P*.
MARSHALL, R. W., elected Associate, 4*P*.
MATTHEW, T. U., stress distribution in irregular sections, 281*A*.
MATTOCKS, E. O., controlled furnace atmospheres, 129*A*.
MAURER, E., thermal conductivity of chromium steel, 35*A*.
MAWHINNEY, M. H., combustion chamber design, 4*A*.
MAYER, C. F., core ovens of Packard Motor Car Co., 211*A*.
MAYER, F.:
chromium-tungsten tool steels, 42*A*.
quenching of tool steel, 24*A*.
MAYERS, M. A., combustion in fuel beds, 203*A*.
MAXWELL, H. L., cast iron in chemical industry, 180*A*.
MEALS, C. D., stresses in wire ropes, 175*A*.
MEHL, R. F.:
oxide films on iron, 248*A*.
slip, twinning and cleavage in iron and silicon ferrite, 89*A*.
MENKE, W. J., elected Member, 3*P*.
MENZIES, D., elected Associate, 4*P*.
MERCIER, filler metal for oxy-acetylene welding, 131*A*.
MERTIE, J. B., jun., coal in Alaska, 154*A*.
MESSERLE, K., blast-furnace practice in Russia, 116*A*.
METCHERSKY, N., Sperry method of detecting defects in rails, 245*A*.
METZGER, A., water gas and water seal for gas mains, 115*A*.
MEUNIER, F., arc welding of steel, 131*A*.
MEYER, A., awarded Bessemer Gold Medal, 13*P*.
MEYERS, C. W., galvanising of wire, 135*A*.

MEYERSBERG, G., brittleness of cast iron, 240*A*.
MICHAUD, M., welding of rail joints, 170*A*.
MIDDLEHAM, T. H., heat-resistant steel for glass industry, 241*A*.
MILEY, H. A.:
Paper: "The Thickness of Oxide Films on Iron." *Abstract*, 407*P*., 301*A*. *Discussion*, 408*P*. *Correspondence*, 412*P*. *Author's Reply*, 413*P*.
oxide films on copper and iron, 249*A*.
awarded Carnegie Scholarship, 37*P*.
MILLER, R. E., strip mill of Granite City Steel Co., 268*A*.
MILLER, R. F., elected Associate, 4*P*.
MILLER, W. T. W., crushers for stone and ore, 110*A*.
MILLETT, H. C.:
Lurgi carbonisation process, 59*A*.
scaling of steel, 70*A*.
MITCHELL, D. F., fusibility of coal ash, 253*A*.
MITCHELL, J. M., elected Member, 3*P*.
MITINSKI, A., elastic modulus of cast iron, 137*A*.
MITSCHE, R.:
cracking of water tube, 282*A*.
non-metallic inclusions, 297*A*.
patenting of wire, 169*A*.
primary structure of cast iron, 184*A*.
MOHLER, F.:
electrification of strip mills, 20*A*.
tension control in strip mills, 20*A*.
MOISSEIFF, L. S., high-strength steel, 41*A*.
MOLL, G., polarised light in metallography, 87*A*., 183*A*.
MONDEN, H., gas evolution in annealing sheets, 169*A*.
MONYPENNY, J. H. G., iron-carbon-chromium system, 37*A*.
MOORE, B. N., mineral resources of Boulder Dam region, 154*A*.
MOORE, C. E., refractory materials, 201*A*.
MOORE, D. G., slagging of refractories, 3*A*.
MOORE, H. F.:
detection of fatigue cracks, 139*A*.
fissures in rails, 86*A*.
MOORHOUSE, J. R., moulding of yoke casting, 211*A*.
MORANTY, A. F., recording instruments, 14*A*.
MORGAN, E., inclusions in cast iron, 45*A*.
MORGAN, M. F., sintering plant of Republic Steel Corp., 199*A*.
MORRIS, M. J. R., high-alloy structural steel, 41*A*.
MORRIS, T. N., corrosion of tinplate by food products, 152*A*.
MOSES, A. J.:
welded boilers, 132*A*.
welded pressure vessels, 171*A*.
MOSSOUX, R., tests on spring materials, 144*A*.
MOTOK, G. T., extraction of gases and oxides from steel, 96*A*.
MOTT, R. A.:
abrasion tests of coke, 401*P*.
reactive coke, 255*A*.
swelling power of coal, 206*A*.
work of Dud Dudley, 6*A*.
MUGNEROT, M., rammed linings for furnaces, 202*A*.
MUIR, J., tests on nickel-molybdenum steel, 293*A*.
MÜLLER, welding of rails, 227*A*.
MÜLLER, E. A. W., X-ray photographs, 183*A*.
MÜLLER, F. W., drilling of chromium-nickel steel, 172*A*.
MULLER, J., welding electrodes, 170*A*.
MÜLLER, W. J., Austrian coal, 253*A*.
MULLIN, F., elected Member, 3*P*.
MURAKAMI, T., stainless steel, 84*A*.
MURPHY, A. M. C., mounting and polishing small wire specimens, 87*A*.
MURRAY, W., determination of oxygen in steel, 305*A*.
MYERS, R. H., marine corrosion, 50*A*.

NADAI, A., creep of metals, 289*A*.
NAUMANN, iron ore in Germany, 56*A*.
NEAD, J. H., structure of rimmed steel, 214*A*.
NEALEY, J. B.:
annealing of malleable castings, 160*A*.
case-hardening furnaces, 128*A*.
extrusion of automobile valves, 125*A*.
heat treatment of gears, 129*A*.
slab furnaces at Ford plant, 64*A*.
NEEDHAM, L. W., flocculation of washery water, 4*A*.
NÉGRESCO, T., equilibrium of iron oxides in slags, 16*A*.
NESSI, A., heat conduction in structural materials, 287*A*.
NEUMANN, G., furnace atmospheres, 204*A*.

NICHOLSON, C. G., cobalt-iron system, 37*A*.
NIPPER, H., electrical conductivity of cast iron, 35*A*.
NISOLLE, L., temperature regime and flux in plane surface, 287*A*.
NIWA, S., nickel alloys for steam power plants, 242*A*.
NOAILLON, E., swelling of coke in ovens, 206*A*.
NOEL, J., handling of ore, 110*A*.
NOLAN, T. B., mineral resources of Boulder Dam region, 154*A*.
NORBURY, A. L., formation of manganese-sulphide and iron-sulphide, 367*P*.
NORRIS, A. H., elected Associate, 4*P*.
NORTHCOTT, L. F. C., ingot mould, 371*P*.
NOTOMI, H., nickel alloys for generators, 242*A*.
NOTVEST, R., steel for welding electrodes, 73*A*.

OBERSTE-BRINK, K., iron mining in Ruhr district, 251*A*.
OELSEN, W.:
heats of formation of iron-silicon alloys, 147*A*.
heats of formation of nickel-silicon alloys, 148*A*.
OFFERMANN, E. K., steel from carbonyl iron, 182*A*., 243*A*.
OHARA, H., stainless steel for dental work, 84*A*.
OLIN, H. L., oxidation of coal, 4*A*.
OLIVER, F. J., cleaning of castings, 160*A*.
OLMSTEAD, C. F., heat-treatment plant of Consolidated Aircraft Corp., 224*A*.
O'NEILL, H.:
Paper: "Alloy and Fine-Grained Steels for Locomotive Coupling Rods," 187*P*. *Discussion*, 209*P*. *Correspondence*, 217*P*. *Author's Reply*, 218*P*.
effect of phosphorus in steel, 141*P*.
ONSLOW, D. V., creep and corrosion of steels at high temperatures, 180*A*.
ORDOÑO, C., elected Associate, 4*P*.
ORNSTEIN, L. S., reflecting power of iron in neighbourhood of Curie point, 186*A*.
ORR, B. F., flame cutting of steel, 228*A*.
ORR, C. W., elected Associate, 4*P*.
OSCHATZ, H., fatigue testing machines 138*A*.
OSTASSENKO, A. W., flakes in tool steel, 168*A*.
OTIS, A. N., electric heat-treatment furnaces, 23*A*.
OTTE, W., design of tubes in feed-water heaters, 58*A*.

PADGET, H., elected Associate, 4*P*.
PAGEL, W., free-cutting steel, 143*A*.
PARKER, E. R.:
damping capacity of steel, 175*A*.
effect of aluminium on normality of steel, 69*A*.
PARKIN, G., elected Associate, 4*P*.
PARTRIDGE, E. P., effect of solutions on endurance of carbon steel under torsion, 286*A*.
PARTRIDGE, J. R., refractory materials, 1*A*.
PASCHKE, F., pattern-making, 257*A*.
PASCHKE, M.:
bonding material in moulding sand, 60*A*.
production of foundry iron, 116*A*.
PATCHETT, J. H., elected Member, 3*P*.
PAVITT, W. H., heat distribution in coke ovens, 157*A*.
PEACE, E. A., effect of elements in cast iron, 240*A*.
PEARCE, J. G.:
failure of ingot moulds, 258*A*.
graphite structure of cast iron, 296*A*.
PEARSON, A. A., control of chromium plating solutions, 231*A*.
PÉCHEUX, H., thermocouples, 167*A*.
PEETZ, E., production of foundry iron, 116*A*.
PENNEY, G. W., electrostatic precipitation 207*A*.
PERCHKE, M. V., effect of organic substances on corrosion of metals, 187*A*.
PERCIVAL, R. T.:
fluidity of iron alloys, 8*A*.
elected Member, 3*P*.
PERRAULT, R., magnetic separation of ore, 112*A*.
PERRIN, R., steel refining, 63*A*.
PERRY, A. S., effect of sodium hydroxide on boiler steel under tension, 286*A*.
PETERS, C. M., elected Associate, 4*P*.
PETERSEN, O., elected Hon. Member, 11*P*.
PETIET, M., elected Member, 3*P*.
PETIT, Cowper stoves, 287*A*.

PETIT, C., coke-oven construction, 114*A*.
PHILLIPS, G. P., cast metals for machine construction, 37*A*.
PHILLIPS, H. D., elected Associate, 4*P*.
PIER, M., hydrogenation of coal, 256*A*.
PIERCE, R. H. H., jun., thermal expansion of silica brick, 2*A*.
PIERCE, W. G., coal in Montana, 154*A*.
PILARSKI, S., heat treatment of cast iron, 130*A*.
PILLING, N. B., elected Member, 3*P*.
PINSL, H.:
determination of manganese, silicon and chromium, 96*A*.
determination of titanium and vanadium in steel, 191*A*.
PIPE, C. R., elected Member, 3*P*.
PIRK, G. W., microscopic examination of steel and copper, 145*A*.
PIWOWARSKY, E.:
electrical conductivity of cast iron, 35*A*.
heat treatment of cast iron, 272*A*.
impact strength and notch sensitiveness of cast iron, 174*A*.
PLANKENSTEINER, S., pressing of tubes, rods, and wire, 144*A*.
PLANT, C., elected Member, 3*P*.
PLANT, C. H.:
malleable cast iron, 118*A*.
X-ray examination of metals, 43*A*.
POENSGEN, E.:
elected Hon. Vice-President, 11*P*.
speech at Dinner, 33*P*.
POENSGEN, W., elected Member, 3*P*.
POHL, M. VON:
phosphate coatings, 30*A*.
Russian Conference on metallic coatings, 28*A*.
POLE, G. R., slagging of refractories, 3*A*.
POLLARD, C. D., elected Member, 3*P*.
POLLARD, H. V., effect of specimen form on resistance of metals to combined alternating stresses, 176*A*.
POMP, A.:
fatigue-strength diagrams of notched and cold-worked steels, 235*A*.
properties of alloys at high temperatures, 239*A*.
rolling of carbon steel, 220*A*.
POOLE, S. W., impact tests of steel at low temperature, 290*A*.
POPE, S. B., elected Member, 3*P*.
PORTEVIN, A. M.:
chemical heterogeneity and segregation, 146*A*.
corrosion of iron and steel, 249*A*.
corrosion of low-alloy steels, 178*P*.
effect of phosphorus on corrosion of steel, 155*P*.
graphitisation of cast iron, 259*A*.
marine corrosion of steel, 249*A*.
morphology of inclusions, 145*A*.
nitrogen in welds, 226*A*.
thermal and electrical conductivities of alloys, 287*A*.
transformations during cooling of steel, 299*A*.
PORTEVIN, A. M. and R. CASTRO:
Paper: "Morphology of the Inclusions in Siderurgical Products. Parts IV. and V.," 223*P*. *Correspondence*, 245*P*. *Authors' Reply*, 252*P*.
PÖSCHE, T., mechanics of solid bodies, 173*A*.
POST, C. B., orientation of strip steel, 46*A*.
PRATT, J. S., elected Associate, 4*P*.
PRECOUL, M., valve steels, 182*A*.
PREECE, A., scaling of steel, 39*A*.
PRENTISS, F. L.:
alloy steel welding rods, 125*A*.
forging practice, 218*A*.
PRIESTLEY, W. J.:
alloy steels, 240*A*.
chromium steel for chemical equipment, 181*A*.
PRIMROSE, J. S. G., impact values of fine-grain steels, 217*P*.
PROST, E., Russian iron industry, 159*A*.
PSZCZÓLKA, O., temperature measurements in annealing furnaces, 271*A*.
PUGH, SIR ARTHUR, speech at Dinner, 35*P*.
PULLIN, V. E., radiological examination of steel castings, 10*A*.
PUNGA, F., electric drive for reversing mill, 68*A*.
PUSCH, R., microscopes, 43*A*., 87*A*.

QUENEAU, B. R., elected Associate, 4*P*.
QUINNEY, H., distortion of wire through draw plate, 67*A*.

RAGSDALE, E. J. W., stainless steel in light-weight construction, 41*A*.

RAINE, T.:
determination of oxygen in steel, 305*A*.
separation of oxides in steel, 305*A*.
RAIT, J. R., ferrous-oxide/alumina system, 298*A*.
RANQUE, G.:
long-time tensile tests, 140*A*.
thermal conductivity of metals, 140*A*.
RAPATZ, F.:
effect of grinding skin on cutting power of tools, 279*A*.
free-cutting steel, 143*A*.
steels susceptible to heat treatment, 273*A*.
RATCLIFF, J. R., oil flow measurement, 5*A*.
RATH, E., caustic embrittlement of boilers, 189*A*.
RAWSON, S., elected Member, 3*P*.
REAGAN, W. J., life of ingot moulds, 16*A*.
REEKIE, D. W., elected Member, 3*P*.
REES, E. W. T., elected Member, 3*P*.
REES, W. J., work of Moulding Materials Sub-Committee, 10*A*.
REES, W. P.:
allotropy of iron, 426*P*.
elected Member, 3*P*.
REEVE, L.:
effect of phosphorus in steel, 142*P*.
internal stresses in welds, 25*A*.
REICHEL, W., tool life and machinability, 172*A*.
REICHERT, W. G., control of moulding sand, 60*A*.
REINARTZ, L. F., open-hearth practice, 13*A*.
REYNOLDS, D. A., coking properties of coal, 205*A*., 206*A*.
REYNOLDS, P. W., Debye-Scherrer method of crystal analysis, 44*A*.
RHEA, T. R., electric equipment for steel mills, 20*A*.
RHODES, F. H., corrosion of metals by water and carbon dioxide, 53*A*.
RIBAUD, thermal conductivity of powdered materials, 287*A*.
RICHARDS, R. B., elected Member, 3*P*.
RICHARDSON, G. B., mineral resources of Pennsylvania, 251*A*.
RICHARDSON, G. T.:
scaling of steel, 39*A*.
awarded Carnegie Scholarship, 37*P*.
RICHEY, J. E., Sanquhar coalfield, 153*A*.
RIDDIHOUGH, M., crucibles for laboratory work, 155*A*.
RIDET, welding of rails, 227*A*.
RIDGION, J. M.:
standardisation of fuel control and testing methods, 113*A*.
work of Coke Research Committees, 393*P*., 255*A*.
RIDLEY, C. N., corrosion in hot-water systems, 95*A*.
RIDSDALE, N. D.:
testing of oil-sands, 211*A*.
tests of moulding sand, 119*A*.
RIEDEL, F., spread during rolling, 126*A*.
RILEY, H. L., coke research, 397*P*.
RINMAN, B., determination of inclusions, 184*A*.
RISTOW, A., effect of phosphorus on basic steel, 180*A*., 292*A*.
RITCHIE, T., coke ovens at Govan Ironworks, 114*A*.
ROADLEY, J. A., elected Associate, 4*P*.
ROBERTS, G. L. G., elected Member, 3*P*.
ROBIETTE, A. G., electric heat-treatment furnaces, 169*A*.
ROBINSON, G., elected Associate, 4*P*.
ROBINSON, N., elected Member, 3*P*.
ROBINSON, P. B., refractory materials, 252*A*.
ROCHE, H. M., iron ore in New Jersey, 251*A*.
ROCHETTE DE LEMPDES, use of oxy-acetylene flame in steel industry, 131*A*.
ROCKEFELLER, J. W., jun.:
instrument springs, 144*A*.
load-deflection characteristics of springs, 243*A*.
spring wire, 41*A*., 125*A*.
RODDA, J. L., iron-zinc system, 186*A*.
ROGERS, B. A.:
magnetic properties of basic slag, 15*A*.
refining of steel, 14*A*.
ROGERS, W. F., corrosion of oil-well equipment, 303*A*.
ROHDE, W., tap-hole machines, 6*A*., 116*A*.
ROHN, W., cluster mills, 19*A*.
ROLF, R. L., surface-hardening, 128*A*.
ROLL, F.:
cast crankshafts, 83*A*.
core binders, 161*A*.
preparation of microsections, 145*A*.
ROLLASON, E. C., metal spraying, 232*A*.

ROMODIN, G. A., oxidising power of basic slags, 162*A*.
ROMWALTER, A., water from low-temperature carbonisation, 114*A*.
ROOKE, R. M., multi-layer welding, 72*A*.
ROONEY, T. E., separation of oxides in steel, 305*A*.
ROSE, A., iron-vanadium-carbon system, 247*A*.
ROSE, G. E., open-hearth practice, 13*A*.
ROSE, W. F., green-sand moulds for steel castings, 10*A*.
ROSENTHAL, D., arc welding of steel, 131*A*.
ROSS, D., life of galvanising baths, 30*A*.
ROTHERHAM, L., Bragg's lectures on atomic arrangement in alloys, 37*A*.
ROWLAND, E. S., elected Associate, 4*P*.
ROWLEY, P., drop forgings, 266*A*.
ROY, S. N., elected Member, 3*P*.
RUBEY, W. W., mineral resources of Boulder Dam region, 154*A*.
RUFF, W., castability of iron and steel, 259*A*.
RUMMEL, K., calculation of regenerators, 156*A*.
RUSSELL, H. W.:
  fatigue of metals, 283*A*.
  overstressing of copper steel, 176*A*.
RUSSELL, M., welding versus casting, 61*A*.
RUSSELL, T. F.:
  grain size in steel, 441*P*.
  heating and cooling of steel, 38*A*.
  ingot moulds, 370*P*.
RUTTMANN, W.:
  effect of preheating and loading in creep tests, 238*A*.
  folding tests of steel, 75*A*.
RYCKER, H. DE, nitriding of steel, 141*A*.

SAACKE, F. C., multi-layer welding, 72*A*.
SAKEZAWA, S., stresses in welded joints, 228*A*.
SAKLATWALLA, B. D.:
  effect of phosphorus on corrosion of steel, 147*P*.
  metals and alloys for chemical equipment, 180*A*.
SALELLES, R., welded machine frames, 227*A*.
SAMARIN, A. M., effect of temperature on interaction of gases with steel, 212*A*.
SAMSON-HIMMELSTJERNA, H. O. VON, heats of formation of nickel-silicon alloys, 148*A*.
SAMUELS, M. L., dendrites in sheet steel, 45*A*.
SANDBERG, N. E. F., elected Member, 3*P*.
SANDERSON, L.:
  stainless steel wires, 243*A*.
  steel for petroleum industry, 41*A*.
SANDOMIRSKIJ, D., rubber coatings, 28*A*.
SANO, K., thermodynamic values of transformations of iron and manganese, 147*A*.
SARJANT, R. J.:
  crushers for stone and ore, 110*A*.
  grain-size in steel, 435*P*.
  heat-resistant steel for glass industry, 241*A*.
SAXTON, R., galvanising of wire, 31*A*.
SAYRE, M. F., elastic properties of metals, 173*A*.
SCAFF, J. H., laboratory vacuum furnace, 94*A*.
SCARPA, O., electrolytic corrosion of buried iron and steel, 151*A*.
SCHAAL, R. B., cast iron for enamelling, 160*A*.
SCHAFMEISTER, P.:
  graphite in cast iron, 82*A*., 245*A*.
  polarised light in metallography, 87*A*., 183*A*.
SCHALLBROCH, H., cutting temperature as index of machinability, 279*A*.
SCHALLER, W. T., mineral resources of Boulder Dam region, 154*A*.
SCHAPER, G., corrosion loss of steel, 150*A*.
SCHAUMANN, H., cutting temperature as index of machinability, 279*A*.
SCHEEPERS, L.:
  effect of heating rate on softening temperature of refractories, 155*A*.
  thermocouples, 21*A*.
SCHEIFELE, B., paints, 32*A*.
SCHEIL, E.:
  acoustic investigation of martensite formation, 44*A*.
  artificial production of nuclei in solidifying melts, 47*A*.
  grain size measurement, 184*A*.
  metallurgical investigation, 137*A*.
SCHEIL, M. A., inclusions in steel, 251*P*.

SCHEMPP, R., determination of austenitic grain size, 245*A*.
SCHEUSCH, H., Austrian coal, 253*A*.
SCHIKORR, G., atmosphere corrosion of iron, 53*A*.
SCHLAG, A., velocity-measuring devices, 204*A*.
SCHLECHTWEG, H., ferromagnetic behaviour of metallic crystals, 237*A*.
SCHLIESSMANN, O., spectrum analysis of alloy steel, 306*A*., 307*A*.
SCHMICK, W., strip steel for conveyor belts, 182*A*.
SCHMID-BURGK, W., electrical conductivity of cast iron, 35*A*.
SCHMIDT, L. D., oxidation of coal, 206*A*.
SCHMIDT, M., chromium-manganese steel, 240*A*.
SCHMITT, Leifo photometer, 306*A*.
SCHNEIDER, C. E., metallurgical developments, 37*A*.
SCHNEIDER, E., bonding material in moulding sand, 60*A*.
SCHNEIDER, H. H., elected Associate, 4*P*.
SCHNEIDER, W., effect of salt baths in creep test, 238*A*.
SCHOFIELD, F. H., "quick-immersion" methods of measuring temperatures in open-hearth furnace, 270*A*.
SCHONS, V., X-ray examination of welds, 184*A*.
SCHRADER, H. :
  core-toughness of case-hardened steel, 22*A*.
  grain size of steel, 88*A*.
SCHRAMM, J., iron-zinc system, 93*A*.
SCHREURS, J. J., Cottrell precipitators, 59*A*.
SCHROEDER, W. C., effect of solutions on endurance of carbon steel under torsion, 286*A*.
SCHRUF, R., power plant of Gutehoffnungshütte, 113*A*.
SCHUBERT, C. E., durability of moulding sands, 10*A*.
SCHULT, H., power stations, 203*A*.
SCHULTES, W., analysis of gas, 308*A*.
SCHULTZ, steel from carbonyl iron, 243*A*.
SCHULTZE, G., rubber coatings, 32*A*.
SCHULZ, E. H., effect of phosphorus in basic steel, 292*A*.
SCHULZ, H., roller bearings, 68*A*.
SCHUMACHER, E. E., laboratory vacuum furnace, 94*A*.
SCHUTH, E., rust-preventing oils, 32*A*.
SCHWARTZ, E. H., open-hearth practice, 13*A*.
SCHWARTZ, H. A. :
  determination of nodule number, 146*A*.
  graphitisation of cast iron, 7*A*.
SCHWARZ, P. A., low-temperature carbonisation, 59*A*.
SCOTT, D. M., hollow-electrode furnace, 214*A*.
SCOTT, K. L., magnet steel, 79*A*.
SEARLE, A. B., refractory materials, 57*A*.
SÉFÉRIAN, D., nitrogen in welds, 226*A*.
SEFING, F. G., microstructures of cast iron, 91*A*.
SEIGLE, J. :
  effect of quenching on steel, 185*A*.
  structure of ingots, 146*A*.
SEIPPEL, C., Velox steam generator, 204*A*.
SELVIG, W. A. :
  classification of coal, 58*A*.
  coking properties of coal, 205*A*., 206*A*.
SEREDIN, P. I., elected Member, 3*P*.
SERGEEV, V. A., elected Member, 3*P*.
SERGESON, R., impact tests of steel at low temperature, 290*A*.
SERVICE, W. M., elected Member, 3*P*.
SEVERIN, J., Roeckner tube process, 166*A*.
SEVIERI, V., sulphur in slags and cements, 116*A*.
SEYBOLT, A. U., elected Associate, 4*P*.
SHAPIRO, C. L. :
  carbon in steel, 296*A*.
  determination of austenitic grain size, 245*A*.
  elected Associate, 4*P*.
SHELLSHEAR, W. A., corrosion of oil-well equipment, 303*A*.
SHEPHERD, B. F., P.F. characteristics of steel, 89*A*.
SHEPHERD, H. H. :
  control of moulding sand, 60*A*.
  cupola practice, 257*A*.
SHIPTON, W. J., elected Member, 3*P*.
SHIRLEY, H. T., corrosion tests on low-alloy steel, 50*A*.
SIEBEL, E. :
  galvanising of sheet ware, 135*A*.
  mechanical testing, 280*A*.
  plastic deformation, 65*A*.
SIEGLERSCHMIDT, H., shrinkage of metals, 12*A*.

SIMISTER, E., elected Associate, 4*P*.
SIMONDS, H. R.:
metal finishing, 231*A*.
rust-proofing processes, 28*A*.
SIMPSON, A. W., corrosion of ancient iron, 54*A*.
SIMPSON, J. B., Sanquhar coalfield, 153*A*.
SINGER, F., barium aluminium silicates, 1*A*.
SINGEWALD, J. T., jun.:
absorption of lime in open-hearth slags, 13*A*.
lime fluxes and slags, 162*A*.
SINNATT, F. S.:
hydrogenation of coal, 256*A*.
work of Coke Research Committees, 395*P*.
SIPP, K.:
casting stresses, 12*A*.
wear of piston rings, 178*A*.
SJÖGREN, G. O. H., elected Associate, 4*P*.
SKROCH, K., gas evolution on annealing sheets, 169*A*.
SLOMAN, H. A., determination of oxygen in steel, 305*A*.
SLOTTMAN, G. V., flame-hardening, 129*A*.
SMEKAL, H., fatigue and brittle fractures, 285*A*.
SMITH, A., elected Member, 3*P*.
SMITH, A. J. G., foundry management, 160*A*.
SMITH, E. W. P., surfacing by welding, 73*A*.
SMITH, L. A., open-hearth refractories, 13*A*.
SMITH, M. C., welding of alloy steel, 25*A*.
SMITH, R. D., iron and steel for glass industry, 143*A*.
SMITH, R. H., cold-heading, 65*A*.
SMITH, W. H., mould and core drying, 258*A*.
SNELLING, R. W., case-hardening in cyanides, 128*A*.
SNOEK, J. L., magnetic and electrical properties of binary systems, 178*A*.
SODA, T., Japanese strip metal, 166*A*.
SODERBERG, C. R., creep tests, 289*A*.
SÖHNCHEN, E., heat treatment of cast iron, 272*A*.
SOPWITH, D. G.:
Paper: "The Influence of the Mean Stress of the Cycle on the Resistance of Metals to Corrosion-Fatigue." *See* GOUGH, H. J.
SOPWITH, D. G., and H. J. GOUGH:
Paper: "The Effect of Protective Coatings on the Corrosion-Fatigue Resistance of Steel." 315*P*. *Discussion*, 340*P*. *Correspondence*, 345*P*. *Authors' Reply*, 348*P*.
SPÄTH, W.:
alternating testing machines, 234*A*.
effect of testing machine on load diagram of materials, 280*A*.
SPEIGHT, G., elected Associate, 4*P*.
SPEIGHT, G. E., determination of oxygen in steel, 305*A*.
SPELLER, F. N.:
corrosion of ancient iron, 54*A*.
corrosion-resistant metals, 180*A*.
SPENCER, H. F., Amco soaking pit, 123*A*.
SPENCER-STRONG, blistering of enamels, 233*A*.
SPITZGLASS, A. F., control of open-hearth furnaces, 204*A*.
SPONHEUER, A., hardening and tempering phenomena in chromium steel, 185*A*.
SPOONER, C. E., swelling power of coal, 206*A*.
SPRARAGEN, W., fatigue of welded joints, 228*A*.
SPRINGER, R., determination of pH values in plating solution, 134*A*.
SPRINGORUM, F., elected Hon. Vice-President, 11*P*.
SPRUNK, G. C., coking properties of coal, 205*A*., 206*A*.
STAMM, K. O., magnetic properties of basic slag, 15*A*.
STAMMBACH, R., forging of hollow bodies, 124*A*.
STANDING, A. J., temperature measurement of bars during rolling, 127*A*.
STANEK, F., open-hearth furnaces, 71*A*.
STANFIELD, G.:
damping capacity of metals, 454*P*.
temperature distribution and stress effects in heating of masses, 38*A*.
STANG, A. H., tensile tests of wire ropes, 33*A*.
STANIER, W. A., locomotive coupling rods, 217*P*.
STARGARDTER, A. R., hardening of razor blades, 130*A*.
STEEVER, A. M., forging practice, 65*A*.

STEFFES, M.:
blast supply to basic converters, 121*A*.
gas-balance of blast furnace, 59*A*.
STEIN, K., free-cutting steel, 143*A*.
STEINBERG, S., transformation of austenite in chromium-nickel steel, 299*A*.
STERRETT, R. R., X-ray examination of lubricants, 127*A*.
STEVENSON, W. W.:
corrosion tests on low-alloy steel, 50*A*.
determination of oxygen in steel, 305*A*.
gases in iron and steel, 263*A*.
rusting and descaling of steel, 51*A*.
separation of oxides in steel, 305*A*.
STOBIE, V., core-making 258*A*.
STÖCKMANN, W., welding of boiler steel, 132*A*.
STOTT, L. L., beryllium alloys, 180*A*.
STOTT, V. H., production of pyrometer tubes, 271*A*.
STRÄHUBER, F., burning losses in heating furnaces, 123*A*.
STRAUB, F. G.:
deposits on turbine blades, 54*A*.
embrittlement in boilers, 285*A*.
STRENG, J., elected Associate, 4*P*.
STUCKERT, L., opacifiers in enamels, 31*A*.
STURM, R. G., method of analysing creep data, 289*A*.
SULLIVAN, J. D.:
open-hearth refractories, 13*A*.
residual metals in open-hearth steel, 13*A*.
SURLS, M. F., microstructures of cast iron, 91*A*.
SUSIN, V., transformation of austenite in chromium-silicon steel, 299*A*.
SUTTON, H., corrosion-fatigue, 341*P*.
SWANGER, W. H., failure of bridge cables, 282*A*.
SWARUP, D., effect of phosphorus in alloy steel, 39*A*., 292*A*.
SWEETMAN, L. R., tensile tests of wire ropes, 33*A*.
SWIFT, H. B., magnetic crack detector, 145*A*.
SWINDELLS, N., elected Associate, 4*P*.
SWINDEN, T.:
checker bricks, 2*A*., 252*A*.
corrosion tests on low-alloy steel, 50*A*.
fine-grain steels, 213*P*.
gases in iron and steel, 263*A*.
phosphorus in steel, 146*P*.
SWINDEN, T. (*contd.*)—
restrainers in pickling of steel, 51*A*.
rimming steel, 261*A*.
SWINDEN, T., and G. R. BOLSOVER:
Paper: "Controlled Grain Size in Steel." *Discussion*, 435*P*. *Authors' Reply*, 445*P*.
SYKES, W., strip mill of Inland Steel Co., 19*A*.
SYLVESTER, J., ball-bearing steel, 70*A*.
SZÉKI, J., water from low-temperature carbonisation, 114*A*.
SZENDEROWSKI, L., heat treatment of cast iron, 130*A*.

TAFFS, H. J., polishing and etching of tin and tin alloys, 145*A*.
TAGUCHI, Y., Kawasaki platinum steel, 84*A*.
TAIT, G. E., castings for heavy machinery, 161*A*.
TAMMANN, G., melting rate of iron in contact with carbon, 69*A*.
TAYLOR-AUSTIN, E.:
determination of inclusions, 373*P*.
determination of molybdenum in cast iron, 306*A*.
TERECHOV, K. I., lacquers and varnishes, 28*A*.
TERNEY, L., arc welding of sheet metal, 227*A*.
THALER, H., Siegerland pig-iron industry, 209*A*.
THANHEISER, G., laboratories of K.-W.-I. für Eisenforschung, 247*A*.
THEISINGER, W. G., heat effect in welding, 25*A*., 276*A*.
THEODORE, J. J., blistering of enamels, 233*A*.
THEWS, E. R., case-hardening in cyanides, 128*A*.
THIESSEN, R., coking properties of coal, 205*A*., 206*A*.
THOMAS, G. L., elected Associate, 4*P*.
THOMAS, T. J., elected Member, 3*P*.
THOMASSON, H., arc welding of sheets, 170*A*.
THOMPSON, F. C., heat treatment of steel, 71*A*.
THOMPSON, J. G., determination of oxygen in steel, 190*A*.
THOMPSON, P., elected Associate, 4*P*.
THOMPSON, R. W., forging practice, 218*A*.
THOMPSON, W. C., fusibility of coal ash, 253*A*.
THOMSON, S., elected Member, 3*P*.

THORBURN, JAMES, elected Member, 3*P*.
THORBURN, JOHN, elected Member, 3*P*.
THORNBURG, V. E., furnace for preparation of high-purity iron, 247*A*.
THORNHILL, R. S.:
rusting and descaling of steel, 50*A*.
elected Associate, 4*P*.
THUM, A., effect of thermal self-stresses on fatigue strength, 283*A*.
THUM, E. E.:
corrosion-resistant steel, 85*A*.
tests of sheet metal, 144*A*.
THUM, U., elected Member, 3*P*.
TIERNEY, F. P., fusibility of coal ash, 253*A*.
TILLMANNS, H. E., fatigue of steel at high temperatures, 80*A*.
TINDULA, R. W., elected Associate, 4*P*.
TIPPER, G. H., vanadium-bearing magnetite in India, 153*A*.
TITOW, E. F., magnetic anisotropy of iron, 287*A*.
TODD, J. W., elected Member, 3*P*.
TOFAUTE, W.:
hardening and tempering phenomena in chromium steel, 185*A*.
iron/chromium/chromium-carbide/cementite system, 93*A*.
TORRANCE, S., determination of copper in iron, 306*A*.
TOUR, S.:
manufacture of stainless steel in open-hearth furnaces, 14*A*.
stainless-steel springs, 42*A*.
TOY, H. B., galvanised iron and steel sheets, 91*P*.
TRAPP, K., corrosion loss of iron and steel, 248*A*.
TRAUTMAN, O. C., heat treatment of wire, 24*A*.
TRILLAT, J. J., lubricants, 220*A*.
TRINKS, W.:
end thrust of rolls, 165*A*.
recuperators, 58*A*.
roll diameters for backed-up mills, 126*A*.
roll life in four-high mills, 126*A*.
spread in rolling, 19*A*.
TROMP, K. F., coal cleaning, 253*A*.
TROON, W. H., tool steels, 172*A*.
TRUESDALE, E. C., iron-zinc system, 186*A*.
TUCKER, R. C., foundry pig-iron, 60*A*.
TURNBULL, J. M. G., liquid brazing, 171*A*.
TURNER, T. HENRY:
corrosion-fatigue, 346*P*.
locomotive coupling rods, 209*P*.
phosphorus in steel, 146*P*.
TÚRY, plastic distortion of metals, 77*A*.

UCHIMARU, S., nickel alloys for water power plants, 242*A*.
UEBEL, F., elongation at fracture in tensile test, 33*A*.
UHLITZSCH, H., properties of cast iron, 36*A*.
UMANSKY, L. A.:
electricity in steelworks, 4*A*.
electrification of strip mills, 20*A*.
UNGER, L. E., microcharacter hardness tester, 34*A*.
UNTERLADSTÄTTER, A., magnesite in Austria, 153*A*.

VACHER, H. C., determination of oxygen in steel, 190*A*.
VAN DEN BOSCH, etching of rustless steel, 244*A*.
VEEN, J. H. VAN DER, reflecting power of iron in neighbourhood of Curie point, 186*A*.
VEGESACK, A. VON, martensite, 298*A*.
VERBORG, P., forging machines, 266*A*.
VERNON, W. H. J.:
corrosion of copper steel, 88*P*.
oxide films on iron, 409*P*.
VERNOTTE, P., thermal conductivity of solid bodies, 287*A*.
VERŐ, J. A., awarded Carnegie Scholarship, 37*P*.
VERWILST, Y., elected Member, 3*P*.
VIALLE, etching of rustless steel, 244*A*.
VICKERS, J. B., determination of oxygen in steel, 305*A*.
VIEROW, E., open-hearth furnaces, 13*A*.
VIETORISZ, J., impact values of fine-grained steel, 213*P*.
VILELLA, J. R., grain size of steel, 88*A*.
VILEZ, M., surface-hardening, 223*A*.
VINOGRADOVA, MME. A., effect of organic substances on corrosion of metals, 187*A*.
VITZENI, M., tyre steel, 121*A*.
VOGEL, O.:
arseniuretted hydrogen in pickling, 133*A*.
pickling inhibitors, 230*A*.
pickling of strip, 230*A*.

VOLLMER, L. W., steels for oil industry, 181*A*.
Voos, E., sulphur in slag and cement, 116*A*.
VROONEN, E., centrifugal refiner for metals, 162*A*.
VUKMANIC, P. A., orientations in hot-rolled steel, 47*A*.

WAGENBLAST, W., effect of surface pressing on fatigue, 138*A*.
WAGENER, A., Burbach steelworks, 158*A*.
WAINWRIGHT, C.:
Paper: "Alloys of Iron Research. Part XII. Note on the β_M Transformation in Manganese-Rich Iron-Manganese Alloys." *See* GAYLER, MARIE L. V.
WALKER, S. H., elected Associate, 4*P*.
WALTERS, F. M. jun., dilatometer, 179*A*.
WALZEL, R.:
cracking of water tube, 282*A*.
patenting of wire, 169*A*.
surface treatment of steel, 28*A*.
WAPPE, T. F., elected Member, 3*P*.
WARD, G. F., elected Member, 3*P*.
WARD, N. F., welding generator, 131*A*.
WARDELL, V. A., spangle on galvanised sheets, 135*A*.
WARNER, W. L., arc welding of alloy structural steel, 276*A*.
WASHBURN, T. S., structure of rimmed steel, 214*A*.
WASSERMANN, G., iron-nickel alloys, 48*A*., 246*A*.
WATERFALL, T. D., temper-brittleness, 139*A*.
WATERMAN, W. W., oxidation of coal, 4*A*.
WATSON, J. D., steel castings, 143*A*.
WEAVER, F. L., control of moulding sand, 11*A*.
WEAVER, S. H., creep of steel, 288*A*.
WEBBER, A. F.:
standardisation of fuel control and testing methods, 113*A*.
technical developments in iron industry, 208*A*.
WEIDTMANN, O., free-cutting steel, 143*A*.
WELCH, F. V., microscope for use with ultra-violet light, 244*A*.
WELCKER, W. A., jun., fatigue of metals, 283*A*.
WELDON, M. J., elected Associate, 4*P*.
WELLENSTEIN, R., electromagnetic method for determining fissures in wires, 245*A*.
WELLMAN, R. C., auto brake-drum castings, 161*A*.
WELLS, C., iron-manganese alloys, 274*P*.
WELLS, J. A. E., elected Member, 3*P*.
WELTER, G.:
effect of vibrations on structural materials, 177*A*., 283*A*.
yield point of steel, 173*A*., 234*A*.
WELTER, J., converter bottoms, 202*A*.
WELTER, R., gas balance of blast-furnace, 59*A*.
WENTRUP, H., inclusions in steel, 248*P*.
WESCOTT, B. B., steels for oil industry, 181*A*.
WESEMANN, F.:
burning losses in heating furnaces, 123*A*.
heat consumption of heating furnaces, 123*A*.
heating-up time of reheating furnaces, 217*A*.
measurement of surface temperature, 21*A*., 167*A*.
soaking of materials in pusher furnaces, 264*A*.
WESLEY, W. A., graphitic corrosion of cast iron, 187*A*.
WEVER, F.:
iron-vanadium-carbon system, 247*A*.
transformations in iron-nickel alloys, 246*A*.
WHEELER, M. A., microscopic examination of welds, 87*A*.
WHITBY, L., preservation of iron by paint, 136*A*.
WHITE, A. E.:
creep of metals, 80*A*.
fracture of steel at high temperatures, 79*A*.
WHITE, J., awarded Carnegie Scholarship, 37*P*.
WHITELEY, J. H.:
effect of phosphorus in steel, 139*P*.
inclusions in electric-furnace bath samples, 262*A*.
WHITESIDE, W. S., ball-bearing steel, 70*A*.
WHITHAM, J. H., elected Member, 3*P*.
WIDELL, T., rate of fall of dust particles, 115*A*.
WIESEMAN, R. W., high-frequency generators for induction furnaces, 15*A*.
WIGHT, C. M., foundry costs, 210*A*.

WILCOX, R. L.:
iron-zinc system, 186*A*.
recording apparatus for thermal analysis, 44*A*.
WILEMAN, W. G., elected Member, 3*P*.
WILHELM, H., scrap in basic open-hearth practice, 62*A*.
WILKINSON, S., elected Member, 3*P*.
WILLEMS, F., determination of oxygen in iron, 96*A*.
WILLEY, G. B., transformations in steel, 185*A*.
WILLIAMS, C. E.:
economics of scrap, 15*A*.
elected Member, 3*P*.
WILLIAMS, H. J., metal spraying, 232*A*.
WILLIAMS, J. H., dense iron castings, 120*A*.
WILLIAMS, T. H., elected Member, 3*P*.
WILLIAMSON, J., elected Member, 3*P*.
WILLITS, C. C., bend test for tinplate, 75*A*.
WILLOTT, R. L., elected Member, 3*P*.
WILLS, C. A., welding of heavy machinery, 277*A*.
WILLS, W. H., chromium tool steel, 85*A*.
WILPUTTE, L. N., heat distribution in coke ovens, 157*A*.
WILSON, D., steel for stud bolts, 79*A*.
WILSON, R. L., fracture of steel at high temperatures, 79*A*.
WILSON, W. M., wedge extensometer, 280*A*.
WINGATE, D. T., elected Member, 4*P*.
WINLOCK, J.:
deep-drawing properties of sheets, 66*A*.
sheet and strip for deep-drawing, 165*A*.
WINTER, H., coal ash, 113*A*.
WISHART, H. B., fatigue of steel at low temperatures, 78*A*.
WOGRINZ, A., galvanising, 30*A*.
WOHLGEMUTH, G. F., failure of bridge cables, 282*A*.
WOLDMAN, N. E., auto-frettage of cylinders, 66*A*.
WOLSTENHOLME, G. E., properties and applications of steel, 180*A*.
WONG, L. E., elasticity of refractories, 1*A*.
WOODS, R. C., X-ray apparatus, 88*A*.
WOOFTER, H. A., flash welding of strip, 132*A*.
WORMWELL, F.:
laboratory corrosion tests, 52*A*.
oxide films on iron, 412*P*.
WRAZEJ, W.:
flakes in steel, 17*A*.
steels susceptible to heat treatment, 273*A*.
WRIGHT, R. H., electric driving of rolling mills, 127*A*.
WURST, H., grain-size measurement, 184*A*.
WUSATOWSKI, Z., properties of spring steel, 41*A*.
WYLIE, D., elected Member, 4*P*.
WYNN, E. W., sound castings, 120*A*.

YAMANOUTI, H., stresses in welded joints, 228*A*.
YANT, J. W., Magnaflux test for pressure vessels, 245*A*.
YENSEN, T. D.:
allotropy of iron, 431*P*.
transformer steel, 178*A*.
YODER, C. M., cold roll-forming, 218*A*.
YOUNG, H. J., wear of cylinders, 35*A*.
YOUNG, W. T., electrodeposition of iron-nickel alloys, 134*A*.

ZABEL, G. W., relation of engineering to foundry, 7*A*.
ZÄNKER, K., spectrum analysis of alloy steel, 306*A*., 307*A*.
ZEERLEDER, A. VON, aluminium coatings, 135*A*.
ZELLER, W., measurement of vibration, 138*A*.
ZEYEN, K. L.:
austenitic welding, 74*A*.
welding electrodes, 225*A*.
ZIMMERMANN, J. G., effect of vanadium in eutectoid steel, 92*A*.